



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


FEEDBACK ANALYSED REPORT (AY:2022-23)

STUDENT FEEDBACK ANALYSED REPORT (AY:2022-23)


Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Students.

The Feedback analysis is presented below:

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
1	Course Content	1	5	6	7	81



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
2	Breadth of conceptual clarity	3	5	4	6	82







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
5	Overall Effectiveness of the course	8	10	3	7	72



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
6	Preparedness of the faculty	2	1	8	11	78







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
7	Quality of Interaction	5	6	6	8	75



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
8	Quality of rigor	1	6	4	7	82







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
9	Sequencing of the topics	0	3	1	15	81



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
10	Style of topics delivery	2	1	10	7	80







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
11	Time allotted for each topic	5	9	3	8	75



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
12	Value addition provided by the course	7	11	4	5	73






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
13	Standards of assessment system	3	5	3	9	80

STANDARDS OF ASSESSMENT SYSTEM



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
14	Quality of teaching	0	2	9	3	86

QUALITY OF TEACHING





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


FEEDBACK ANALYSED REPORT (AY:2022-23)

ALUMNI FEEDBACK ANALYSED REPORT (AY:2022-23)

Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Alumni.

The Feedback analysis is presented below:

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
1	Ambience	2	2	2	13	81







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
2	Environment	1	2	5	8	84



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
3	Infrastructure and lab facility	2	2	5	9	82







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
4	Faculty and teaching methods	1	3	8	9	79



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
5	Project Guidance and Placement	0	4	8	13	75






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
6	Quality of support material	3	4	5	10	78

Quality of support material



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
7	Training & Placement	1	3	5	11	80

Training & Placement







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
8	Library Facilities	05	1	4	10	80



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
9	Canteen Facilities	3	5	5	8	79







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
10	Hostel Facilities	5	4	4	7	80



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
11	Overall rating of the institute	3	3	4	8	82






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
12	Alumni Association/Network with old friends	1	2	3	11	83

Alumni Association/Network with old friends



S.No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
13	Standards of Assessment System	0	4	4	11	81

Standards of Assessment System






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
14	Quality of Teaching	1	3	5	7	84





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

FEEDBACK ANALYSED REPORT (AY:2022-23)

TEACHERS/ FACULTY FEEDBACK ANALYSED REPORT (AY:2022-23)


Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Faculty.

The Feedback analysis is presented below:

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
1	Environment in the department is conducive to teaching	0	2	2	13	83

Environment in the department is conducive to teaching

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory %
■ 4- Agree % ■ 5- Strongly Agree %






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
2	Content implementation	0	2	4	10	84

Content implementation



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
3	Prescribed books availability in the library	0	2	5	8	85

Prescribed books availability in the library






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
4	Infrastructural facilities in the department	2	1	6	9	82

Infrastructural facilities in the department



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
5	Conduction of examination with proper coverage of all units in the syllabus	2	2	3	13	80




RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

Conduction of examination with proper coverage of all units in the syllabus


■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
6	Freedom to adopt new techniques/strategies in teaching	1	2	3	11	83

Freedom to adopt new techniques/strategies in teaching

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrengcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
7	Adequate funding and support to faculty members for attending conferences	0	2	2	8	88

Freedom to adopt new techniques/strategies in teaching

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
8	Adequate and smooth support/incentives for projects and research facilities	2	2	4	7	85




RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

Adequate and smooth support/incentives for projects and research facilities


■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
9	Adequate funding and support to faculty members for upgrading their skills and qualifications	0	1	3	13	83

Adequate funding and support to faculty members for upgrading their skills and qualifications

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %






RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
10	Fair & transparent evaluation of answer scripts	0	2	1	9	88

Fair & transparent evaluation of answer scripts

Feedback on Parameter 1- Strongly Disagree % 2- Disagree %
3- Satisfactory % 4- Agree % 5- Strongly Agree %





RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


FEEDBACK ANALYSED REPORT (AY:2022-23)

EMPLOYERS FEEDBACK ANALYSED REPORT (AY:2022-23)

Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Employers.

The Feedback analysis is presented below:

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
1	Content and Syllabus	2	6	11	3	78



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
2	Knowledge base of the candidate	1	2	3	10	84



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

Knowledge base of the candidate



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
3	Practical handson Skills	2	2	2	11	83

Practical hands on Skills



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
4	Communication Skills	3	3	7	8	79




RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

Communication


Skills



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
5	Administrative Abilities	0	5	5	8	82

Administrative Abilities



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
6	Overall Rating	2	2	4	12	80

