

# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: AI&DS

Sem: I- II

Date: 11-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54202	Probability & Statistics	Dr. G. Srinivasu	44	3.31	
2	20A56201T	Applied Physics	Mr. R. Mallikarjuna Sharma	44	3.27	
3	20A52101T	Communicative English	Mr. M V V Aditya	44	4.07	
4	20A05101T	Python Programming & Data Science	Mr. M. V. Prabhath Kumar	44	4.14	
5	20A03101T	Engineering Drawing	Mr. B. Radha Krishnaiah	44	3.58	
6	20A03101P	Engineering Graphics Laboratory	Mrs. K. Manjusha	44	3.52	
7	20A52101P	Communicative English Laboratory	Mr. M V V Aditya	44	3.99	
8	20A56201P	Applied Physics Laboratory	Mr. R. Mallikarjuna Sharma	44	3.34	
9	20A05101P	Python Programming & Data Science Laboratory	Mr. M. V. Prabhath Kumar	44	4.09	

K. J. 11/7/23.

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

for

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Probability & Statistics - 20A54202

Sem: I- II

Course Faculty: Dr. G. Srinivasu

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	4	25	10	5	3.36
2	Breadth of conceptual clarity	44	1	7	20	10	6	3.30
3	Evaluation Scheme	44	1	5	25	7	6	3.27
4	Involvement of Faculty	44	1	6	22	10	5	3.27
5	Overall effectiveness of the course	44	0	6	25	5	8	3.34
6	Preparedness of the faculty	44	0	6	21	10	7	3.41
7	Quality of Interaction	44	0	8	23	8	5	3.23
8	Quality of Rigor	44	1	6	20	11	6	3.34
9	Sequencing of the topics	44	0	8	22	7	7	3.30
10	Style of topic delivery	44	1	9	20	5	9	3.27
11	Time allotted for each topic	44	0	8	22	9	5	3.25
12	Value addition provided by the Course	44	1	5	22	8	8	3.39
13	Standards of Assessment system	44	0	7	24	5	8	3.32
14	Quality of teaching	44	2	7	20	8	7	3.25

AVG 3.31

K. Jeeva  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Applied Physics - 20A56201T

Sem: I- II

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	3	2	25	8	6	3.27
2	Breadth of conceptual clarity	44	4	7	19	7	7	3.14
3	Evaluation Scheme	44	3	5	21	7	8	3.27
4	Involvement of Faculty	44	3	7	19	6	9	3.25
5	Overall effectiveness of the course	44	3	6	20	8	7	3.23
6	Preparedness of the faculty	44	2	5	22	9	6	3.27
7	Quality of Interaction	44	2	10	16	8	8	3.23
8	Quality of Rigor	44	2	5	21	9	7	3.32
9	Sequencing of the topics	44	2	7	19	9	7	3.27
10	Style of topic delivery	44	3	7	19	8	7	3.20
11	Time allotted for each topic	44	2	7	18	9	8	3.32
12	Value addition provided by the Course	44	2	8	16	10	8	3.32
13	Standards of Assessment system	44	2	5	22	8	7	3.30
14	Quality of teaching	44	4	4	19	7	10	3.34

AVG 3.27

*K. Zelle*  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Communicative English - 20A52101T

Sem: I- II

Course Faculty: Mr. M V V Aditya

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	1	17	7	19	4.00
2	Breadth of conceptual clarity	44	0	1	14	10	19	4.07
3	Evaluation Scheme	44	0	3	13	9	19	4.00
4	Involvement of Faculty	44	0	3	13	8	20	4.02
5	Overall effectiveness of the course	44	0	1	14	7	22	4.14
6	Preparedness of the faculty	44	0	0	15	9	20	4.11
7	Quality of Interaction	44	0	2	13	6	23	4.14
8	Quality of Rigor	44	1	0	14	9	20	4.07
9	Sequencing of the topics	44	1	2	13	7	21	4.02
10	Style of topic delivery	44	1	0	14	8	21	4.09
11	Time allotted for each topic	44	1	2	12	9	20	4.02
12	Value addition provided by the Course	44	1	0	14	6	23	4.14
13	Standards of Assessment system	44	1	2	13	8	20	4.00
14	Quality of teaching	44	1	0	13	5	25	4.20

AVG 4.07

*K. Jeeva*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*forreddy*  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Python Programming & Data Science - 20A05101T

Sem: I- II

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	0	14	10	20	4.14
2	Breadth of conceptual clarity	44	0	1	14	10	19	4.07
3	Evaluation Scheme	44	0	0	15	8	21	4.14
4	Involvement of Faculty	44	0	1	14	11	18	4.05
5	Overall effectiveness of the course	44	0	0	15	8	21	4.14
6	Preparedness of the faculty	44	0	0	13	8	23	4.23
7	Quality of Interaction	44	0	0	15	8	21	4.14
8	Quality of Rigor	44	0	0	14	5	25	4.25
9	Sequencing of the topics	44	0	0	14	7	23	4.20
10	Style of topic delivery	44	0	0	14	11	19	4.11
11	Time allotted for each topic	44	0	0	14	8	22	4.18
12	Value addition provided by the Course	44	0	0	14	12	18	4.09
13	Standards of Assessment system	44	0	0	15	9	20	4.11
14	Quality of teaching	44	0	0	13	10	21	4.18

AVG 4.14

*K. Zele*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*forreddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Engineering Drawing - 20A03101T

Sem: I- II

Course Faculty: Mr. B. Radha Krishnaiah

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	4	23	8	9	3.50
2	Breadth of conceptual clarity	44	1	5	22	7	9	3.41
3	Evaluation Scheme	44	0	5	21	7	11	3.55
4	Involvement of Faculty	44	0	4	21	8	11	3.59
5	Overall effectiveness of the course	44	0	4	21	11	8	3.52
6	Preparedness of the faculty	44	0	4	19	9	12	3.66
7	Quality of Interaction	44	0	4	19	8	13	3.68
8	Quality of Rigor	44	0	5	20	9	10	3.55
9	Sequencing of the topics	44	0	2	21	10	11	3.68
10	Style of topic delivery	44	0	5	18	10	11	3.61
11	Time allotted for each topic	44	1	3	20	9	11	3.59
12	Value addition provided by the Course	44	0	5	19	10	10	3.57
13	Standards of Assessment system	44	0	4	20	9	11	3.61
14	Quality of teaching	44	1	5	17	11	10	3.55

AVG	3.58
-----	------

K. Zele  
11/7/23

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Pranreddy  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Engineering Graphics Laboratory - 20A03101P

Sem: I- II

Course Faculty: Mrs. K. Manjusha

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	1	5	17	11	10	3.55
2	Breadth of conceptual clarity	44	3	3	18	11	9	3.45
3	Evaluation Scheme	44	2	5	16	8	13	3.57
4	Involvement of Faculty	44	2	4	19	8	11	3.50
5	Overall effectiveness of the course	44	2	4	18	11	9	3.48
6	Preparedness of the faculty	44	2	6	16	9	11	3.48
7	Quality of Interaction	44	2	4	16	11	11	3.57
8	Quality of Rigor	44	2	5	14	14	9	3.52
9	Sequencing of the topics	44	2	4	17	10	11	3.55
10	Style of topic delivery	44	2	5	17	10	10	3.48
11	Time allotted for each topic	44	2	3	18	10	11	3.57
12	Value addition provided by the Course	44	2	6	15	10	11	3.50
13	Standards of Assessment system	44	1	5	20	10	8	3.43
14	Quality of teaching	44	1	3	18	11	11	3.64

AVG	3.52
-----	------

K. Jee  
11/7/23  
Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Communicative English Laboratory - 20A52101P

Sem: I- II

Course Faculty: Mr. M V V Aditya

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	2	15	9	18	3.98
2	Breadth of conceptual clarity	44	0	1	16	10	17	3.98
3	Evaluation Scheme	44	0	1	17	8	18	3.98
4	Involvement of Faculty	44	0	1	16	9	18	4.00
5	Overall effectiveness of the course	44	0	1	17	7	19	4.00
6	Preparedness of the faculty	44	0	2	14	11	17	3.98
7	Quality of Interaction	44	0	1	18	7	18	3.95
8	Quality of Rigor	44	0	1	16	11	16	3.95
9	Sequencing of the topics	44	0	1	15	9	19	4.05
10	Style of topic delivery	44	0	1	17	7	19	4.00
11	Time allotted for each topic	44	1	0	17	9	17	3.93
12	Value addition provided by the Course	44	0	2	15	8	19	4.00
13	Standards of Assessment system	44	0	2	14	12	16	3.95
14	Quality of teaching	44	0	0	16	9	19	4.07

AVG 3.99

K. Jee 11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Applied Physics Laboratory - 20A56201P

Sem: I- II

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	2	3	20	11	8	3.45
2	Breadth of conceptual clarity	44	2	8	18	9	7	3.25
3	Evaluation Scheme	44	3	3	21	10	7	3.34
4	Involvement of Faculty	44	3	6	20	8	7	3.23
5	Overall effectiveness of the course	44	3	4	20	8	9	3.36
6	Preparedness of the faculty	44	3	4	17	13	7	3.39
7	Quality of Interaction	44	3	4	20	10	7	3.32
8	Quality of Rigor	44	3	6	19	9	7	3.25
9	Sequencing of the topics	44	3	2	22	9	8	3.39
10	Style of topic delivery	44	3	6	17	9	9	3.34
11	Time allotted for each topic	44	4	4	22	7	7	3.20
12	Value addition provided by the Course	44	3	3	21	7	10	3.41
13	Standards of Assessment system	44	3	3	20	10	8	3.39
14	Quality of teaching	44	3	3	19	12	7	3.39

AVG 3.34

*K. Jee*  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Python Programming & Data Science Laboratory- 20A051Sem: I- II

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	1	16	6	21	4.07
2	Breadth of conceptual clarity	44	0	1	16	7	20	4.05
3	Evaluation Scheme	44	0	1	16	7	20	4.05
4	Involvement of Faculty	44	0	0	17	9	18	4.02
5	Overall effectiveness of the course	44	0	1	15	7	21	4.09
6	Preparedness of the faculty	44	0	0	17	8	19	4.05
7	Quality of Interaction	44	0	1	15	6	22	4.11
8	Quality of Rigor	44	0	0	16	5	23	4.16
9	Sequencing of the topics	44	0	1	14	7	22	4.14
10	Style of topic delivery	44	0	0	16	5	23	4.16
11	Time allotted for each topic	44	0	1	15	7	21	4.09
12	Value addition provided by the Course	44	0	0	16	8	20	4.09
13	Standards of Assessment system	44	0	1	15	6	22	4.11
14	Quality of teaching	44	0	2	15	7	20	4.02

AVG	4.09
-----	------

*K. Jee*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: CSE- A

Sem: I- II

Date: 11-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54202	Probability & Statistics	Dr. G. Srinivasu	45	3.32	
2	20A56201T	Applied Physics	Mrs. S. Shabana	45	3.50	
3	20A52101T	Communicative English	Ms. K. Krishnaveni	45	3.97	
4	20A05101T	Python Programming & Data Science	Mr. M. V. Prabhath Kumar	45	3.94	
5	20A03101T	Engineering Drawing	Mr. B. Radha Krishnaiah	45	3.73	
6	20A03101P	Engineering Graphics Laboratory	Mrs. K. Manjusha	45	3.54	
7	20A52101P	Communicative English Laboratory	Ms. K. Krishnaveni	45	4.04	
8	20A56201P	Applied Physics Laboratory	Mr. R. Mallikarjuna Sharma	45	3.41	
9	20A05101P	Python Programming & Data Science Laboratory	Mr. M. V. Prabhath Kumar	45	4.11	

K. B. S.  
11/7/23

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy

Engineering College

NH-5, Kadanuthala - 524142

P. C. S. S. S.  
11/7/23

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Probability & Statistics - 20A54202

Sem: I- II

Course Faculty: Dr. G. Srinivasu

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	3	5	16	8	13	3.51
2	Breadth of conceptual clarity	45	4	6	18	7	10	3.29
3	Evaluation Scheme	45	3	7	18	6	11	3.33
4	Involvement of Faculty	45	3	7	18	7	10	3.31
5	Overall effectiveness of the course	45	3	8	15	9	10	3.33
6	Preparedness of the faculty	45	3	9	15	7	11	3.31
7	Quality of Interaction	45	3	9	15	8	10	3.29
8	Quality of Rigor	45	3	11	15	6	10	3.20
9	Sequencing of the topics	45	4	6	17	8	10	3.31
10	Style of topic delivery	45	4	8	15	7	11	3.29
11	Time allotted for each topic	45	4	6	17	7	11	3.33
12	Value addition provided by the Course	45	3	8	16	8	10	3.31
13	Standards of Assessment system	45	4	5	17	9	10	3.36
14	Quality of teaching	45	4	6	16	8	11	3.36

AVG 3.32

*K. Srinivasu*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Applied Physics - 20A56201T

Sem: I- II

Course Faculty: Mrs. S. Shabana

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	3	5	16	5	16	3.58
2	Breadth of conceptual clarity	45	3	7	16	5	14	3.44
3	Evaluation Scheme	45	3	6	15	5	16	3.56
4	Involvement of Faculty	45	4	6	14	6	15	3.49
5	Overall effectiveness of the course	45	3	7	13	7	15	3.53
6	Preparedness of the faculty	45	4	3	16	6	16	3.60
7	Quality of Interaction	45	7	4	12	10	12	3.36
8	Quality of Rigor	45	3	7	14	5	16	3.53
9	Sequencing of the topics	45	4	5	15	7	14	3.49
10	Style of topic delivery	45	4	6	15	4	16	3.49
11	Time allotted for each topic	45	5	6	13	7	14	3.42
12	Value addition provided by the Course	45	3	9	12	6	15	3.47
13	Standards of Assessment system	45	6	5	13	5	16	3.44
14	Quality of teaching	45	4	4	15	8	14	3.53

AVG	3.50
-----	------

*K. Zeeshan*  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Principal*  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Communicative English - 20A52101T

Sem: I- II


Course Faculty: Ms. K. Krishnaveni

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	2	2	13	6	22	3.98
2	Breadth of conceptual clarity	45	1	3	13	7	21	3.98
3	Evaluation Scheme	45	1	3	13	5	23	4.02
4	Involvement of Faculty	45	1	3	14	4	23	4.00
5	Overall effectiveness of the course	45	1	3	13	7	21	3.98
6	Preparedness of the faculty	45	1	3	14	6	21	3.96
7	Quality of Interaction	45	1	3	14	4	23	4.00
8	Quality of Rigor	45	2	4	12	7	20	3.87
9	Sequencing of the topics	45	1	5	10	9	20	3.93
10	Style of topic delivery	45	1	4	14	5	21	3.91
11	Time allotted for each topic	45	1	4	12	7	21	3.96
12	Value addition provided by the Course	45	1	4	12	7	21	3.96
13	Standards of Assessment system	45	1	3	13	6	22	4.00
14	Quality of teaching	45	1	3	13	5	23	4.02

AVG 3.97

  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Python Programming & Data Science - 20A05101T

Sem: I- II

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	5	13	4	22	3.91
2	Breadth of conceptual clarity	45	1	5	12	5	22	3.93
3	Evaluation Scheme	45	2	3	14	4	22	3.91
4	Involvement of Faculty	45	1	4	13	5	22	3.96
5	Overall effectiveness of the course	45	1	5	13	4	22	3.91
6	Preparedness of the faculty	45	1	3	14	6	21	3.96
7	Quality of Interaction	45	2	2	15	6	20	3.89
8	Quality of Rigor	45	1	3	15	6	20	3.91
9	Sequencing of the topics	45	1	3	15	5	21	3.93
10	Style of topic delivery	45	1	3	14	6	21	3.96
11	Time allotted for each topic	45	2	2	15	4	22	3.93
12	Value addition provided by the Course	45	1	3	14	5	22	3.98
13	Standards of Assessment system	45	1	2	16	5	21	3.96
14	Quality of teaching	45	1	4	12	6	22	3.98

AVG 3.94

K. Jeeva  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Engineering Drawing - 20A03101T

Sem: I- II

Course Faculty: Mr. B. Radha Krishnaiah

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	0	8	12	9	16	3.73
2	Breadth of conceptual clarity	45	0	9	12	7	17	3.71
3	Evaluation Scheme	45	0	8	12	9	16	3.73
4	Involvement of Faculty	45	0	8	13	7	17	3.73
5	Overall effectiveness of the course	45	0	8	13	9	15	3.69
6	Preparedness of the faculty	45	0	7	13	8	17	3.78
7	Quality of Interaction	45	0	7	14	7	17	3.76
8	Quality of Rigor	45	0	8	12	8	17	3.76
9	Sequencing of the topics	45	1	6	14	6	18	3.76
10	Style of topic delivery	45	1	7	13	6	18	3.73
11	Time allotted for each topic	45	1	8	12	6	18	3.71
12	Value addition provided by the Course	45	1	8	12	8	16	3.67
13	Standards of Assessment system	45	1	7	13	6	18	3.73
14	Quality of teaching	45	1	7	13	7	17	3.71

AVG	3.73
-----	------

*K. Jee*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Sreedhar*  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Engineering Graphics Laboratory - 20A03101P

Sem: I- II

Course Faculty: Mrs. K. Manjusha

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	3	4	16	7	15	3.60
2	Breadth of conceptual clarity	45	3	5	16	5	16	3.58
3	Evaluation Scheme	45	3	4	17	7	14	3.56
4	Involvement of Faculty	45	3	5	17	5	15	3.53
5	Overall effectiveness of the course	45	3	5	18	4	15	3.51
6	Preparedness of the faculty	45	3	5	17	5	15	3.53
7	Quality of Interaction	45	3	5	16	6	15	3.56
8	Quality of Rigor	45	3	5	18	5	14	3.49
9	Sequencing of the topics	45	3	4	18	5	15	3.56
10	Style of topic delivery	45	3	5	17	6	14	3.51
11	Time allotted for each topic	45	3	5	16	6	15	3.56
12	Value addition provided by the Course	45	3	5	17	6	14	3.51
13	Standards of Assessment system	45	3	4	18	5	15	3.56
14	Quality of teaching	45	3	5	16	5	16	3.58

AVG 3.54

K. Zele  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandat, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Communicative English Laboratory - 20A52101P

Sem: I- II

Course Faculty: Ms. K. Krishnaveni

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	2	15	3	24	4.04
2	Breadth of conceptual clarity	45	1	3	14	1	26	4.07
3	Evaluation Scheme	45	1	3	14	2	25	4.04
4	Involvement of Faculty	45	1	2	15	1	26	4.09
5	Overall effectiveness of the course	45	1	3	14	3	24	4.02
6	Preparedness of the faculty	45	1	2	16	2	24	4.02
7	Quality of Interaction	45	1	3	14	2	25	4.04
8	Quality of Rigor	45	3	2	15	2	23	3.89
9	Sequencing of the topics	45	1	3	14	2	25	4.04
10	Style of topic delivery	45	1	3	14	1	26	4.07
11	Time allotted for each topic	45	1	2	16	1	25	4.04
12	Value addition provided by the Course	45	1	2	15	2	25	4.07
13	Standards of Assessment system	45	1	2	15	3	24	4.04
14	Quality of teaching	45	1	2	15	1	26	4.09

AVG 4.04

K. Jeeva  
11/7/23.

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Applied Physics Laboratory - 20A56201P

Sem: I- II

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	4	6	17	4	14	3.40
2	Breadth of conceptual clarity	45	5	5	16	6	13	3.38
3	Evaluation Scheme	45	4	6	17	5	13	3.38
4	Involvement of Faculty	45	4	6	16	5	14	3.42
5	Overall effectiveness of the course	45	4	6	17	6	12	3.36
6	Preparedness of the faculty	45	4	6	16	5	14	3.42
7	Quality of Interaction	45	4	6	17	5	13	3.38
8	Quality of Rigor	45	5	6	15	7	12	3.33
9	Sequencing of the topics	45	4	6	16	5	14	3.42
10	Style of topic delivery	45	3	7	16	5	14	3.44
11	Time allotted for each topic	45	3	7	17	5	13	3.40
12	Value addition provided by the Course	45	3	7	15	7	13	3.44
13	Standards of Assessment system	45	3	7	16	5	14	3.44
14	Quality of teaching	45	3	7	15	6	14	3.47

AVG	3.41
-----	------

K. Jeyaraj  
11/7/23.

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Python Programming & Data Science Laboratory- 20A051Sem: I- II

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	2	13	5	24	4.09
2	Breadth of conceptual clarity	45	1	1	14	4	25	4.13
3	Evaluation Scheme	45	1	1	13	6	24	4.13
4	Involvement of Faculty	45	1	1	13	6	24	4.13
5	Overall effectiveness of the course	45	1	1	13	6	24	4.13
6	Preparedness of the faculty	45	0	2	13	6	24	4.16
7	Quality of Interaction	45	0	2	15	5	23	4.09
8	Quality of Rigor	45	1	3	14	4	23	4.00
9	Sequencing of the topics	45	0	2	14	6	23	4.11
10	Style of topic delivery	45	0	2	14	5	24	4.13
11	Time allotted for each topic	45	0	2	14	6	23	4.11
12	Value addition provided by the Course	45	0	2	14	5	24	4.13
13	Standards of Assessment system	45	0	2	14	6	23	4.11
14	Quality of teaching	45	0	2	14	5	24	4.13

AVG	4.11
-----	------

K. Zele 11/7/23.

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy

Engineering College

NH-5, Kadanuthala - 524142

for ready

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: CSE- B

Sem: I- II

Date: 11-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54202	Probability & Statistics	Dr. G. Srinivasu	45	3.60	
2	20A56201T	Applied Physics	Mrs. S. Shabana	45	3.84	
3	20A52101T	Communicative English	Mr. M V V Aditya	45	3.99	
4	20A05101T	Python Programming & Data Science	Mr. M. V. Prabhath Kumar	45	4.00	
5	20A03101T	Engineering Drawing	Mr. B. Radha Krishnaiah	45	3.70	
6	20A03101P	Engineering Graphics Laboratory	Mrs. K. Manjusha	45	3.30	
7	20A52101P	Communicative English Laboratory	Ms. K. Krishnaveni	45	4.22	
8	20A56201P	Applied Physics Laboratory	Mrs. S. Shabana	45	3.73	
9	20A05101P	Python Programming & Data Science Laboratory	Mr. M. V. Prabhath Kumar	45	4.06	

K. Jeeva  
11/7/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

foranreddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Probability & Statistics - 20A54202

Sem: I- II

Course Faculty: Dr. G. Srinivasu

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	4	17	13	10	3.60
2	Breadth of conceptual clarity	45	0	7	19	12	7	3.42
3	Evaluation Scheme	45	2	6	13	13	11	3.56
4	Involvement of Faculty	45	0	6	12	14	13	3.76
5	Overall effectiveness of the course	45	1	2	17	11	14	3.78
6	Preparedness of the faculty	45	0	5	15	16	9	3.64
7	Quality of Interaction	45	0	5	18	13	9	3.58
8	Quality of Rigor	45	2	6	16	12	9	3.44
9	Sequencing of the topics	45	1	6	18	12	8	3.44
10	Style of topic delivery	45	0	9	14	13	9	3.49
11	Time allotted for each topic	45	0	8	11	12	14	3.71
12	Value addition provided by the Course	45	1	5	19	11	9	3.49
13	Standards of Assessment system	45	0	5	13	17	10	3.71
14	Quality of teaching	45	0	2	16	16	11	3.80

AVG	3.60
-----	------

K. Zelle  
11/7/23.

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Srinivasu

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Applied Physics - 20A56201T

Sem: I- II

Course Faculty: Mrs. S. Shabana

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	0	2	18	11	14	3.82
2	Breadth of conceptual clarity	45	0	3	14	15	13	3.84
3	Evaluation Scheme	45	0	3	15	9	18	3.93
4	Involvement of Faculty	45	0	2	19	8	16	3.84
5	Overall effectiveness of the course	45	0	2	18	7	18	3.91
6	Preparedness of the faculty	45	0	3	14	12	16	3.91
7	Quality of Interaction	45	1	5	14	15	10	3.62
8	Quality of Rigor	45	1	6	16	9	13	3.60
9	Sequencing of the topics	45	0	4	17	8	16	3.80
10	Style of topic delivery	45	1	2	17	7	18	3.87
11	Time allotted for each topic	45	0	3	17	9	16	3.84
12	Value addition provided by the Course	45	0	3	17	10	15	3.82
13	Standards of Assessment system	45	1	3	18	5	18	3.80
14	Quality of teaching	45	0	1	15	7	22	4.11

AVG 3.84

*K. Jey*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Pareddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Communicative English - 20A52101T

Sem: I- II

Course Faculty: Mr. M V V Aditya

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	0	0	17	9	19	4.04
2	Breadth of conceptual clarity	45	0	0	14	13	18	4.09
3	Evaluation Scheme	45	0	3	12	8	22	4.09
4	Involvement of Faculty	45	1	0	13	11	20	4.09
5	Overall effectiveness of the course	45	1	2	14	8	20	3.98
6	Preparedness of the faculty	45	1	1	15	10	18	3.96
7	Quality of Interaction	45	0	2	12	12	19	4.07
8	Quality of Rigor	45	2	3	13	11	16	3.80
9	Sequencing of the topics	45	1	1	14	13	16	3.93
10	Style of topic delivery	45	1	2	13	10	19	3.98
11	Time allotted for each topic	45	0	2	13	16	14	3.93
12	Value addition provided by the Course	45	0	0	16	14	15	3.98
13	Standards of Assessment system	45	2	2	12	13	16	3.87
14	Quality of teaching	45	0	2	12	11	20	4.09

AVG	3.99
-----	------

K. Zele 11/7/23.

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy

Engineering College

NH-15, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B


Course Name & Code: Python Programming & Data Science - 20A05101T Sem: I- II


Course Faculty: Mr. M. V. Prabhath Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	1	12	11	20	4.07
2	Breadth of conceptual clarity	45	1	1	13	11	19	4.02
3	Evaluation Scheme	45	1	3	10	11	20	4.02
4	Involvement of Faculty	45	1	1	12	12	19	4.04
5	Overall effectiveness of the course	45	1	3	9	14	18	4.00
6	Preparedness of the faculty	45	2	0	12	11	20	4.04
7	Quality of Interaction	45	1	2	10	14	18	4.02
8	Quality of Rigor	45	3	0	15	10	17	3.84
9	Sequencing of the topics	45	1	3	12	12	17	3.91
10	Style of topic delivery	45	1	2	12	10	20	4.02
11	Time allotted for each topic	45	1	2	13	12	17	3.93
12	Value addition provided by the Course	45	1	1	14	12	17	3.96
13	Standards of Assessment system	45	1	2	12	13	17	3.96
14	Quality of teaching	45	1	0	11	14	19	4.11

AVG 4.00

  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Engineering Drawing - 20A03101T

Sem: I- II

Course Faculty: Mr. B. Radha Krishnaiah

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	2	2	13	15	13	3.78
2	Breadth of conceptual clarity	45	2	5	14	12	12	3.60
3	Evaluation Scheme	45	2	4	14	11	14	3.69
4	Involvement of Faculty	45	2	7	11	13	12	3.58
5	Overall effectiveness of the course	45	2	4	14	12	13	3.67
6	Preparedness of the faculty	45	2	6	10	12	15	3.71
7	Quality of Interaction	45	2	1	13	13	16	3.89
8	Quality of Rigor	45	2	7	8	15	13	3.67
9	Sequencing of the topics	45	2	4	14	8	17	3.76
10	Style of topic delivery	45	2	5	13	13	12	3.62
11	Time allotted for each topic	45	3	3	10	14	15	3.78
12	Value addition provided by the Course	45	2	5	13	10	15	3.69
13	Standards of Assessment system	45	3	1	16	13	12	3.67
14	Quality of teaching	45	2	4	15	10	14	3.67

AVG	3.70
-----	------

K. Jeyaraj 11/7/23

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. S. S. S. S. S.

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Engineering Graphics Laboratory - 20A03101P

Sem: I- II

Course Faculty: Mrs. K. Manjusha

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	10	15	9	10	3.38
2	Breadth of conceptual clarity	45	1	13	15	7	9	3.22
3	Evaluation Scheme	45	2	10	14	11	8	3.29
4	Involvement of Faculty	45	2	10	17	10	6	3.18
5	Overall effectiveness of the course	45	2	10	17	8	8	3.22
6	Preparedness of the faculty	45	4	8	14	8	11	3.31
7	Quality of Interaction	45	3	6	17	9	10	3.38
8	Quality of Rigor	45	3	9	16	6	11	3.29
9	Sequencing of the topics	45	2	8	17	10	8	3.31
10	Style of topic delivery	45	2	9	12	13	9	3.40
11	Time allotted for each topic	45	2	7	17	10	9	3.38
12	Value addition provided by the Course	45	2	11	16	7	9	3.22
13	Standards of Assessment system	45	3	8	18	6	10	3.27
14	Quality of teaching	45	2	10	17	5	11	3.29

AVG 3.30

*K. B. S.*  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. S.*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA,  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Communicative English Laboratory - 20A52101P

Sem: I- II

Course Faculty: Ms. K. Krishnaveni

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	0	1	12	9	23	4.20
2	Breadth of conceptual clarity	45	0	2	11	8	24	4.20
3	Evaluation Scheme	45	0	1	11	8	25	4.27
4	Involvement of Faculty	45	0	1	13	8	23	4.18
5	Overall effectiveness of the course	45	0	0	11	10	24	4.29
6	Preparedness of the faculty	45	0	2	10	8	25	4.24
7	Quality of Interaction	45	0	0	12	10	23	4.24
8	Quality of Rigor	45	2	1	12	9	21	4.02
9	Sequencing of the topics	45	0	0	12	11	22	4.22
10	Style of topic delivery	45	0	1	11	9	24	4.24
11	Time allotted for each topic	45	0	1	10	9	25	4.29
12	Value addition provided by the Course	45	0	2	11	10	22	4.16
13	Standards of Assessment system	45	0	0	12	9	24	4.27
14	Quality of teaching	45	0	1	11	9	24	4.24

AVG 4.22

K. 302  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Principal  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Applied Physics Laboratory - 20A56201P

Sem: I- II

Course Faculty: Mrs. S. Shabana

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	0	5	15	10	15	3.78
2	Breadth of conceptual clarity	45	0	6	17	8	14	3.67
3	Evaluation Scheme	45	0	5	15	9	16	3.80
4	Involvement of Faculty	45	0	5	15	11	14	3.76
5	Overall effectiveness of the course	45	0	7	14	10	14	3.69
6	Preparedness of the faculty	45	0	5	18	7	15	3.71
7	Quality of Interaction	45	0	9	11	12	13	3.64
8	Quality of Rigor	45	0	7	14	6	18	3.78
9	Sequencing of the topics	45	0	7	13	9	16	3.76
10	Style of topic delivery	45	0	8	16	5	16	3.64
11	Time allotted for each topic	45	0	6	13	10	16	3.80
12	Value addition provided by the Course	45	0	7	16	7	15	3.67
13	Standards of Assessment system	45	0	6	13	10	16	3.80
14	Quality of teaching	45	0	6	15	8	16	3.76

AVG 3.73

*K. Zele*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Python Programming & Data Science Laboratory- 20A051Sem: I- II

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	2	8	15	19	4.09
2	Breadth of conceptual clarity	45	1	3	11	10	20	4.00
3	Evaluation Scheme	45	1	1	9	15	19	4.11
4	Involvement of Faculty	45	1	2	9	11	22	4.13
5	Overall effectiveness of the course	45	1	2	8	14	20	4.11
6	Preparedness of the faculty	45	1	5	9	9	21	3.98
7	Quality of Interaction	45	1	5	7	13	19	3.98
8	Quality of Rigor	45	2	4	10	8	21	3.93
9	Sequencing of the topics	45	1	3	9	12	20	4.04
10	Style of topic delivery	45	1	2	12	11	19	4.00
11	Time allotted for each topic	45	0	2	10	13	20	4.13
12	Value addition provided by the Course	45	0	1	13	11	20	4.11
13	Standards of Assessment system	45	0	2	11	13	19	4.09
14	Quality of teaching	45	0	2	12	12	19	4.07

AVG	4.06
-----	------

*K. Jeeva*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023


Branch: ECE- A

Sem: I- II

Date: 11-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54201	Differential Equations and Vector Calculus	Mr. B. Jagadeesh Kumar	49	3.33	
2	20A51101T	Chemistry	Mr. V V Suresh Babu	49	3.42	
3	20A05201T	C-Programming & Data Structures	Dr. K. Lakshmi	49	3.95	
4	20A04101T	Electronic Devices & Circuits	Dr. P V N Reddy	49	3.81	
5	20A03202	Engineering Workshop	Mr. A Anil	49	3.10	
6	20A05202	IT Workshop	Mrs. J. Madhuri	49	3.35	
7	20A05201P	C-Programming & Data Structures Laboratory	Mrs. K. Lilly Grace Mary & Mr. SK. Badulla	49	3.77	
8	20A51101P	Chemistry Laboratory	Mr. M. Venkata Subbaiah	49	3.99	
9	20A04101P	Electronic Devices & Circuits Laboratory	Mr. A. Bhasker	49	3.36	

K. J. 11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Differential Equations and Vector Calculus -  
20A54201

Sem: I- II

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	1	9	20	10	9	3.35
2	Breadth of conceptual clarity	49	0	11	21	6	11	3.35
3	Evaluation Scheme	49	1	10	19	11	8	3.31
4	Involvement of Faculty	49	2	8	19	8	12	3.41
5	Overall effectiveness of the course	49	0	11	18	9	11	3.41
6	Preparedness of the faculty	49	0	11	18	11	9	3.37
7	Quality of Interaction	49	1	7	24	5	12	3.41
8	Quality of Rigor	49	2	8	23	7	9	3.27
9	Sequencing of the topics	49	1	11	24	5	8	3.16
10	Style of topic delivery	49	2	9	21	6	11	3.31
11	Time allotted for each topic	49	1	9	24	3	12	3.33
12	Value addition provided by the Course	49	1	9	23	6	10	3.31
13	Standards of Assessment system	49	1	8	25	4	11	3.33
14	Quality of teaching	49	2	9	18	8	12	3.39

AVG 3.33

K. Jeeva 11/7/23.  
Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Chemistry - 20A51101T

Sem: I- II

Course Faculty: Mr. V V Suresh Babu

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	3	3	22	14	7	3.39
2	Breadth of conceptual clarity	49	3	5	19	14	8	3.39
3	Evaluation Scheme	49	2	6	19	13	9	3.43
4	Involvement of Faculty	49	2	5	20	13	9	3.45
5	Overall effectiveness of the course	49	2	6	21	11	9	3.39
6	Preparedness of the faculty	49	2	4	22	11	10	3.47
7	Quality of Interaction	49	2	6	19	10	12	3.49
8	Quality of Rigor	49	3	7	19	10	10	3.35
9	Sequencing of the topics	49	3	5	23	7	11	3.37
10	Style of topic delivery	49	4	5	19	11	10	3.37
11	Time allotted for each topic	49	2	6	20	11	10	3.43
12	Value addition provided by the Course	49	2	6	20	12	9	3.41
13	Standards of Assessment system	49	2	7	17	12	11	3.47
14	Quality of teaching	49	3	5	19	9	13	3.49

AVG	3.42
-----	------

*K. Zee*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Praveen*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: C-Programming & Data Structures - 20A05201T

Sem: I- II

Course Faculty: Dr. K. Lakshmi

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	2	2	14	10	21	3.94
2	Breadth of conceptual clarity	49	2	1	15	7	24	4.02
3	Evaluation Scheme	49	2	1	14	9	23	4.02
4	Involvement of Faculty	49	2	3	15	7	22	3.90
5	Overall effectiveness of the course	49	3	1	13	10	22	3.96
6	Preparedness of the faculty	49	2	1	16	7	23	3.98
7	Quality of Interaction	49	3	2	13	10	21	3.90
8	Quality of Rigor	49	2	4	14	9	20	3.84
9	Sequencing of the topics	49	2	1	15	11	20	3.94
10	Style of topic delivery	49	1	3	17	6	22	3.92
11	Time allotted for each topic	49	2	2	14	10	21	3.94
12	Value addition provided by the Course	49	1	3	15	8	22	3.96
13	Standards of Assessment system	49	0	4	14	8	23	4.02
14	Quality of teaching	49	1	3	14	8	23	4.00

AVG 3.95

*K. Lakshmi*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-16, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Electronic Devices & Circuits - 20A04101T

Sem: I- II

Course Faculty: Dr. P V N Reddy

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	1	7	10	14	17	3.80
2	Breadth of conceptual clarity	49	1	7	10	12	19	3.84
3	Evaluation Scheme	49	2	7	8	16	16	3.76
4	Involvement of Faculty	49	3	5	9	13	19	3.82
5	Overall effectiveness of the course	49	2	8	5	14	20	3.86
6	Preparedness of the faculty	49	2	7	12	11	17	3.69
7	Quality of Interaction	49	3	1	10	17	18	3.94
8	Quality of Rigor	49	2	8	10	8	21	3.78
9	Sequencing of the topics	49	2	5	9	16	17	3.84
10	Style of topic delivery	49	3	5	14	12	15	3.63
11	Time allotted for each topic	49	3	4	10	16	16	3.78
12	Value addition provided by the Course	49	2	1	13	10	23	4.04
13	Standards of Assessment system	49	2	4	12	15	16	3.80
14	Quality of teaching	49	3	3	13	12	18	3.80

AVG 3.81

K. Zeel  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Engineering Workshop - 20A03202

Sem: I- II

Course Faculty: Mr. A Anil

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	4	11	15	11	8	3.16
2	Breadth of conceptual clarity	49	4	10	20	9	6	3.06
3	Evaluation Scheme	49	4	8	18	11	8	3.22
4	Involvement of Faculty	49	4	10	20	8	7	3.08
5	Overall effectiveness of the course	49	5	9	17	9	9	3.16
6	Preparedness of the faculty	49	5	9	23	6	6	2.98
7	Quality of Interaction	49	5	9	17	12	6	3.10
8	Quality of Rigor	49	4	10	19	8	8	3.12
9	Sequencing of the topics	49	5	9	19	9	7	3.08
10	Style of topic delivery	49	4	12	19	7	7	3.02
11	Time allotted for each topic	49	4	10	18	9	8	3.14
12	Value addition provided by the Course	49	6	8	20	7	8	3.06
13	Standards of Assessment system	49	5	8	19	9	8	3.14
14	Quality of teaching	49	6	9	21	5	8	3.00

AVG	3.10
-----	------

*K. Jee*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: IT Workshop - 20A05202

Sem: I- II

Course Faculty: Mrs. J. Madhuri

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	1	10	16	14	8	3.37
2	Breadth of conceptual clarity	49	0	13	14	13	9	3.37
3	Evaluation Scheme	49	1	13	14	13	8	3.29
4	Involvement of Faculty	49	1	11	15	13	9	3.37
5	Overall effectiveness of the course	49	1	11	15	13	9	3.37
6	Preparedness of the faculty	49	0	11	15	12	11	3.47
7	Quality of Interaction	49	1	12	15	12	9	3.33
8	Quality of Rigor	49	0	13	15	11	10	3.37
9	Sequencing of the topics	49	2	11	15	11	10	3.33
10	Style of topic delivery	49	0	13	16	10	10	3.35
11	Time allotted for each topic	49	1	11	17	11	9	3.33
12	Value addition provided by the Course	49	1	11	17	10	10	3.35
13	Standards of Assessment system	49	1	12	16	11	9	3.31
14	Quality of teaching	49	0	14	14	11	10	3.35

AVG	3.35
-----	------

*K. Jeyaraj*  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

C-Programming & Data Structures Laboratory -  
Course Name & Code: 20A05201P

Sem: I- II

Course Faculty: Mrs. K. Lilly Grace Mary & Mr. SK. Badulla

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	2	4	12	15	16	3.80
2	Breadth of conceptual clarity	49	0	6	13	18	12	3.73
3	Evaluation Scheme	49	1	6	11	17	14	3.76
4	Involvement of Faculty	49	0	7	13	13	16	3.78
5	Overall effectiveness of the course	49	1	5	12	18	13	3.76
6	Preparedness of the faculty	49	1	6	12	11	19	3.84
7	Quality of Interaction	49	1	6	13	14	15	3.73
8	Quality of Rigor	49	2	6	12	14	15	3.69
9	Sequencing of the topics	49	2	4	12	15	16	3.80
10	Style of topic delivery	49	0	6	15	12	16	3.78
11	Time allotted for each topic	49	1	6	11	19	12	3.71
12	Value addition provided by the Course	49	1	6	11	14	17	3.82
13	Standards of Assessment system	49	0	7	12	19	11	3.69
14	Quality of teaching	49	1	6	11	12	19	3.86

AVG	3.77
-----	------

*K. Zel*  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Chemistry Laboratory - 20A51101P

Sem: I- II

Course Faculty: Mr. M. Venkata Subbalah

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	4	13	11	21	4.00
2	Breadth of conceptual clarity	49	0	5	12	13	19	3.94
3	Evaluation Scheme	49	0	5	13	11	20	3.94
4	Involvement of Faculty	49	0	5	10	14	20	4.00
5	Overall effectiveness of the course	49	0	5	10	13	21	4.02
6	Preparedness of the faculty	49	0	5	13	10	21	3.96
7	Quality of Interaction	49	0	5	11	12	21	4.00
8	Quality of Rigor	49	0	6	12	13	18	3.88
9	Sequencing of the topics	49	0	5	10	13	21	4.02
10	Style of topic delivery	49	0	4	11	14	20	4.02
11	Time allotted for each topic	49	1	4	11	13	20	3.96
12	Value addition provided by the Course	49	0	5	10	13	21	4.02
13	Standards of Assessment system	49	0	5	10	14	20	4.00
14	Quality of teaching	49	0	5	9	14	21	4.04

AVG 3.99

*K. Bala*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA,  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Electronic Devices & Circuits Laboratory- 20A04101P

Sem: I- II

Course Faculty: Mr. A. Bhasker

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	6	5	16	11	11	3.33
2	Breadth of conceptual clarity	49	5	5	18	11	10	3.33
3	Evaluation Scheme	49	5	4	20	10	10	3.33
4	Involvement of Faculty	49	5	5	17	11	11	3.37
5	Overall effectiveness of the course	49	5	5	16	13	10	3.37
6	Preparedness of the faculty	49	5	6	16	10	12	3.37
7	Quality of Interaction	49	5	6	14	15	9	3.35
8	Quality of Rigor	49	5	6	19	9	10	3.27
9	Sequencing of the topics	49	5	4	17	14	9	3.37
10	Style of topic delivery	49	5	4	17	11	12	3.43
11	Time allotted for each topic	49	5	4	17	14	9	3.37
12	Value addition provided by the Course	49	5	6	17	8	13	3.37
13	Standards of Assessment system	49	5	6	14	15	9	3.35
14	Quality of teaching	49	5	4	18	10	12	3.41

AVG	3.36
-----	------

*K. Jeyaraj*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - *K. Jeyaraj*  
Ramireddy Subbarami Reddy  
Engineering College  
NH-16, Kadanuthala - 524142

*P. Suresh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: ECE- B

Sem: I- II

Date: 11-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54201	Differential Equations and Vector Calculus	Mr. B. Jagadeesh Kumar	45	3.27	
2	20A51101T	Chemistry	Mr. V V Suresh Babu	45	3.23	
3	20A05201T	C-Programming & Data Structures	Dr. K. Lakshmi	45	4.02	
4	20A04101T	Electronic Devices & Circuits	Dr. P V N Reddy	45	3.83	
5	20A03202	Engineering Workshop	Mr. A Anil	45	3.22	
6	20A05202	IT Workshop	Mrs. J. Madhuri	45	3.58	
7	20A05201P	C-Programming & Data Structures Laboratory	Mrs. K. Lilly Grace Mary & Mr. SK. Badulla	45	3.87	
8	20A51101P	Chemistry Laboratory	Mr. Y. Kiran Kumar	45	3.95	
9	20A04101P	Electronic Devices & Circuits Laboratory	Mr. A. Bhasker	45	3.47	

*K. Jek*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Differential Equations and Vector Calculus -  
20A54201

Sem: I- II

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	0	6	26	7	6	3.29
2	Breadth of conceptual clarity	45	0	7	25	8	5	3.24
3	Evaluation Scheme	45	0	4	29	6	6	3.31
4	Involvement of Faculty	45	0	5	23	12	5	3.38
5	Overall effectiveness of the course	45	0	7	25	8	5	3.24
6	Preparedness of the faculty	45	0	8	24	8	5	3.22
7	Quality of Interaction	45	0	6	26	8	5	3.27
8	Quality of Rigor	45	0	9	23	7	6	3.22
9	Sequencing of the topics	45	0	7	27	6	5	3.20
10	Style of topic delivery	45	0	6	26	7	6	3.29
11	Time allotted for each topic	45	0	7	26	7	5	3.22
12	Value addition provided by the Course	45	0	6	26	7	6	3.29
13	Standards of Assessment system	45	0	6	26	8	5	3.27
14	Quality of teaching	45	0	4	28	7	6	3.33

AVG 3.27

K. B. J. 11/7/23.

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. S. R. 11/7/23.

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Chemistry - 20A51101T

Sem: I- II

Course Faculty: Mr. V V Suresh Babu

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	3	6	23	8	5	3.13
2	Breadth of conceptual clarity	45	3	2	26	10	4	3.22
3	Evaluation Scheme	45	3	4	22	13	3	3.20
4	Involvement of Faculty	45	2	4	23	12	4	3.27
5	Overall effectiveness of the course	45	3	3	25	10	4	3.20
6	Preparedness of the faculty	45	2	5	21	13	4	3.27
7	Quality of Interaction	45	3	5	21	11	5	3.22
8	Quality of Rigor	45	2	5	21	13	4	3.27
9	Sequencing of the topics	45	2	7	21	9	6	3.22
10	Style of topic delivery	45	3	4	22	12	4	3.22
11	Time allotted for each topic	45	2	4	23	12	4	3.27
12	Value addition provided by the Course	45	2	3	25	11	4	3.27
13	Standards of Assessment system	45	3	4	23	9	6	3.24
14	Quality of teaching	45	4	4	22	10	5	3.18

AVG 3.23

K. Jeeva 11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Principal  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: C-Programming & Data Structures - 20A05201T

Sem: I- II

Course Faculty: Dr. K. Lakshmi

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	0	2	11	16	16	4.02
2	Breadth of conceptual clarity	45	0	1	12	17	15	4.02
3	Evaluation Scheme	45	0	1	12	16	16	4.04
4	Involvement of Faculty	45	0	1	12	18	14	4.00
5	Overall effectiveness of the course	45	0	3	9	19	14	3.98
6	Preparedness of the faculty	45	0	2	12	16	15	3.98
7	Quality of Interaction	45	0	1	12	15	17	4.07
8	Quality of Rigor	45	0	2	12	15	16	4.00
9	Sequencing of the topics	45	0	2	10	17	16	4.04
10	Style of topic delivery	45	0	2	11	15	17	4.04
11	Time allotted for each topic	45	0	2	10	16	17	4.07
12	Value addition provided by the Course	45	0	1	14	14	16	4.00
13	Standards of Assessment system	45	0	2	10	18	15	4.02
14	Quality of teaching	45	0	2	12	15	16	4.00

AVG 4.02

K. Jeyaraj  
11/7/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Electronic Devices & Circuits - 20A04101T

Sem: I- II

Course Faculty: Dr. P V N Reddy

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	2	7	7	9	20	3.84
2	Breadth of conceptual clarity	45	2	5	7	9	22	3.98
3	Evaluation Scheme	45	2	9	8	7	19	3.71
4	Involvement of Faculty	45	2	6	8	7	22	3.91
5	Overall effectiveness of the course	45	1	2	7	11	24	4.22
6	Preparedness of the faculty	45	1	6	9	9	20	3.91
7	Quality of Interaction	45	1	10	9	7	18	3.69
8	Quality of Rigor	45	1	7	9	9	19	3.84
9	Sequencing of the topics	45	2	10	8	9	16	3.60
10	Style of topic delivery	45	1	6	7	12	19	3.93
11	Time allotted for each topic	45	1	9	7	8	20	3.82
12	Value addition provided by the Course	45	1	9	10	8	17	3.69
13	Standards of Assessment system	45	2	9	9	8	17	3.64
14	Quality of teaching	45	2	6	11	8	18	3.76

AVG 3.83

K. Jeyaraj  
11/7/23.

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Engineering Workshop - 20A03202

Sem: I- II

Course Faculty: Mr. A Anil

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	4	7	20	7	7	3.13
2	Breadth of conceptual clarity	45	2	9	19	9	6	3.18
3	Evaluation Scheme	45	3	7	18	10	7	3.24
4	Involvement of Faculty	45	3	8	17	10	7	3.22
5	Overall effectiveness of the course	45	4	6	19	9	7	3.20
6	Preparedness of the faculty	45	4	8	16	10	7	3.18
7	Quality of Interaction	45	1	9	19	8	8	3.29
8	Quality of Rigor	45	3	7	19	8	8	3.24
9	Sequencing of the topics	45	2	7	18	8	10	3.38
10	Style of topic delivery	45	3	9	17	7	9	3.22
11	Time allotted for each topic	45	3	12	13	9	8	3.16
12	Value addition provided by the Course	45	3	10	14	11	7	3.20
13	Standards of Assessment system	45	2	12	13	10	8	3.22
14	Quality of teaching	45	3	10	16	7	9	3.20

AVG	3.22
-----	------

K. Jeeva  
11/7/23.

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy

Engineering College

NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: IT Workshop - 20A05202

Sem: I- II

Course Faculty: Mrs. J. Madhuri

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	0	4	20	11	10	3.60
2	Breadth of conceptual clarity	45	0	3	20	15	7	3.58
3	Evaluation Scheme	45	1	1	22	13	8	3.58
4	Involvement of Faculty	45	0	2	25	10	8	3.53
5	Overall effectiveness of the course	45	1	1	22	13	8	3.58
6	Preparedness of the faculty	45	0	3	21	11	10	3.62
7	Quality of Interaction	45	0	4	21	12	8	3.53
8	Quality of Rigor	45	0	3	21	14	7	3.56
9	Sequencing of the topics	45	1	1	22	11	10	3.62
10	Style of topic delivery	45	0	3	21	13	8	3.58
11	Time allotted for each topic	45	0	2	20	15	8	3.64
12	Value addition provided by the Course	45	1	3	20	11	10	3.58
13	Standards of Assessment system	45	0	2	21	12	10	3.67
14	Quality of teaching	45	0	5	21	10	9	3.51

AVG	3.58
-----	------

*K. Jeeva*  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

C-Programming & Data Structures Laboratory -  
Course Name & Code: 20A05201P

Sem: I- II

Course Faculty: Mrs. K. Lilly Grace Mary & Mr. SK. Badulla

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	2	14	15	13	3.82
2	Breadth of conceptual clarity	45	0	2	15	16	12	3.84
3	Evaluation Scheme	45	1	1	16	15	12	3.80
4	Involvement of Faculty	45	0	1	16	15	13	3.89
5	Overall effectiveness of the course	45	0	3	15	14	13	3.82
6	Preparedness of the faculty	45	1	1	15	16	12	3.82
7	Quality of Interaction	45	0	1	16	15	13	3.89
8	Quality of Rigor	45	1	1	13	19	11	3.84
9	Sequencing of the topics	45	0	2	15	16	12	3.84
10	Style of topic delivery	45	0	1	14	16	14	3.96
11	Time allotted for each topic	45	0	1	16	14	14	3.91
12	Value addition provided by the Course	45	0	2	15	14	14	3.89
13	Standards of Assessment system	45	0	1	16	15	13	3.89
14	Quality of teaching	45	0	1	13	17	14	3.98

AVG	3.87
-----	------

*K. Jee*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Anand*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Chemistry Laboratory - 20A51101P

Sem: I- II

Course Faculty: Mr. Y. Kiran Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	1	2	9	18	15	3.98
2	Breadth of conceptual clarity	45	0	4	9	19	13	3.91
3	Evaluation Scheme	45	1	2	9	17	16	4.00
4	Involvement of Faculty	45	1	3	9	20	12	3.87
5	Overall effectiveness of the course	45	0	4	11	15	15	3.91
6	Preparedness of the faculty	45	0	3	10	18	14	3.96
7	Quality of Interaction	45	0	3	11	18	13	3.91
8	Quality of Rigor	45	2	1	10	19	13	3.89
9	Sequencing of the topics	45	0	1	13	14	17	4.04
10	Style of topic delivery	45	0	2	10	22	11	3.93
11	Time allotted for each topic	45	1	3	9	15	17	3.98
12	Value addition provided by the Course	45	0	4	8	21	12	3.91
13	Standards of Assessment system	45	0	3	8	18	16	4.04
14	Quality of teaching	45	0	4	9	17	15	3.96

AVG 3.95

K. Jeyaraj  
11/7/23.

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.





# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Electronic Devices & Circuits Laboratory- 20A04101P

Sem: I- II

Course Faculty: Mr. A. Bhasker

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	45	2	4	21	6	12	3.49
2	Breadth of conceptual clarity	45	2	2	23	7	11	3.51
3	Evaluation Scheme	45	2	2	24	5	12	3.51
4	Involvement of Faculty	45	2	3	23	4	13	3.51
5	Overall effectiveness of the course	45	3	2	22	6	12	3.49
6	Preparedness of the faculty	45	3	5	19	6	12	3.42
7	Quality of Interaction	45	3	3	20	10	9	3.42
8	Quality of Rigor	45	2	5	19	8	11	3.47
9	Sequencing of the topics	45	3	5	20	8	9	3.33
10	Style of topic delivery	45	2	5	21	5	12	3.44
11	Time allotted for each topic	45	3	3	21	8	10	3.42
12	Value addition provided by the Course	45	2	5	19	8	11	3.47
13	Standards of Assessment system	45	3	2	21	9	10	3.47
14	Quality of teaching	45	2	2	22	7	12	3.56

AVG	3.47
-----	------

*K. Zele*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: EEE

Sem: I- II

Date: 11-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54201	Differential Equations and Vector Calculus	Mr. B. Jagadeesh Kumar	32	3.71	
2	20A51101T	Chemistry	Mr. V V Suresh Babu	32	4.25	
3	20A05201T	C-Programming & Data Structures	Mrs. J. Madhuri	32	4.48	
4	20A04101T	Electronic Devices & Circuits	Dr. N. Krishna Chaitanya	32	4.16	
5	20A03202	Engineering Workshop	Mr. A Anil	32	3.59	
6	20A05202	IT Workshop	Mrs. J. Madhuri	32	4.46	
7	20A05201P	C-Programming & Data Structures Laboratory	Mrs. K. Lilly Grace Mary & Mr. SK. Badulla	32	4.24	
8	20A51101P	Chemistry Laboratory	Mr. A. V. Ramamurthy	32	4.58	
9	20A04101P	Electronic Devices & Circuits Laboratory	Mr. S. Ezra & Mr. M. Narendra Kumar	32	4.32	

K. Zeer  
11/7/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-15, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Differential Equations and Vector Calculus -  
20A54201

Sem: I- II

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	1	18	7	5	3.44
2	Breadth of conceptual clarity	32	2	2	10	11	7	3.59
3	Evaluation Scheme	32	1	0	12	12	7	3.75
4	Involvement of Faculty	32	2	1	8	10	11	3.84
5	Overall effectiveness of the course	32	2	2	7	13	8	3.72
6	Preparedness of the faculty	32	2	1	9	10	10	3.78
7	Quality of Interaction	32	1	1	11	12	7	3.72
8	Quality of Rigor	32	1	0	13	10	8	3.75
9	Sequencing of the topics	32	2	2	8	12	8	3.69
10	Style of topic delivery	32	1	2	9	14	6	3.69
11	Time allotted for each topic	32	2	0	9	13	8	3.78
12	Value addition provided by the Course	32	2	1	11	11	7	3.63
13	Standards of Assessment system	32	1	3	7	15	6	3.69
14	Quality of teaching	32	1	2	8	11	10	3.84

AVG	3.71
-----	------

K. Zee  
11/7/23.

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy

Engineering College

NH-15, Kadanuthala - 524142

*[Signature]*

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandat, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Chemistry - 20A51101T

Sem: I- II

Course Faculty: Mr. V V Suresh Babu

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	0	1	4	14	13	4.22
2	Breadth of conceptual clarity	32	0	1	5	12	14	4.22
3	Evaluation Scheme	32	0	0	5	13	14	4.28
4	Involvement of Faculty	32	0	0	6	9	17	4.34
5	Overall effectiveness of the course	32	0	1	5	10	16	4.28
6	Preparedness of the faculty	32	0	1	5	10	16	4.28
7	Quality of Interaction	32	0	0	6	11	15	4.28
8	Quality of Rigor	32	0	0	9	9	14	4.16
9	Sequencing of the topics	32	0	2	5	10	15	4.19
10	Style of topic delivery	32	0	2	6	12	12	4.06
11	Time allotted for each topic	32	0	1	5	9	17	4.31
12	Value addition provided by the Course	32	0	0	6	11	15	4.28
13	Standards of Assessment system	32	0	2	4	11	15	4.22
14	Quality of teaching	32	0	1	5	9	17	4.31

AVG	4.25
-----	------

*K. Suresh*  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: C-Programming & Data Structures - 20A05201T

Sem: I- II

Course Faculty: Mrs. J. Madhuri

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	0	0	4	8	20	4.50
2	Breadth of conceptual clarity	32	0	0	6	8	18	4.38
3	Evaluation Scheme	32	0	1	2	9	20	4.50
4	Involvement of Faculty	32	0	1	3	6	22	4.53
5	Overall effectiveness of the course	32	0	0	5	7	20	4.47
6	Preparedness of the faculty	32	0	0	3	8	21	4.56
7	Quality of Interaction	32	0	1	2	8	21	4.53
8	Quality of Rigor	32	0	1	3	7	21	4.50
9	Sequencing of the topics	32	0	0	3	11	18	4.47
10	Style of topic delivery	32	0	0	4	8	20	4.50
11	Time allotted for each topic	32	0	1	4	8	19	4.41
12	Value addition provided by the Course	32	0	1	5	5	21	4.44
13	Standards of Assessment system	32	0	0	4	9	19	4.47
14	Quality of teaching	32	0	0	4	7	21	4.53

AVG	4.48
-----	------

*K. Zee*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. S. S.*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Electronic Devices & Circuits - 20A04101T

Sem: I- II

Course Faculty: Dr. N. Krishna Chaitanya

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	0	2	7	11	12	4.03
2	Breadth of conceptual clarity	32	1	1	5	11	14	4.13
3	Evaluation Scheme	32	0	1	9	8	14	4.09
4	Involvement of Faculty	32	0	2	6	10	14	4.13
5	Overall effectiveness of the course	32	0	1	6	10	15	4.22
6	Preparedness of the faculty	32	0	2	5	12	13	4.13
7	Quality of Interaction	32	0	2	3	12	15	4.25
8	Quality of Rigor	32	0	1	6	12	13	4.16
9	Sequencing of the topics	32	0	2	3	13	14	4.22
10	Style of topic delivery	32	0	2	7	11	12	4.03
11	Time allotted for each topic	32	0	1	6	8	17	4.28
12	Value addition provided by the Course	32	0	2	5	13	12	4.09
13	Standards of Assessment system	32	0	2	6	10	14	4.13
14	Quality of teaching	32	0	2	3	10	17	4.31

AVG	4.16
-----	------

*K. Zeer*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Engineering Workshop - 20A03202

Sem: I- II

Course Faculty: Mr. A Anil

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	3	11	10	7	3.59
2	Breadth of conceptual clarity	32	2	3	10	14	3	3.41
3	Evaluation Scheme	32	1	5	5	17	4	3.56
4	Involvement of Faculty	32	1	4	8	13	6	3.59
5	Overall effectiveness of the course	32	1	4	9	10	8	3.63
6	Preparedness of the faculty	32	2	4	6	14	6	3.56
7	Quality of Interaction	32	1	3	10	11	7	3.63
8	Quality of Rigor	32	1	3	11	14	3	3.47
9	Sequencing of the topics	32	2	4	7	10	9	3.63
10	Style of topic delivery	32	1	3	8	14	6	3.66
11	Time allotted for each topic	32	1	4	6	14	7	3.69
12	Value addition provided by the Course	32	2	2	7	15	6	3.66
13	Standards of Assessment system	32	1	4	7	13	7	3.66
14	Quality of teaching	32	2	4	7	11	8	3.59

AVG	3.59
-----	------

*K. Jeeva*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Poureddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: IT Workshop - 20A05202

Sem: I- II

Course Faculty: Mrs. J. Madhuri

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	0	0	1	12	19	4.56
2	Breadth of conceptual clarity	32	0	0	1	18	13	4.38
3	Evaluation Scheme	32	0	0	1	14	17	4.50
4	Involvement of Faculty	32	0	0	2	13	17	4.47
5	Overall effectiveness of the course	32	0	0	2	15	15	4.41
6	Preparedness of the faculty	32	0	0	1	15	16	4.47
7	Quality of Interaction	32	0	0	3	14	15	4.38
8	Quality of Rigor	32	0	0	4	10	18	4.44
9	Sequencing of the topics	32	0	0	2	11	19	4.53
10	Style of topic delivery	32	0	0	1	14	17	4.50
11	Time allotted for each topic	32	0	0	2	15	15	4.41
12	Value addition provided by the Course	32	0	0	4	13	15	4.34
13	Standards of Assessment system	32	0	0	2	12	18	4.50
14	Quality of teaching	32	0	0	1	14	17	4.50

AVG	4.46
-----	------

*K. Jey*  
11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. S. S.*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

C-Programming & Data Structures Laboratory -

Course Name & Code: 20A05201P

Sem: I- II

Course Faculty: Mrs. K. Lilly Grace Mary & Mr. SK. Badulla

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	0	0	7	10	15	4.25
2	Breadth of conceptual clarity	32	0	0	6	13	13	4.22
3	Evaluation Scheme	32	0	0	9	8	15	4.19
4	Involvement of Faculty	32	0	0	6	12	14	4.25
5	Overall effectiveness of the course	32	0	0	8	9	15	4.22
6	Preparedness of the faculty	32	0	0	9	7	16	4.22
7	Quality of Interaction	32	0	1	7	10	14	4.16
8	Quality of Rigor	32	0	0	6	12	14	4.25
9	Sequencing of the topics	32	0	0	8	9	15	4.22
10	Style of topic delivery	32	0	0	8	7	17	4.28
11	Time allotted for each topic	32	0	0	6	11	15	4.28
12	Value addition provided by the Course	32	0	0	6	10	16	4.31
13	Standards of Assessment system	32	0	0	7	11	14	4.22
14	Quality of teaching	32	0	0	6	9	17	4.34

AVG 4.24

K. Zee 11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Principal  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali - 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Chemistry Laboratory - 20A51101P

Sem: I- II

Course Faculty: Mr. A. V. Ramamurthy

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	0	0	0	14	18	4.56
2	Breadth of conceptual clarity	32	0	0	0	14	18	4.56
3	Evaluation Scheme	32	0	0	0	14	18	4.56
4	Involvement of Faculty	32	0	0	1	12	19	4.56
5	Overall effectiveness of the course	32	0	0	0	14	18	4.56
6	Preparedness of the faculty	32	0	0	0	12	20	4.63
7	Quality of Interaction	32	0	0	0	14	18	4.56
8	Quality of Rigor	32	0	0	1	12	19	4.56
9	Sequencing of the topics	32	0	0	1	12	19	4.56
10	Style of topic delivery	32	0	0	0	12	20	4.63
11	Time allotted for each topic	32	0	0	0	14	18	4.56
12	Value addition provided by the Course	32	0	0	1	11	20	4.59
13	Standards of Assessment system	32	0	0	1	10	21	4.63
14	Quality of teaching	32	0	0	0	12	20	4.63

AVG 4.58

K. Jeeva  
11/7/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Electronic Devices & Circuits Laboratory- 20A04101P

Sem: I- II

Course Faculty: Mr. S. Ezra & Mr. M. Narendra Kumar

Date: 11-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	0	0	4	15	13	4.28
2	Breadth of conceptual clarity	32	0	0	3	16	13	4.31
3	Evaluation Scheme	32	0	0	3	17	12	4.28
4	Involvement of Faculty	32	0	0	3	15	14	4.34
5	Overall effectiveness of the course	32	0	0	3	15	14	4.34
6	Preparedness of the faculty	32	0	0	3	13	16	4.41
7	Quality of Interaction	32	0	0	5	14	13	4.25
8	Quality of Rigor	32	0	0	3	17	12	4.28
9	Sequencing of the topics	32	0	0	4	14	14	4.31
10	Style of topic delivery	32	0	0	4	13	15	4.34
11	Time allotted for each topic	32	0	0	3	15	14	4.34
12	Value addition provided by the Course	32	0	0	3	17	12	4.28
13	Standards of Assessment system	32	0	0	5	14	13	4.25
14	Quality of teaching	32	0	0	2	13	17	4.47

AVG	4.32
-----	------

*K. Bala* 11/7/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Sem: II- II

Date: 25-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54401	Mathematical Modeling & Optimization Techniques	Mrs. K. Sujita	15	3.81	
2	20A01401T	Engineering Geology	Ms. A Sai Lakshmi	15	4.03	
3	20A01402	Structural Analysis- I	Mr. G. Bharadwaja Rao	15	3.99	
4	20A01403T	Concrete Technology	Mr. K. Jagadeesh	15	4.02	
5	20A01404T	Environmental Engineering-I	Dr. B. Satya Narayana Reddy	15	4.10	
6	20A52401	Soft Skills	Mr. M. Hemachandra	15	3.87	
7	20A01401P	Engineering Geology Laboratory	Mr. G. Bharadwaja Rao & Ms. A Sai Lakshmi	15	3.83	
8	20A01405	Concrete Materials Laboratory	Dr. B. Satya Narayana Reddy	15	3.94	
9	20A01404P	Environmental Engineering Laboratory	Dr. B. Satya Narayana Reddy	15	3.96	
10	20A99401	Design Thinking for Innovation	Mr. K. Jagadeesh	15	3.86	

*K. Jey*  
25/7/23  
IQAC CO-ORDINATOR  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*forreddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Mathematical Modeling & Optimization Techniques -  
20A54401

Sem: II- II

Course Faculty: Mrs. K. Sujita

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	0	0	7	0	8	4.07
2	Breadth of conceptual clarity	15	0	0	9	2	4	3.67
3	Evaluation Scheme	15	0	1	7	0	7	3.87
4	Involvement of Faculty	15	0	1	10	1	3	3.40
5	Overall effectiveness of the course	15	0	1	7	1	6	3.80
6	Preparedness of the faculty	15	0	0	9	1	5	3.73
7	Quality of Interaction	15	0	1	7	1	6	3.80
8	Quality of Rigor	15	0	1	7	0	7	3.87
9	Sequencing of the topics	15	0	0	8	1	6	3.87
10	Style of topic delivery	15	0	0	7	2	6	3.93
11	Time allotted for each topic	15	0	1	7	1	6	3.80
12	Value addition provided by the Course	15	0	1	9	0	5	3.60
13	Standards of Assessment system	15	0	0	8	0	7	3.93
14	Quality of teaching	15	0	0	7	1	7	4.00

AVG 3.81

K. Sujita  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. S. Reddy  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Engineering Geology - 20A01401T

Sem: II- II

Course Faculty: Ms. A Sai Lakshmi

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	0	1	0	10	4	4.13
2	Breadth of conceptual clarity	15	0	2	1	8	4	3.93
3	Evaluation Scheme	15	0	1	2	8	4	4.00
4	Involvement of Faculty	15	0	1	1	7	6	4.20
5	Overall effectiveness of the course	15	0	0	3	8	4	4.07
6	Preparedness of the faculty	15	0	1	1	9	4	4.07
7	Quality of Interaction	15	0	1	2	7	5	4.07
8	Quality of Rigor	15	0	0	3	9	3	4.00
9	Sequencing of the topics	15	0	2	1	7	5	4.00
10	Style of topic delivery	15	0	2	1	6	6	4.07
11	Time allotted for each topic	15	0	0	1	8	6	4.33
12	Value addition provided by the Course	15	1	0	1	10	3	3.93
13	Standards of Assessment system	15	1	1	1	8	4	3.87
14	Quality of teaching	15	1	0	3	8	3	3.80

AVG	4.03
-----	------

K. S. S. S.  
25/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Structural Analysis- I - 20A01402

Sem: II- II

Course Faculty: Mr. G. Bharadwaja Rao

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	1	3	1	5	5	3.67
2	Breadth of conceptual clarity	15	2	1	1	5	6	3.80
3	Evaluation Scheme	15	2	1	1	3	8	3.93
4	Involvement of Faculty	15	1	2	2	3	7	3.87
5	Overall effectiveness of the course	15	2	1	2	4	6	3.73
6	Preparedness of the faculty	15	0	2	1	5	7	4.13
7	Quality of Interaction	15	1	2	2	3	7	3.87
8	Quality of Rigor	15	0	1	2	4	8	4.27
9	Sequencing of the topics	15	0	2	2	5	6	4.00
10	Style of topic delivery	15	1	0	3	3	8	4.13
11	Time allotted for each topic	15	1	2	1	5	6	3.87
12	Value addition provided by the Course	15	0	2	2	5	6	4.00
13	Standards of Assessment system	15	0	1	1	5	8	4.33
14	Quality of teaching	15	0	1	2	4	8	4.27

AVG 3.99

*K. Zeel*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*foureddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Concrete Technology - 20A01403T

Sem: II- II

Course Faculty: Mr. K. Jagadeesh

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	0	1	0	10	4	4.13
2	Breadth of conceptual clarity	15	0	2	1	8	4	3.93
3	Evaluation Scheme	15	0	1	2	8	4	4.00
4	Involvement of Faculty	15	0	1	1	7	6	4.20
5	Overall effectiveness of the course	15	0	0	3	8	4	4.07
6	Preparedness of the faculty	15	0	1	1	9	4	4.07
7	Quality of Interaction	15	0	1	2	7	5	4.07
8	Quality of Rigor	15	0	0	3	9	3	4.00
9	Sequencing of the topics	15	0	2	1	7	5	4.00
10	Style of topic delivery	15	0	2	1	6	6	4.07
11	Time allotted for each topic	15	1	0	0	8	6	4.20
12	Value addition provided by the Course	15	1	0	1	10	3	3.93
13	Standards of Assessment system	15	1	1	1	8	4	3.87
14	Quality of teaching	15	1	0	3	8	3	3.80

AVG 4.02

*K. Jee*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*R. Jagadeesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Environmental Engineering-I - 20A01404T

Sem: II- II

Course Faculty: Dr. B. Satya Narayana Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	0	1	2	4	8	4.27
2	Breadth of conceptual clarity	15	0	0	2	3	10	4.53
3	Evaluation Scheme	15	0	2	2	3	8	4.13
4	Involvement of Faculty	15	0	1	2	4	8	4.27
5	Overall effectiveness of the course	15	0	2	2	6	5	3.93
6	Preparedness of the faculty	15	0	0	4	4	7	4.20
7	Quality of Interaction	15	0	2	5	4	4	3.67
8	Quality of Rigor	15	0	1	3	5	6	4.07
9	Sequencing of the topics	14	0	1	2	2	9	4.36
10	Style of topic delivery	15	0	1	3	4	7	4.13
11	Time allotted for each topic	15	0	2	2	8	3	3.80
12	Value addition provided by the Course	15	0	1	5	5	4	3.80
13	Standards of Assessment system	15	0	2	3	3	7	4.00
14	Quality of teaching	15	0	0	3	5	7	4.27

AVG 4.10

K. Jee  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

fencady  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Soft Skills - 20A52401

Sem: II- II

Course Faculty: Mr. M. Hemachandra

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	0	1	2	3	9	4.33
2	Breadth of conceptual clarity	15	0	3	2	2	8	4.00
3	Evaluation Scheme	15	0	2	3	2	8	4.07
4	Involvement of Faculty	15	0	3	3	3	6	3.80
5	Overall effectiveness of the course	15	0	2	3	2	8	4.07
6	Preparedness of the faculty	15	1	2	2	4	6	3.80
7	Quality of Interaction	15	1	3	3	2	6	3.60
8	Quality of Rigor	15	0	4	2	2	7	3.80
9	Sequencing of the topics	15	2	3	2	0	8	3.60
10	Style of topic delivery	15	1	1	2	2	9	4.13
11	Time allotted for each topic	15	1	4	3	1	6	3.47
12	Value addition provided by the Course	15	2	1	2	4	6	3.73
13	Standards of Assessment system	15	0	4	2	3	6	3.73
14	Quality of teaching	15	1	1	3	2	8	4.00

AVG	3.87
-----	------

*K. Balakrishna*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Pranav*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Engineering Geology Laboratory - 20A01401P

Sem: II- II

Course Faculty: Mr. G. Bharadwaja Rao & Ms. A Sai Lakshmi

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	1	2	0	7	5	3.87
2	Breadth of conceptual clarity	15	0	4	1	6	4	3.67
3	Evaluation Scheme	15	1	1	0	9	4	3.93
4	Involvement of Faculty	15	1	3	1	6	4	3.60
5	Overall effectiveness of the course	15	0	0	1	9	5	4.27
6	Preparedness of the faculty	15	1	4	0	6	4	3.53
7	Quality of Interaction	15	0	1	0	9	5	4.20
8	Quality of Rigor	15	0	5	1	5	4	3.53
9	Sequencing of the topics	15	0	1	1	8	5	4.13
10	Style of topic delivery	15	1	4	1	5	4	3.47
11	Time allotted for each topic	15	1	1	0	8	5	4.00
12	Value addition provided by the Course	15	1	3	1	6	4	3.60
13	Standards of Assessment system	15	0	3	0	7	5	3.93
14	Quality of teaching	15	0	3	0	7	5	3.93

AVG	3.83
-----	------

*K. Jee*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Jee*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Concrete Materials Laboratory - 20A01405

Sem: II- II

Course Faculty: Dr. B. Satya Narayana Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	0	1	4	8	2	3.73
2	Breadth of conceptual clarity	15	0	0	1	8	6	4.33
3	Evaluation Scheme	15	0	1	3	7	4	3.93
4	Involvement of Faculty	15	0	0	2	9	4	4.13
5	Overall effectiveness of the course	15	0	2	4	6	3	3.67
6	Preparedness of the faculty	15	0	1	4	7	3	3.80
7	Quality of Interaction	15	0	2	3	7	3	3.73
8	Quality of Rigor	15	0	0	1	10	4	4.20
9	Sequencing of the topics	15	0	1	4	7	3	3.80
10	Style of topic delivery	15	0	1	3	7	4	3.93
11	Time allotted for each topic	15	0	2	2	7	4	3.87
12	Value addition provided by the Course	15	0	0	2	9	4	4.13
13	Standards of Assessment system	15	0	1	4	7	3	3.80
14	Quality of teaching	15	0	1	2	6	6	4.13

AVG 3.94

*K. D. Reddy*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Perumal*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA,  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Environmental Engineering Laboratory - 20A01404P

Sem: II- II

Course Faculty: Dr. B. Satya Narayana Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	0	1	2	7	5	4.07
2	Breadth of conceptual clarity	15	0	0	2	9	4	4.13
3	Evaluation Scheme	15	0	1	2	7	5	4.07
4	Involvement of Faculty	15	0	2	2	8	3	3.80
5	Overall effectiveness of the course	15	0	1	3	9	2	3.80
6	Preparedness of the faculty	15	0	1	1	11	2	3.93
7	Quality of Interaction	15	0	1	3	8	3	3.87
8	Quality of Rigor	15	0	1	2	9	3	3.93
9	Sequencing of the topics	15	0	2	2	6	5	3.93
10	Style of topic delivery	15	0	1	1	10	3	4.00
11	Time allotted for each topic	15	0	1	4	7	3	3.80
12	Value addition provided by the Course	15	0	1	3	8	3	3.87
13	Standards of Assessment system	15	0	2	2	5	6	4.00
14	Quality of teaching	15	0	0	1	10	4	4.20

AVG	3.96
-----	------

*K. S. S.*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*for ready*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. K. Jagadeesh

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	15	1	3	2	5	4	3.53
2	Breadth of conceptual clarity	15	0	0	1	4	10	4.60
3	Evaluation Scheme	15	1	2	4	5	3	3.47
4	Involvement of Faculty	15	0	3	1	7	4	3.80
5	Overall effectiveness of the course	15	1	2	1	5	6	3.87
6	Preparedness of the faculty	15	0	3	0	6	6	4.00
7	Quality of Interaction	15	2	1	4	5	3	3.40
8	Quality of Rigor	15	0	1	3	7	4	3.93
9	Sequencing of the topics	15	1	2	2	5	5	3.73
10	Style of topic delivery	15	0	2	1	7	5	4.00
11	Time allotted for each topic	15	1	1	3	6	4	3.73
12	Value addition provided by the Course	15	2	0	3	3	7	3.87
13	Standards of Assessment system	15	0	1	2	5	7	4.20
14	Quality of teaching	15	1	2	1	5	6	3.87

AVG 3.86

K. Bee 25/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

foruaddy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Sem: II- II

Date: 25-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54403	Probability Theory & Stochastic Processes	Mr. V. Suneel Reddy	49	3.73	
2	20A04303T	Digital Logic Design	Ms. M. Moulika	49	3.70	
3	20A04401	EM Waves and Transmission Lines	Mrs. CH Yamini	49	3.75	
4	20A04402T	Communication Systems	Mr. B. Madhu	49	4.07	
5	20A04403T	Linear and Digital IC Applications	Mr. E. Neela Rao	49	3.83	
6	20A52401	Soft Skills	Mr. M. Hemachandra	49	3.71	
7	20A04303P	Digital Logic Design Laboratory	Mrs. K. Saranya & Mrs. N. Bhargavi	49	3.77	
8	20A04402P	Communication Systems Laboratory	Mr. B. Madhu & Mr. M. Kondaiah	49	3.91	
9	20A04403P	Linear and Digital IC Applications Laboratory	Mr. E. Neela Rao	49	3.86	
10	20A99401	Design Thinking for Innovation	Mr. A. Mahesh Reddy	49	3.52	

K. Jeeva  
25/7/23.

IQAC CO-ORDINATOR

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

for

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Probability Theory & Stochastic Processes -  
20A54403

Sem: II- II

Course Faculty: Mr. V. Suneel Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	1	2	22	11	13	3.67
2	Breadth of conceptual clarity	49	0	9	15	9	16	3.65
3	Evaluation Scheme	49	0	2	22	11	14	3.76
4	Involvement of Faculty	49	0	2	23	8	16	3.78
5	Overall effectiveness of the course	49	0	3	20	11	15	3.78
6	Preparedness of the faculty	49	0	3	21	11	14	3.73
7	Quality of Interaction	49	0	4	19	9	17	3.80
8	Quality of Rigor	49	0	5	20	10	14	3.67
9	Sequencing of the topics	49	0	4	18	14	13	3.73
10	Style of topic delivery	49	0	4	21	8	16	3.73
11	Time allotted for each topic	49	0	3	23	12	11	3.63
12	Value addition provided by the Course	49	0	5	19	12	13	3.67
13	Standards of Assessment system	49	0	3	19	13	14	3.78
14	Quality of teaching	49	0	3	20	7	19	3.86

AVG	3.73
-----	------

*K. Jeeva*  
25/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suneel Reddy*

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Digital Logic Design - 20A04303T

Sem: II- II

Course Faculty: Ms. M. Moulika

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	6	16	15	12	3.67
2	Breadth of conceptual clarity	49	0	6	18	12	13	3.65
3	Evaluation Scheme	49	0	6	16	13	14	3.71
4	Involvement of Faculty	49	0	1	22	13	13	3.78
5	Overall effectiveness of the course	49	0	5	16	18	10	3.67
6	Preparedness of the faculty	49	0	5	18	11	15	3.73
7	Quality of Interaction	49	0	5	21	14	9	3.55
8	Quality of Rigor	49	0	6	16	13	14	3.71
9	Sequencing of the topics	49	0	5	19	17	8	3.57
10	Style of topic delivery	49	0	3	20	15	11	3.69
11	Time allotted for each topic	49	0	3	17	17	12	3.78
12	Value addition provided by the Course	49	0	4	19	13	13	3.71
13	Standards of Assessment system	49	0	0	22	19	8	3.71
14	Quality of teaching	49	0	2	20	8	19	3.90

AVG	3.70
-----	------

*K. Jeeva*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: EM Waves and Transmission Lines - 20A04401

Sem: II- II

Course Faculty: Mrs. CH Yamini

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	2	23	14	10	3.65
2	Breadth of conceptual clarity	49	0	7	14	10	18	3.80
3	Evaluation Scheme	49	0	3	22	14	10	3.63
4	Involvement of Faculty	49	0	5	17	11	16	3.78
5	Overall effectiveness of the course	49	0	4	18	15	12	3.71
6	Preparedness of the faculty	49	0	4	17	11	17	3.84
7	Quality of Interaction	49	0	5	18	14	12	3.67
8	Quality of Rigor	49	0	5	16	11	17	3.82
9	Sequencing of the topics	49	0	3	21	19	6	3.57
10	Style of topic delivery	49	0	5	16	12	16	3.80
11	Time allotted for each topic	49	0	3	17	19	10	3.73
12	Value addition provided by the Course	49	0	5	15	11	18	3.86
13	Standards of Assessment system	49	0	2	20	18	9	3.69
14	Quality of teaching	49	0	1	19	12	17	3.92

AVG	3.75
-----	------

*K. Zee*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ponreddy*  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Communication Systems - 20A04402T

Sem: II- II

Course Faculty: Mr. B. Madhu

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	1	17	9	22	4.06
2	Breadth of conceptual clarity	49	0	2	16	4	27	4.14
3	Evaluation Scheme	49	0	2	15	11	21	4.04
4	Involvement of Faculty	49	0	1	18	3	27	4.14
5	Overall effectiveness of the course	49	0	2	15	14	18	3.98
6	Preparedness of the faculty	49	0	2	15	9	23	4.08
7	Quality of Interaction	49	0	1	15	12	21	4.08
8	Quality of Rigor	49	0	3	15	8	23	4.04
9	Sequencing of the topics	49	0	2	16	10	21	4.02
10	Style of topic delivery	49	0	1	17	7	24	4.10
11	Time allotted for each topic	49	0	2	16	11	20	4.00
12	Value addition provided by the Course	49	0	1	17	8	23	4.08
13	Standards of Assessment system	49	0	0	17	10	22	4.10
14	Quality of teaching	49	0	1	17	5	26	4.14

AVG	4.07
-----	------

*K. Zee*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Sreedhar*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142,



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Linear and Digital IC Applications - 20A04403T

Sem: II- II

Course Faculty: Mr. E. Neela Rao

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	4	17	19	9	3.67
2	Breadth of conceptual clarity	49	0	6	16	8	19	3.82
3	Evaluation Scheme	49	0	4	18	13	14	3.76
4	Involvement of Faculty	49	0	3	16	8	22	4.00
5	Overall effectiveness of the course	49	0	5	15	14	15	3.80
6	Preparedness of the faculty	49	0	1	20	10	18	3.92
7	Quality of Interaction	49	1	5	15	11	17	3.78
8	Quality of Rigor	49	0	4	20	8	17	3.78
9	Sequencing of the topics	49	0	5	15	14	15	3.80
10	Style of topic delivery	49	0	2	20	7	20	3.92
11	Time allotted for each topic	49	0	5	17	13	14	3.73
12	Value addition provided by the Course	49	1	3	17	13	15	3.78
13	Standards of Assessment system	49	0	2	19	11	17	3.88
14	Quality of teaching	49	0	3	17	8	21	3.96

AVG	3.83
-----	------

*K. Jee*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-15, Kadanuthala - 524142

*forreddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Soft Skills - 20A52401

Sem: II- II

Course Faculty: Mr. M. Hemachandra

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	2	25	8	14	3.69
2	Breadth of conceptual clarity	49	0	8	17	9	15	3.63
3	Evaluation Scheme	49	0	4	22	8	15	3.69
4	Involvement of Faculty	49	0	6	17	12	14	3.69
5	Overall effectiveness of the course	49	0	2	23	10	14	3.73
6	Preparedness of the faculty	49	1	4	19	10	15	3.69
7	Quality of Interaction	49	1	3	21	8	16	3.71
8	Quality of Rigor	49	1	5	19	10	14	3.63
9	Sequencing of the topics	49	0	3	21	11	14	3.73
10	Style of topic delivery	49	0	6	16	13	14	3.71
11	Time allotted for each topic	49	1	2	21	11	14	3.71
12	Value addition provided by the Course	49	0	7	14	12	16	3.76
13	Standards of Assessment system	49	0	4	20	10	15	3.73
14	Quality of teaching	49	0	3	19	9	18	3.86

AVG 3.71

*K. Jee*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. Reddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Digital Logic Design Laboratory - 20A04303P

Sem: II- II

Course Faculty: Mrs. K. Saranya & Mrs. N. Bhargavi

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	5	19	10	15	3.71
2	Breadth of conceptual clarity	49	0	1	21	9	18	3.90
3	Evaluation Scheme	49	0	6	17	12	14	3.69
4	Involvement of Faculty	49	0	1	22	9	17	3.86
5	Overall effectiveness of the course	49	1	4	19	12	13	3.65
6	Preparedness of the faculty	49	0	2	22	11	14	3.76
7	Quality of Interaction	49	0	5	16	17	11	3.69
8	Quality of Rigor	49	0	1	21	9	18	3.90
9	Sequencing of the topics	49	0	5	16	13	15	3.78
10	Style of topic delivery	49	1	1	22	9	16	3.78
11	Time allotted for each topic	49	1	4	18	14	12	3.65
12	Value addition provided by the Course	49	0	1	23	9	16	3.82
13	Standards of Assessment system	49	1	4	17	14	13	3.69
14	Quality of teaching	49	0	1	21	10	17	3.88

AVG 3.77

*K. Jeeva*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Communication Systems Laboratory - 20A04402P

Sem: II- II

Course Faculty: Mr. B. Madhu & Mr. M. Kondalah

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	3	19	10	17	3.84
2	Breadth of conceptual clarity	49	0	4	17	7	21	3.92
3	Evaluation Scheme	49	0	2	17	10	20	3.98
4	Involvement of Faculty	49	0	3	17	11	18	3.90
5	Overall effectiveness of the course	49	0	4	16	12	17	3.86
6	Preparedness of the faculty	49	0	4	14	8	23	4.02
7	Quality of Interaction	49	0	2	18	12	17	3.90
8	Quality of Rigor	49	0	5	15	9	20	3.90
9	Sequencing of the topics	49	0	3	19	9	18	3.86
10	Style of topic delivery	49	0	4	16	11	18	3.88
11	Time allotted for each topic	49	0	2	17	10	20	3.98
12	Value addition provided by the Course	49	0	4	17	8	20	3.90
13	Standards of Assessment system	49	0	4	15	11	19	3.92
14	Quality of teaching	49	0	4	16	8	21	3.94

AVG 3.91

*K. Zol*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-15, Kadanuthala - 524142

*Forcedy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Linear and Digital IC Applications Laboratory - 20A0440 Sem: II- II

Course Faculty: Mr. E. Neela Rao

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	1	23	6	19	3.88
2	Breadth of conceptual clarity	49	0	7	13	11	18	3.82
3	Evaluation Scheme	49	0	2	19	8	20	3.94
4	Involvement of Faculty	49	0	3	17	14	15	3.84
5	Overall effectiveness of the course	49	0	1	20	10	18	3.92
6	Preparedness of the faculty	49	0	5	17	11	16	3.78
7	Quality of Interaction	49	0	1	19	8	21	4.00
8	Quality of Rigor	49	0	5	16	10	18	3.84
9	Sequencing of the topics	49	0	3	17	10	19	3.92
10	Style of topic delivery	49	0	5	17	12	15	3.76
11	Time allotted for each topic	49	0	2	19	9	19	3.92
12	Value addition provided by the Course	49	0	6	16	12	15	3.73
13	Standards of Assessment system	49	0	4	17	9	19	3.88
14	Quality of teaching	49	0	4	18	7	20	3.88

AVG	3.86
-----	------

*K. Zele*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. A. Mahesh Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	4	2	22	14	7	3.37
2	Breadth of conceptual clarity	49	4	6	13	12	14	3.53
3	Evaluation Scheme	49	2	6	18	12	11	3.49
4	Involvement of Faculty	49	3	7	15	9	15	3.53
5	Overall effectiveness of the course	49	3	3	20	15	8	3.45
6	Preparedness of the faculty	49	3	3	19	11	13	3.57
7	Quality of Interaction	49	4	4	18	12	11	3.45
8	Quality of Rigor	49	3	4	19	8	15	3.57
9	Sequencing of the topics	49	3	2	21	14	9	3.49
10	Style of topic delivery	49	4	3	18	8	16	3.59
11	Time allotted for each topic	49	3	2	21	13	10	3.51
12	Value addition provided by the Course	49	3	6	17	7	16	3.55
13	Standards of Assessment system	49	4	3	19	12	11	3.47
14	Quality of teaching	49	3	2	18	11	15	3.67

AVG 3.52

*K. Zee*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Praveen*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Sem: II- II

Date: 25-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54403	Probability Theory & Stochastic Processes	Mr. V. Suneel Reddy	55	3.89	
2	20A04303T	Digital Logic Design	Ms. M. Moulika	55	3.85	
3	20A04401	EM Waves and Transmission Lines	Mrs. CH Yamini	55	4.04	
4	20A04402T	Communication Systems	Mr. B. Madhu	55	4.06	
5	20A04403T	Linear and Digital IC Applications	Mr. E. Neela Rao	55	4.01	
6	20A52401	Soft Skills	Mr. M. Hemachandra	55	3.88	
7	20A04303P	Digital Logic Design Laboratory	Mrs. K. Saranya & Mrs. N. Bhargavi	55	3.96	
8	20A04402P	Communication Systems Laboratory	Mr. B. Madhu & Mr. M. Kondaiah	55	4.01	
9	20A04403P	Linear and Digital IC Applications Laboratory	Mr. E. Neela Rao	55	3.96	
10	20A99401	Design Thinking for Innovation	Mr. A. Mahesh Reddy	55	3.40	

K. Zele 25/7/23.

IQAC CO-ORDINATOR

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-16, Kadanuthala - 524142

P. S. Reddy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-16, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Probability Theory & Stochastic Processes -  
20A54403

Sem: II- II

Course Faculty: Mr. V. Suneel Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	3	18	18	16	3.85
2	Breadth of conceptual clarity	55	1	2	17	15	20	3.93
3	Evaluation Scheme	55	0	4	22	16	13	3.69
4	Involvement of Faculty	55	0	2	15	18	20	4.02
5	Overall effectiveness of the course	55	0	5	16	16	18	3.85
6	Preparedness of the faculty	55	0	5	13	17	20	3.95
7	Quality of Interaction	55	1	2	17	19	16	3.85
8	Quality of Rigor	55	0	3	15	21	16	3.91
9	Sequencing of the topics	55	0	2	17	20	16	3.91
10	Style of topic delivery	55	0	4	14	16	21	3.98
11	Time allotted for each topic	55	1	6	13	15	20	3.85
12	Value addition provided by the Course	55	1	2	20	16	16	3.80
13	Standards of Assessment system	55	0	3	17	16	19	3.93
14	Quality of teaching	55	0	3	14	18	20	4.00

AVG 3.89

K. Jeeva  
25/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Suneel Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Digital Logic Design - 20A04303T

Sem: II- II

Course Faculty: Ms. M. Moulika

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	7	15	17	16	3.76
2	Breadth of conceptual clarity	55	0	8	14	16	17	3.76
3	Evaluation Scheme	55	0	6	15	19	15	3.78
4	Involvement of Faculty	55	0	8	13	19	15	3.75
5	Overall effectiveness of the course	55	0	6	14	17	18	3.85
6	Preparedness of the faculty	55	0	5	16	15	19	3.87
7	Quality of Interaction	55	0	6	12	20	17	3.87
8	Quality of Rigor	55	0	3	15	23	14	3.87
9	Sequencing of the topics	55	0	4	15	17	19	3.93
10	Style of topic delivery	55	0	5	14	19	17	3.87
11	Time allotted for each topic	55	0	3	18	16	18	3.89
12	Value addition provided by the Course	55	0	3	15	18	19	3.96
13	Standards of Assessment system	55	0	6	14	18	17	3.84
14	Quality of teaching	55	0	5	12	23	15	3.87

AVG	3.85
-----	------

K. Zele  
25/7/23

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: EM Waves and Transmission Lines - 20A04401

Sem: II- II

Course Faculty: Mrs. CH Yamini

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	1	17	14	23	4.07
2	Breadth of conceptual clarity	55	0	4	12	16	23	4.05
3	Evaluation Scheme	55	0	3	12	18	22	4.07
4	Involvement of Faculty	55	0	3	15	13	24	4.05
5	Overall effectiveness of the course	55	0	3	13	18	21	4.04
6	Preparedness of the faculty	55	1	2	13	15	24	4.07
7	Quality of Interaction	55	0	3	13	21	18	3.98
8	Quality of Rigor	55	1	4	13	13	24	4.00
9	Sequencing of the topics	55	1	3	10	23	18	3.98
10	Style of topic delivery	55	0	2	15	14	24	4.09
11	Time allotted for each topic	55	0	2	15	17	21	4.04
12	Value addition provided by the Course	55	0	4	13	16	22	4.02
13	Standards of Assessment system	55	0	3	12	17	23	4.09
14	Quality of teaching	55	0	4	12	17	22	4.04

AVG	4.04
-----	------

K. Zee  
25/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. S. Reddy  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Communication Systems - 20A04402T

Sem: II- II

Course Faculty: Mr. B. Madhu

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	2	18	12	23	4.02
2	Breadth of conceptual clarity	55	0	3	15	11	26	4.09
3	Evaluation Scheme	55	0	2	15	16	22	4.05
4	Involvement of Faculty	55	0	3	18	8	26	4.04
5	Overall effectiveness of the course	55	0	1	17	12	25	4.11
6	Preparedness of the faculty	55	0	3	13	15	24	4.09
7	Quality of Interaction	55	0	1	16	16	22	4.07
8	Quality of Rigor	55	0	2	18	17	18	3.93
9	Sequencing of the topics	55	0	1	16	10	28	4.18
10	Style of topic delivery	55	0	3	17	12	23	4.00
11	Time allotted for each topic	55	0	1	17	14	23	4.07
12	Value addition provided by the Course	55	0	2	18	12	23	4.02
13	Standards of Assessment system	55	1	1	15	20	18	3.96
14	Quality of teaching	55	0	1	16	10	28	4.18

AVG	4.06
-----	------

*K. Jee*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*foruaddy*  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Linear and Digital IC Applications - 20A04403T

Sem: II- II

Course Faculty: Mr. E. Neela Rao

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	3	13	20	19	4.00
2	Breadth of conceptual clarity	55	0	4	12	15	24	4.07
3	Evaluation Scheme	55	1	3	12	19	20	3.98
4	Involvement of Faculty	55	0	5	11	20	19	3.96
5	Overall effectiveness of the course	55	1	2	13	16	23	4.05
6	Preparedness of the faculty	55	0	6	11	18	20	3.95
7	Quality of Interaction	55	0	3	13	17	22	4.05
8	Quality of Rigor	55	0	3	15	16	21	4.00
9	Sequencing of the topics	55	0	2	12	21	20	4.07
10	Style of topic delivery	55	0	3	16	23	13	3.84
11	Time allotted for each topic	55	0	0	15	17	23	4.15
12	Value addition provided by the Course	55	0	2	14	21	18	4.00
13	Standards of Assessment system	55	0	2	12	21	20	4.07
14	Quality of teaching	55	0	6	13	17	19	3.89

AVG 4.01

*K. Sree*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Sreedhar*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Soft Skills - 20A52401

Sem: II- II

Course Faculty: Mr. M. Hemachandra

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	6	17	12	20	3.84
2	Breadth of conceptual clarity	55	0	9	12	13	21	3.84
3	Evaluation Scheme	55	2	4	17	14	18	3.76
4	Involvement of Faculty	55	1	6	14	13	21	3.85
5	Overall effectiveness of the course	55	0	5	12	19	19	3.95
6	Preparedness of the faculty	55	1	5	14	17	18	3.84
7	Quality of Interaction	55	0	2	21	10	22	3.95
8	Quality of Rigor	55	0	5	18	13	19	3.84
9	Sequencing of the topics	55	1	2	16	17	19	3.93
10	Style of topic delivery	55	0	5	12	20	18	3.93
11	Time allotted for each topic	55	0	3	17	18	17	3.89
12	Value addition provided by the Course	55	1	4	17	14	19	3.84
13	Standards of Assessment system	55	0	2	17	16	20	3.98
14	Quality of teaching	55	1	2	18	11	23	3.96

AVG	3.88
-----	------

*K. Zeeshan*  
25/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Digital Logic Design Laboratory - 20A04303P

Sem: II- II

Course Faculty: Mrs. K. Saranya & Mrs. N. Bhargavi

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	4	12	20	19	3.98
2	Breadth of conceptual clarity	55	0	5	11	17	22	4.02
3	Evaluation Scheme	55	0	5	8	24	18	4.00
4	Involvement of Faculty	55	0	6	9	20	20	3.98
5	Overall effectiveness of the course	55	0	3	14	20	18	3.96
6	Preparedness of the faculty	55	0	4	12	16	23	4.05
7	Quality of Interaction	55	0	5	10	28	12	3.85
8	Quality of Rigor	55	0	5	12	15	23	4.02
9	Sequencing of the topics	55	0	3	12	24	16	3.96
10	Style of topic delivery	55	0	6	12	19	18	3.89
11	Time allotted for each topic	55	0	4	11	21	19	4.00
12	Value addition provided by the Course	55	0	5	14	19	17	3.87
13	Standards of Assessment system	55	0	3	14	25	13	3.87
14	Quality of teaching	55	0	4	11	19	21	4.04

AVG 3.96

*K. Saranya*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-16, Kadanuthala - 524142

*P. S. Reddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-16, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Communication Systems Laboratory - 20A04402P

Sem: II- II

Course Faculty: Mr. B. Madhu & Mr. M. Kondaiah

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	2	12	20	21	4.09
2	Breadth of conceptual clarity	55	0	2	13	18	22	4.09
3	Evaluation Scheme	55	0	3	13	22	17	3.96
4	Involvement of Faculty	55	0	2	13	18	22	4.09
5	Overall effectiveness of the course	55	0	2	14	21	18	4.00
6	Preparedness of the faculty	55	0	1	17	17	20	4.02
7	Quality of Interaction	55	0	2	13	22	18	4.02
8	Quality of Rigor	55	0	1	15	16	23	4.11
9	Sequencing of the topics	55	0	5	13	16	21	3.96
10	Style of topic delivery	55	0	4	13	19	19	3.96
11	Time allotted for each topic	55	0	5	13	18	19	3.93
12	Value addition provided by the Course	55	0	3	15	17	20	3.98
13	Standards of Assessment system	55	0	4	14	18	19	3.95
14	Quality of teaching	55	0	2	15	18	20	4.02

AVG	4.01
-----	------

K. Zee  
25/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Principal  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Linear and Digital IC Applications Laboratory - 20A0440 Sem: II- II

Course Faculty: Mr. E. Neela Rao

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	0	6	9	21	19	3.96
2	Breadth of conceptual clarity	55	0	5	13	15	22	3.98
3	Evaluation Scheme	55	0	6	11	22	16	3.87
4	Involvement of Faculty	55	0	5	14	15	21	3.95
5	Overall effectiveness of the course	55	0	4	14	21	16	3.89
6	Preparedness of the faculty	55	0	2	14	18	21	4.05
7	Quality of Interaction	55	0	3	12	22	18	4.00
8	Quality of Rigor	55	0	3	15	15	22	4.02
9	Sequencing of the topics	55	0	6	11	20	18	3.91
10	Style of topic delivery	55	0	5	16	13	21	3.91
11	Time allotted for each topic	55	0	6	11	19	19	3.93
12	Value addition provided by the Course	55	0	3	14	16	22	4.04
13	Standards of Assessment system	55	0	5	13	18	19	3.93
14	Quality of teaching	55	0	2	15	16	22	4.05

AVG 3.96

*K. Zeel*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. A. Mahesh Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	55	4	6	22	10	13	3.40
2	Breadth of conceptual clarity	55	3	8	20	14	10	3.36
3	Evaluation Scheme	55	3	4	27	13	8	3.35
4	Involvement of Faculty	55	3	5	23	15	9	3.40
5	Overall effectiveness of the course	55	4	3	26	11	11	3.40
6	Preparedness of the faculty	55	4	5	25	9	12	3.36
7	Quality of Interaction	55	3	6	22	16	8	3.36
8	Quality of Rigor	55	3	6	21	10	15	3.51
9	Sequencing of the topics	55	4	6	22	12	11	3.36
10	Style of topic delivery	55	4	5	24	13	9	3.33
11	Time allotted for each topic	55	3	5	22	15	10	3.44
12	Value addition provided by the Course	55	5	6	19	11	14	3.42
13	Standards of Assessment system	55	3	8	18	16	10	3.40
14	Quality of teaching	55	4	5	21	12	13	3.45

AVG 3.40

*K. Jee*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*for ready*  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Sem: II- II

Date: 25-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54404	Deterministic & Stochastic Statistical Methods	Mrs. P. V. Madhavi	50	3.55	
2	20A05401T	Database Management Systems	Mrs. K. V. Sai Lavanya	50	3.42	
3	20A05402T	Operating Systems	Mr. D. Ashok	50	3.93	
4	20A05403T	Software Engineering	Mr. P. Raveendra Reddy	50	3.44	
5	20A52301	Managerial Economics & Financial Analysis	Mr. B. Bhaskar Reddy	50	4.00	
6	20A05404	Exploratory Data Analysis with R	Mrs. A. Nandhini & Mr. V. Srihari Naidu	50	3.87	
7	20A05401P	Database Management Systems Laboratory	Mrs. K. Lilly Grace Mary & Mrs. K. Sai Lavanya	50	3.70	
8	20A05402P	Operating Systems Laboratory	Mr. D. Ashok & Dr. T. Swamalatha	50	3.87	
9	20A05403P	Software Engineering Laboratory	Mrs. A. Nandhini & Mr. V. Srihari Naidu	50	3.57	
10	20A99401	Design Thinking for Innovation	Mr. A. Mahesh Reddy	50	3.45	

*K. B. 25/7/23*  
IQAC CO-ORDINATOR  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*[Signature]*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Deterministic & Stochastic Statistical Methods -  
20A54404

Sem: II- II

Course Faculty: Mrs. P. V. Madhavi

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	8	20	9	13	3.54
2	Breadth of conceptual clarity	50	1	7	17	14	11	3.54
3	Evaluation Scheme	50	0	5	26	8	11	3.50
4	Involvement of Faculty	50	0	4	23	12	11	3.60
5	Overall effectiveness of the course	50	2	4	21	10	13	3.56
6	Preparedness of the faculty	50	1	8	18	12	11	3.48
7	Quality of Interaction	50	1	4	22	11	12	3.58
8	Quality of Rigor	50	1	8	18	14	9	3.44
9	Sequencing of the topics	50	1	5	19	16	9	3.54
10	Style of topic delivery	50	0	6	21	10	13	3.60
11	Time allotted for each topic	50	1	4	19	14	12	3.64
12	Value addition provided by the Course	50	0	7	20	10	13	3.58
13	Standards of Assessment system	50	1	6	21	14	8	3.44
14	Quality of teaching	50	1	3	21	9	16	3.72

AVG	3.55
-----	------

K. Zel  
25/7/23.

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*foruaddy*

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



<b>AVG</b>	<b>3.42</b>
------------	-------------

K. Ze 25/7/23.

**Samireddy Subbarami Reddy**  
Engineering College  
NH-5, Kadanuthala - 524142

fourth

RAMIREDDY SUBBAHAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANGMALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Operating Systems - 20A05402T

Sem: II- II

Course Faculty: Mr. D. Ashok

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	2	16	11	21	4.02
2	Breadth of conceptual clarity	50	0	3	16	15	16	3.88
3	Evaluation Scheme	50	0	3	17	18	12	3.78
4	Involvement of Faculty	50	0	2	15	17	16	3.94
5	Overall effectiveness of the course	50	0	3	15	14	18	3.94
6	Preparedness of the faculty	50	0	2	15	18	15	3.92
7	Quality of Interaction	50	0	2	15	17	16	3.94
8	Quality of Rigor	50	0	2	19	14	15	3.84
9	Sequencing of the topics	50	0	2	14	17	17	3.98
10	Style of topic delivery	50	0	1	16	17	16	3.96
11	Time allotted for each topic	50	0	2	17	14	17	3.92
12	Value addition provided by the Course	50	0	2	15	17	16	3.94
13	Standards of Assessment system	50	0	3	14	15	18	3.96
14	Quality of teaching	50	0	1	15	15	19	4.04

AVG	3.93
-----	------

K. Jeeva  
25/7/23

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

f. c. Reddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Software Engineering - 20A05403T

Sem: II- II

Course Faculty: Mr. P. Raveendra Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	4	4	19	8	15	3.52
2	Breadth of conceptual clarity	50	3	10	12	17	8	3.34
3	Evaluation Scheme	50	2	7	19	11	11	3.44
4	Involvement of Faculty	50	3	9	18	11	9	3.28
5	Overall effectiveness of the course	50	1	7	16	14	12	3.58
6	Preparedness of the faculty	50	1	8	20	11	10	3.42
7	Quality of Interaction	50	3	5	17	11	14	3.56
8	Quality of Rigor	50	4	7	18	9	12	3.36
9	Sequencing of the topics	50	4	8	15	12	11	3.36
10	Style of topic delivery	50	3	7	17	8	15	3.50
11	Time allotted for each topic	50	2	8	17	13	10	3.42
12	Value addition provided by the Course	50	2	9	16	11	12	3.44
13	Standards of Assessment system	50	2	7	20	11	10	3.40
14	Quality of teaching	50	4	4	17	9	16	3.58

AVG	3.44
-----	------

K. Zea  
25/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Raveendra Reddy  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Managerial Economics & Financial Analysis - 20A52301

Sem: II- II

Course Faculty: Mr. B. Bhaskar Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	1	16	15	18	4.00
2	Breadth of conceptual clarity	50	0	4	11	15	20	4.02
3	Evaluation Scheme	50	0	3	13	15	19	4.00
4	Involvement of Faculty	50	0	2	14	12	22	4.08
5	Overall effectiveness of the course	50	0	2	15	14	19	4.00
6	Preparedness of the faculty	50	0	4	12	13	21	4.02
7	Quality of Interaction	50	0	1	16	11	22	4.08
8	Quality of Rigor	50	0	4	15	13	18	3.90
9	Sequencing of the topics	50	0	3	17	9	21	3.96
10	Style of topic delivery	50	0	2	13	15	20	4.06
11	Time allotted for each topic	50	0	1	21	9	19	3.92
12	Value addition provided by the Course	50	0	3	14	12	21	4.02
13	Standards of Assessment system	50	0	2	16	13	19	3.98
14	Quality of teaching	50	0	2	16	12	20	4.00

AVG 4.00

K. Zel  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

forwards  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Exploratory Data Analysis with R - 20A05404

Sem: II- II

Course Faculty: Mrs. A. Nandhini & Mr. V. Srihari Naidu

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	22	12	16	3.88
2	Breadth of conceptual clarity	50	0	2	18	14	16	3.88
3	Evaluation Scheme	50	0	1	20	12	17	3.90
4	Involvement of Faculty	50	0	4	16	16	14	3.80
5	Overall effectiveness of the course	50	0	3	21	13	13	3.72
6	Preparedness of the faculty	50	0	3	17	14	16	3.86
7	Quality of Interaction	50	0	1	20	9	20	3.96
8	Quality of Rigor	50	0	3	17	14	16	3.86
9	Sequencing of the topics	50	0	1	20	11	18	3.92
10	Style of topic delivery	50	0	2	19	15	14	3.82
11	Time allotted for each topic	50	0	1	17	13	19	4.00
12	Value addition provided by the Course	50	0	2	19	16	13	3.80
13	Standards of Assessment system	50	0	3	17	13	17	3.88
14	Quality of teaching	50	0	2	19	9	20	3.94

AVG	3.87
-----	------

K. Jeyaraj  
25/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-15, Kadanuthala - 524142

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Database Management Systems Laboratory -  
20A05401P

Sem: II- II


Course Faculty: Mrs. K. Lilly Grace Mary & Mrs. K. Sai Lavanya

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	2	23	9	16	3.78
2	Breadth of conceptual clarity	50	0	5	19	13	13	3.68
3	Evaluation Scheme	50	0	5	21	11	13	3.64
4	Involvement of Faculty	50	0	5	18	17	10	3.64
5	Overall effectiveness of the course	50	0	4	19	12	15	3.76
6	Preparedness of the faculty	50	0	4	21	15	10	3.62
7	Quality of Interaction	50	1	3	19	11	16	3.76
8	Quality of Rigor	50	0	5	21	11	13	3.64
9	Sequencing of the topics	50	1	3	22	8	16	3.70
10	Style of topic delivery	50	0	5	18	11	16	3.76
11	Time allotted for each topic	50	1	2	23	8	16	3.72
12	Value addition provided by the Course	50	1	1	25	10	13	3.66
13	Standards of Assessment system	50	0	5	20	11	14	3.68
14	Quality of teaching	50	0	5	21	7	17	3.72

AVG 3.70

  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Operating Systems Laboratory - 20A05402P

Sem: II- II

Course Faculty: Mr. D. Ashok & Dr. T. Swarnalatha

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	1	2	14	14	19	3.96
2	Breadth of conceptual clarity	50	1	1	16	14	18	3.94
3	Evaluation Scheme	50	1	1	19	11	18	3.88
4	Involvement of Faculty	50	1	3	13	12	21	3.98
5	Overall effectiveness of the course	50	1	1	18	17	13	3.80
6	Preparedness of the faculty	50	0	4	15	15	16	3.86
7	Quality of Interaction	50	1	4	16	14	15	3.76
8	Quality of Rigor	50	1	5	14	13	17	3.80
9	Sequencing of the topics	50	0	3	19	12	16	3.82
10	Style of topic delivery	50	1	3	16	12	18	3.86
11	Time allotted for each topic	50	1	1	18	12	18	3.90
12	Value addition provided by the Course	50	1	3	16	14	16	3.82
13	Standards of Assessment system	50	1	2	15	15	17	3.90
14	Quality of teaching	50	0	3	17	11	19	3.92

AVG	3.87
-----	------

K. Jeeva  
25/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Principal

PRINCIPAL  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Software Engineering Laboratory - 20A05403P

Sem: II- II

Course Faculty: Mrs. A. Nandhini & Mr. V. Srihari Naidu

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	1	5	22	13	9	3.48
2	Breadth of conceptual clarity	50	1	6	21	8	14	3.56
3	Evaluation Scheme	50	1	7	21	10	11	3.46
4	Involvement of Faculty	50	0	7	20	13	10	3.52
5	Overall effectiveness of the course	50	0	6	22	11	11	3.54
6	Preparedness of the faculty	50	0	4	21	13	12	3.66
7	Quality of Interaction	50	1	5	21	8	15	3.62
8	Quality of Rigor	50	1	6	22	12	9	3.44
9	Sequencing of the topics	50	0	6	18	14	12	3.64
10	Style of topic delivery	50	1	5	16	16	12	3.66
11	Time allotted for each topic	50	0	4	23	11	12	3.62
12	Value addition provided by the Course	50	1	7	19	11	12	3.52
13	Standards of Assessment system	50	1	8	20	10	11	3.44
14	Quality of teaching	50	0	4	20	9	17	3.78

AVG 3.57

K. Jey  
25/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Praveen

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- A

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. A. Mahesh Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	9	19	13	9	3.44
2	Breadth of conceptual clarity	50	1	10	18	14	7	3.32
3	Evaluation Scheme	50	0	8	21	12	9	3.44
4	Involvement of Faculty	50	1	8	17	12	12	3.52
5	Overall effectiveness of the course	50	0	8	20	14	8	3.44
6	Preparedness of the faculty	50	1	7	20	12	10	3.46
7	Quality of Interaction	50	0	8	19	13	10	3.50
8	Quality of Rigor	50	1	8	19	11	11	3.46
9	Sequencing of the topics	50	0	7	23	12	8	3.42
10	Style of topic delivery	50	1	9	17	17	6	3.36
11	Time allotted for each topic	50	1	5	18	16	10	3.58
12	Value addition provided by the Course	50	1	8	16	14	11	3.52
13	Standards of Assessment system	50	2	4	25	12	7	3.36
14	Quality of teaching	50	1	6	20	14	9	3.48

AVG 3.45

*K. B. S.*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. S.*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Sem: II- II

Date: 25-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54404	Deterministic & Stochastic Statistical Methods	Mrs. P. V. Madhavi	53	3.39	
2	20A05401T	Database Management Systems	Mrs. K. V. Sai Lavanya	53	3.73	
3	20A05402T	Operating Systems	Mr. D. Ashok	53	3.98	
4	20A05403T	Software Engineering	Mr. P. Raveendra Reddy	53	3.46	
5	20A52301	Managerial Economics & Financial Analysis	Ms. S. Lilly Petricia	53	3.96	
6	20A05404	Exploratory Data Analysis with R	Mrs. A. Nandhini & Mr. D. Ashok	53	3.96	
7	20A05401P	Database Management Systems Laboratory	Mrs. K. Lilly Grace Mary & Mrs. K. Sai Lavanya	53	3.97	
8	20A05402P	Operating Systems Laboratory	Mr. D. Ashok & Dr. T. Swamalatha	53	3.93	
9	20A05403P	Software Engineering Laboratory	Mrs. A. Nandhini & Mr. P. Raveendra Reddy	53	3.37	
10	20A99401	Design Thinking for Innovation	Mr. A. Mahesh Reddy	53	3.33	

K. Jeeva  
25/7/23.

IQAC CO-ORDINATOR

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-15, Kadanuthala - 524142

Ramireddy  
Principal

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Deterministic & Stochastic Statistical Methods -  
20A54404

Sem: II- II

Course Faculty: Mrs. P. V. Madhavi

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	1	11	21	11	9	3.30
2	Breadth of conceptual clarity	53	2	10	18	14	9	3.34
3	Evaluation Scheme	53	2	7	25	8	11	3.36
4	Involvement of Faculty	53	1	10	17	16	9	3.42
5	Overall effectiveness of the course	53	2	11	18	15	7	3.26
6	Preparedness of the faculty	53	2	12	17	12	10	3.30
7	Quality of Interaction	53	1	10	20	10	12	3.42
8	Quality of Rigor	53	0	13	17	16	7	3.32
9	Sequencing of the topics	53	1	9	20	11	12	3.45
10	Style of topic delivery	53	1	12	17	13	10	3.36
11	Time allotted for each topic	53	0	13	17	10	13	3.43
12	Value addition provided by the Course	53	1	8	21	15	8	3.40
13	Standards of Assessment system	53	1	8	21	12	11	3.45
14	Quality of teaching	53	0	7	20	11	15	3.64

AVG 3.39

  
K. Jeyaraj  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Database Management Systems - 20A05401T

Sem: II- II

Course Faculty: Mrs. K. V. Sai Lavanya

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	0	8	17	13	15	3.66
2	Breadth of conceptual clarity	53	0	6	17	15	15	3.74
3	Evaluation Scheme	53	0	8	18	11	16	3.66
4	Involvement of Faculty	53	0	8	15	13	17	3.74
5	Overall effectiveness of the course	53	0	9	17	12	15	3.62
6	Preparedness of the faculty	53	0	6	17	13	17	3.77
7	Quality of Interaction	53	0	5	21	12	15	3.70
8	Quality of Rigor	53	0	9	16	16	12	3.58
9	Sequencing of the topics	53	0	5	19	9	20	3.83
10	Style of topic delivery	53	0	8	15	14	16	3.72
11	Time allotted for each topic	53	0	3	23	7	20	3.83
12	Value addition provided by the Course	53	0	8	16	12	17	3.72
13	Standards of Assessment system	53	0	7	17	13	16	3.72
14	Quality of teaching	53	0	4	17	11	21	3.92

AVG	3.73
-----	------

*K. JPS*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Operating Systems - 20A05402T

Sem: II- II

Course Faculty: Mr. D. Ashok

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	0	2	18	11	22	4.00
2	Breadth of conceptual clarity	53	0	2	18	11	22	4.00
3	Evaluation Scheme	53	0	3	20	8	22	3.92
4	Involvement of Faculty	53	1	2	18	9	23	3.96
5	Overall effectiveness of the course	53	0	5	16	11	21	3.91
6	Preparedness of the faculty	53	0	3	17	9	24	4.02
7	Quality of Interaction	53	1	5	16	8	23	3.89
8	Quality of Rigor	53	0	6	14	11	22	3.92
9	Sequencing of the topics	53	0	1	18	10	24	4.08
10	Style of topic delivery	53	0	1	19	8	25	4.08
11	Time allotted for each topic	53	0	2	19	9	23	4.00
12	Value addition provided by the Course	53	0	5	16	11	21	3.91
13	Standards of Assessment system	53	1	2	16	13	21	3.96
14	Quality of teaching	53	0	2	18	6	27	4.09

AVG	3.98
-----	------

K. Jee 25/7/23.

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

forreddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Software Engineering - 20A05403T

Sem: II- II

Course Faculty: Mr. P. Raveendra Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	3	9	16	9	16	3.49
2	Breadth of conceptual clarity	53	3	10	16	12	12	3.38
3	Evaluation Scheme	53	4	11	18	5	15	3.30
4	Involvement of Faculty	53	2	10	15	11	15	3.51
5	Overall effectiveness of the course	53	2	11	17	7	16	3.45
6	Preparedness of the faculty	53	2	11	14	11	15	3.49
7	Quality of Interaction	53	3	12	12	10	16	3.45
8	Quality of Rigor	53	3	10	14	11	15	3.47
9	Sequencing of the topics	53	2	8	18	9	16	3.55
10	Style of topic delivery	53	2	10	16	10	15	3.49
11	Time allotted for each topic	53	3	9	17	9	15	3.45
12	Value addition provided by the Course	53	2	9	19	9	14	3.45
13	Standards of Assessment system	53	3	9	15	13	13	3.45
14	Quality of teaching	53	4	8	15	8	18	3.53

AVG	3.46
-----	------

*K. Jee*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - *K. Jee*  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Raveendra Reddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandali, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Managerial Economics & Financial Analysis - 20A52301

Sem: II- II

Course Faculty: Ms. S. Lilly Petricia

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	0	4	14	12	23	4.02
2	Breadth of conceptual clarity	53	0	3	16	14	20	3.96
3	Evaluation Scheme	53	0	5	16	15	17	3.83
4	Involvement of Faculty	53	0	4	15	13	21	3.96
5	Overall effectiveness of the course	53	0	3	15	13	22	4.02
6	Preparedness of the faculty	53	0	4	15	16	18	3.91
7	Quality of Interaction	53	0	4	15	12	22	3.98
8	Quality of Rigor	53	0	7	14	13	19	3.83
9	Sequencing of the topics	53	0	5	14	12	22	3.96
10	Style of topic delivery	53	0	3	18	12	20	3.92
11	Time allotted for each topic	53	0	5	13	12	23	4.00
12	Value addition provided by the Course	53	0	6	14	9	24	3.96
13	Standards of Assessment system	53	0	3	17	11	22	3.98
14	Quality of teaching	53	0	2	17	9	25	4.08

AVG 3.96

K. Jesu  
25/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Exploratory Data Analysis with R - 20A05404

Sem: II- II

Course Faculty: Mrs. A. Nandhini & Mr. D. Ashok

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	1	2	18	13	19	3.89
2	Breadth of conceptual clarity	53	0	3	17	10	23	4.00
3	Evaluation Scheme	53	0	3	17	12	21	3.96
4	Involvement of Faculty	53	0	3	17	12	21	3.96
5	Overall effectiveness of the course	53	0	4	17	14	18	3.87
6	Preparedness of the faculty	53	1	3	17	9	23	3.94
7	Quality of Interaction	53	1	3	15	8	26	4.04
8	Quality of Rigor	53	1	2	18	13	19	3.89
9	Sequencing of the topics	53	0	4	17	6	26	4.02
10	Style of topic delivery	53	0	2	18	11	22	4.00
11	Time allotted for each topic	53	0	3	16	9	25	4.06
12	Value addition provided by the Course	53	0	3	18	14	18	3.89
13	Standards of Assessment system	53	0	2	19	10	22	3.98
14	Quality of teaching	53	0	2	18	10	23	4.02

AVG	3.96
-----	------

K. Jee  
25/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

forreddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Database Management Systems Laboratory -  
20A05401P

Sem: II- II

Course Faculty: Mrs. K. Lilly Grace Mary & Mrs. K. Sai Lavanya

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	0	3	14	17	19	3.98
2	Breadth of conceptual clarity	53	0	3	15	16	19	3.96
3	Evaluation Scheme	53	0	4	19	10	20	3.87
4	Involvement of Faculty	53	0	2	16	13	22	4.04
5	Overall effectiveness of the course	53	0	4	17	14	18	3.87
6	Preparedness of the faculty	53	0	5	16	9	23	3.94
7	Quality of Interaction	53	0	5	15	12	21	3.92
8	Quality of Rigor	53	0	5	14	10	24	4.00
9	Sequencing of the topics	53	1	3	14	16	19	3.92
10	Style of topic delivery	53	0	4	15	10	24	4.02
11	Time allotted for each topic	53	0	6	14	13	20	3.89
12	Value addition provided by the Course	53	0	2	17	13	21	4.00
13	Standards of Assessment system	53	0	3	16	11	23	4.02
14	Quality of teaching	53	0	1	15	13	24	4.13

AVG 3.97

*K. Sree*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Forreddy*  
PRINCIPAL  
Principal  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Operating Systems Laboratory - 20A05402P

Sem: II- II

Course Faculty: Mr. D. Ashok & Dr. T. Swarnalatha

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	1	5	16	10	21	3.85
2	Breadth of conceptual clarity	53	0	3	19	9	22	3.94
3	Evaluation Scheme	53	0	3	18	9	23	3.98
4	Involvement of Faculty	53	0	4	19	8	22	3.91
5	Overall effectiveness of the course	53	0	6	15	11	21	3.89
6	Preparedness of the faculty	53	0	5	18	9	21	3.87
7	Quality of Interaction	53	1	5	15	8	24	3.92
8	Quality of Rigor	53	1	4	16	10	22	3.91
9	Sequencing of the topics	53	1	4	15	8	25	3.98
10	Style of topic delivery	53	0	5	17	6	25	3.96
11	Time allotted for each topic	53	0	4	17	8	24	3.98
12	Value addition provided by the Course	53	0	3	19	10	21	3.92
13	Standards of Assessment system	53	0	3	17	12	21	3.96
14	Quality of teaching	53	0	2	19	9	23	4.00

AVG	3.93
-----	------

K. J. 25/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

forreddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Software Engineering Laboratory - 20A05403P

Sem: II- II

Course Faculty: Mrs. A. Nandhini & Mr. P. Raveendra Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	6	10	13	11	13	3.28
2	Breadth of conceptual clarity	53	6	11	11	11	14	3.30
3	Evaluation Scheme	53	5	10	11	12	15	3.42
4	Involvement of Faculty	53	7	8	11	13	14	3.36
5	Overall effectiveness of the course	53	7	8	13	9	16	3.36
6	Preparedness of the faculty	53	5	12	10	12	14	3.34
7	Quality of Interaction	53	6	12	10	7	18	3.36
8	Quality of Rigor	53	6	11	13	10	13	3.25
9	Sequencing of the topics	53	5	13	10	11	14	3.30
10	Style of topic delivery	53	6	10	12	7	18	3.40
11	Time allotted for each topic	53	7	7	13	10	16	3.40
12	Value addition provided by the Course	53	8	7	10	12	16	3.40
13	Standards of Assessment system	53	5	10	11	9	18	3.47
14	Quality of teaching	53	4	10	12	9	18	3.51

AVG	3.37
-----	------

*K. Zel*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Raveendra Reddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. A. Mahesh Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	5	12	15	7	14	3.25
2	Breadth of conceptual clarity	53	3	12	14	12	12	3.34
3	Evaluation Scheme	53	3	11	16	12	11	3.32
4	Involvement of Faculty	53	3	10	18	10	12	3.34
5	Overall effectiveness of the course	53	4	11	17	8	13	3.28
6	Preparedness of the faculty	53	4	11	13	10	15	3.40
7	Quality of Interaction	53	4	12	14	10	13	3.30
8	Quality of Rigor	53	4	12	13	11	13	3.32
9	Sequencing of the topics	53	4	11	12	14	12	3.36
10	Style of topic delivery	53	4	10	15	11	13	3.36
11	Time allotted for each topic	53	4	8	19	9	13	3.36
12	Value addition provided by the Course	53	3	11	17	9	13	3.34
13	Standards of Assessment system	53	3	11	17	10	12	3.32
14	Quality of teaching	53	4	11	14	10	14	3.36

AVG 3.33

*K. Zee*  
25/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. Reddy*  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Sem: II- II

Date: 25-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54404	Deterministic & Stochastic Statistical Methods	Mrs. P. V. Madhavi	58	3.42	
2	20A05401T	Database Management Systems	Mr. K. V. Prasad Reddy	58	3.87	
3	20A05402T	Operating Systems	Mrs. J. Madhuri	58	4.04	
4	20A30401T	Artificial Intelligence	Mrs. K. Lilly Grace Mary	58	3.90	
5	20A52301	Managerial Economics & Financial Analysis	Mrs. KVS Gayathri	58	3.99	
6	20A05404	Exploratory Data Analysis with R	Mrs. A. Nandhini	58	3.89	
7	20A05401P	Database Management Systems Laboratory	Mr. K V Prasad Reddy & Mrs. A. Nandhini	58	3.92	
8	20A05402P	Operating Systems Laboratory	Mrs. J. Madhuri & Mr. V. Sreenadh	58	3.91	
9	20A30401P	Artificial Intelligence Laboratory	Mrs. K. Lilly Grace Mary & Mrs. K. Sai Lavanya	58	3.87	
10	20A99401	Design Thinking for Innovation	Mr. K V Prasad Reddy	58	3.67	

K. Jee 25/7/23

IQAC CO-ORDINATOR

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreenadh

PRINCIPAL  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Deterministic & Stochastic Statistical Methods -  
20A54404

Sem: II- II

Course Faculty: Mrs. P. V. Madhavi

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	4	29	16	9	3.52
2	Breadth of conceptual clarity	58	0	9	23	18	8	3.43
3	Evaluation Scheme	58	0	9	26	16	7	3.36
4	Involvement of Faculty	58	0	10	22	16	10	3.45
5	Overall effectiveness of the course	58	1	6	23	19	9	3.50
6	Preparedness of the faculty	58	0	12	22	16	8	3.34
7	Quality of Interaction	58	1	8	25	18	6	3.34
8	Quality of Rigor	58	1	7	29	12	9	3.36
9	Sequencing of the topics	58	0	10	23	21	4	3.33
10	Style of topic delivery	58	0	8	25	16	9	3.45
11	Time allotted for each topic	58	1	8	19	25	5	3.43
12	Value addition provided by the Course	58	0	10	20	19	9	3.47
13	Standards of Assessment system	58	0	10	23	18	7	3.38
14	Quality of teaching	58	0	8	20	20	10	3.55

AVG 3.42

K. Jeeva  
25/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

forreddy

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Database Management Systems - 20A05401T

Sem: II- II

Course Faculty: Mr. K. V. Prasad Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	2	16	24	16	3.93
2	Breadth of conceptual clarity	58	2	3	17	25	11	3.69
3	Evaluation Scheme	58	0	3	17	20	18	3.91
4	Involvement of Faculty	58	0	4	13	19	22	4.02
5	Overall effectiveness of the course	58	1	2	20	17	18	3.84
6	Preparedness of the faculty	58	1	3	14	23	17	3.90
7	Quality of Interaction	58	1	3	13	19	22	4.00
8	Quality of Rigor	58	1	5	18	18	16	3.74
9	Sequencing of the topics	58	0	3	16	24	15	3.88
10	Style of topic delivery	58	2	4	15	18	19	3.83
11	Time allotted for each topic	58	1	2	14	28	13	3.86
12	Value addition provided by the Course	58	1	3	20	19	15	3.76
13	Standards of Assessment system	58	1	1	18	19	19	3.93
14	Quality of teaching	58	2	2	14	20	20	3.93

AVG 3.87

*K. Zeel*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Prasad Reddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Operating Systems - 20A05402T

Sem: II- II

Course Faculty: Mrs. J. Madhuri

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	0	13	22	23	4.17
2	Breadth of conceptual clarity	58	1	3	10	22	22	4.05
3	Evaluation Scheme	58	0	3	14	17	24	4.07
4	Involvement of Faculty	58	0	3	12	23	20	4.03
5	Overall effectiveness of the course	58	1	2	14	16	25	4.07
6	Preparedness of the faculty	58	0	3	12	21	22	4.07
7	Quality of Interaction	58	0	1	11	25	21	4.14
8	Quality of Rigor	58	0	4	18	19	17	3.84
9	Sequencing of the topics	58	0	1	15	22	20	4.05
10	Style of topic delivery	58	0	2	13	20	23	4.10
11	Time allotted for each topic	58	1	1	14	25	17	3.97
12	Value addition provided by the Course	58	0	2	20	16	20	3.93
13	Standards of Assessment system	58	1	3	16	19	19	3.90
14	Quality of teaching	58	0	1	13	20	24	4.16

AVG	4.04
-----	------

*K. Zele*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Artificial Intelligence - 20A30401T

Sem: II- II

Course Faculty: Mrs. K. Lilly Grace Mary

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	3	15	19	21	4.00
2	Breadth of conceptual clarity	58	0	6	13	23	16	3.84
3	Evaluation Scheme	58	1	1	20	16	20	3.91
4	Involvement of Faculty	58	0	3	16	21	18	3.93
5	Overall effectiveness of the course	58	0	1	20	17	20	3.97
6	Preparedness of the faculty	58	1	5	12	20	20	3.91
7	Quality of Interaction	58	0	3	14	20	21	4.02
8	Quality of Rigor	58	0	6	19	15	18	3.78
9	Sequencing of the topics	58	1	3	12	19	23	4.03
10	Style of topic delivery	58	1	5	13	23	16	3.83
11	Time allotted for each topic	58	0	6	17	18	17	3.79
12	Value addition provided by the Course	58	0	5	19	18	16	3.78
13	Standards of Assessment system	58	1	7	14	17	19	3.79
14	Quality of teaching	58	0	4	12	24	18	3.97

AVG	3.90
-----	------

*K. Lilly Grace Mary*  
25/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. S. R. Nellore*

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Managerial Economics & Financial Analysis - 20A52301

Sem: II- II

Course Faculty: Mrs. KVS Gayathri

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	0	17	18	23	4.10
2	Breadth of conceptual clarity	58	0	0	21	17	20	3.98
3	Evaluation Scheme	58	0	2	19	16	21	3.97
4	Involvement of Faculty	58	1	1	17	17	22	4.00
5	Overall effectiveness of the course	58	0	0	18	21	19	4.02
6	Preparedness of the faculty	58	1	1	16	19	21	4.00
7	Quality of Interaction	58	0	2	14	16	26	4.14
8	Quality of Rigor	58	0	4	17	19	18	3.88
9	Sequencing of the topics	58	0	1	16	18	23	4.09
10	Style of topic delivery	58	1	0	16	24	17	3.97
11	Time allotted for each topic	58	0	3	18	16	21	3.95
12	Value addition provided by the Course	58	0	4	19	15	20	3.88
13	Standards of Assessment system	58	1	3	16	20	18	3.88
14	Quality of teaching	58	1	1	17	15	24	4.03

AVG	3.99
-----	------

*K. Zee*  
25/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. V. Reddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Exploratory Data Analysis with R - 20A05404

Sem: II- II

Course Faculty: Mrs. A. Nandhini

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	0	21	18	19	3.97
2	Breadth of conceptual clarity	58	0	4	18	24	12	3.76
3	Evaluation Scheme	58	1	2	18	17	20	3.91
4	Involvement of Faculty	58	0	4	16	22	16	3.86
5	Overall effectiveness of the course	58	1	3	18	18	18	3.84
6	Preparedness of the faculty	58	0	6	12	20	20	3.93
7	Quality of Interaction	58	1	3	13	20	21	3.98
8	Quality of Rigor	58	0	7	18	16	17	3.74
9	Sequencing of the topics	58	0	2	17	17	22	4.02
10	Style of topic delivery	58	1	4	16	18	19	3.86
11	Time allotted for each topic	58	0	4	17	18	19	3.90
12	Value addition provided by the Course	58	0	4	20	18	16	3.79
13	Standards of Assessment system	58	0	3	19	17	19	3.90
14	Quality of teaching	58	1	3	15	19	20	3.93

AVG 3.89

K. J. 25/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. S. S. S.

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Database Management Systems Laboratory -  
20A05401P

Sem: II- II

Course Faculty: Mr. K V Prasad Reddy & Mrs. A. Nandhini

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	2	16	19	21	4.02
2	Breadth of conceptual clarity	58	0	4	14	25	15	3.88
3	Evaluation Scheme	58	0	1	20	20	17	3.91
4	Involvement of Faculty	58	1	4	10	25	18	3.95
5	Overall effectiveness of the course	58	1	3	17	17	20	3.90
6	Preparedness of the faculty	58	0	3	15	22	18	3.95
7	Quality of Interaction	58	0	4	14	19	21	3.98
8	Quality of Rigor	58	0	5	19	17	17	3.79
9	Sequencing of the topics	58	0	3	17	16	22	3.98
10	Style of topic delivery	58	0	4	17	20	17	3.86
11	Time allotted for each topic	58	0	2	19	21	16	3.88
12	Value addition provided by the Course	58	1	2	17	23	15	3.84
13	Standards of Assessment system	58	1	1	20	15	21	3.93
14	Quality of teaching	58	1	2	14	23	18	3.95

AVG	3.92
-----	------

K. Jeeva  
25/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Principal  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Operating Systems Laboratory - 20A05402P

Sem: II- II

Course Faculty: Mrs. J. Madhuri & Mr. V. Sreenadh

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	0	17	23	18	4.02
2	Breadth of conceptual clarity	58	0	3	22	12	21	3.88
3	Evaluation Scheme	58	1	3	18	16	20	3.88
4	Involvement of Faculty	58	0	4	16	21	17	3.88
5	Overall effectiveness of the course	58	1	2	17	21	17	3.88
6	Preparedness of the faculty	58	0	5	15	19	19	3.90
7	Quality of Interaction	58	0	3	15	24	16	3.91
8	Quality of Rigor	58	0	6	19	17	16	3.74
9	Sequencing of the topics	58	1	2	18	15	22	3.95
10	Style of topic delivery	58	0	4	16	16	22	3.97
11	Time allotted for each topic	58	1	3	16	19	19	3.90
12	Value addition provided by the Course	58	0	2	18	23	15	3.88
13	Standards of Assessment system	58	0	3	18	17	20	3.93
14	Quality of teaching	58	0	2	17	17	22	4.02

AVG 3.91

K. Zeel 25/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreenadh  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Artificial Intelligence Laboratory - 20A30401P

Sem: II- II

Course Faculty: Mrs. K. Lilly Grace Mary & Mrs. K. Sai Lavanya

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	0	4	16	19	19	3.91
2	Breadth of conceptual clarity	58	0	6	15	19	18	3.84
3	Evaluation Scheme	58	0	2	20	18	18	3.90
4	Involvement of Faculty	58	0	2	19	18	19	3.93
5	Overall effectiveness of the course	58	1	2	21	18	16	3.79
6	Preparedness of the faculty	58	0	4	16	19	19	3.91
7	Quality of Interaction	58	0	5	15	17	21	3.93
8	Quality of Rigor	58	0	6	19	18	15	3.72
9	Sequencing of the topics	58	0	2	20	16	20	3.93
10	Style of topic delivery	58	1	3	17	20	17	3.84
11	Time allotted for each topic	58	0	4	21	16	17	3.79
12	Value addition provided by the Course	58	1	4	19	15	19	3.81
13	Standards of Assessment system	58	0	3	22	18	15	3.78
14	Quality of teaching	58	0	4	15	15	24	4.02

AVG	3.87
-----	------

*K. Zee*  
25/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ponreddy*

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: AI&DS

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. K V Prasad Reddy

Date: 25-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	58	2	2	18	19	17	3.81
2	Breadth of conceptual clarity	58	2	7	16	21	12	3.59
3	Evaluation Scheme	58	2	4	22	14	16	3.66
4	Involvement of Faculty	58	2	8	14	22	12	3.59
5	Overall effectiveness of the course	58	2	4	21	17	14	3.64
6	Preparedness of the faculty	58	2	6	15	23	12	3.64
7	Quality of Interaction	58	2	5	14	20	17	3.78
8	Quality of Rigor	58	2	7	17	21	11	3.55
9	Sequencing of the topics	58	2	4	19	19	14	3.67
10	Style of topic delivery	58	2	5	14	24	13	3.71
11	Time allotted for each topic	58	2	6	19	18	13	3.59
12	Value addition provided by the Course	58	2	2	17	24	13	3.76
13	Standards of Assessment system	58	2	4	20	19	13	3.64
14	Quality of teaching	58	3	2	16	20	17	3.79

AVG 3.67

K. Jeeva  
25/7/23

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Forreddy

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: CSE-A

Sem: III- II

Date: 18-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05602T	Machine Learning	Mr. V. Sreenadh	54	3.40	
2	20A05604a	Software Testing	Dr. T. Swamalatha	54	3.85	
3	20A52401	Soft Skills	Mr. M. Hemachandra	54	3.59	
4	20A05601T	Compiler Design	Mr. K. Ramesh	54	3.64	
5	20A05603T	Internet of Things	Mr. D. V. Sai Kishore	54	3.83	
6	20A05603P	Internet of Things Laboratory	Mr. D. V. Sai Kishore & Mr. C H Amarnadh Sarma	54	3.71	
7	20A05601P	Compiler Design Laboratory	Mr. S K Badulla	54	3.54	
8	20A05602P	Machine Learning Laboratory	Mr. V Sreenadh & Mr. V Srihari Naidu	54	3.48	
9	20A01605	Environmental Economics	Mr. Y. Kiran Kumar	54	3.51	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	54	3.40	

K. Jeeva 18/7/23.

IQAC CO-ORDINATOR

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreenadh

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Machine Learning - 20A05602T

Sem: III- II

Course Faculty: Mr. V. Sreenadh

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	1	4	30	9	10	3.43
2	Breadth of conceptual clarity	54	1	7	29	7	10	3.33
3	Evaluation Scheme	54	0	6	30	9	9	3.39
4	Involvement of Faculty	54	0	0	33	11	10	3.57
5	Overall effectiveness of the course	54	1	3	31	10	9	3.43
6	Preparedness of the faculty	54	1	5	31	6	11	3.39
7	Quality of Interaction	54	0	4	31	10	9	3.44
8	Quality of Rigor	54	0	4	32	10	8	3.41
9	Sequencing of the topics	54	0	5	32	8	9	3.39
10	Style of topic delivery	54	0	6	32	7	9	3.35
11	Time allotted for each topic	54	2	3	32	8	9	3.35
12	Value addition provided by the Course	54	1	6	33	6	8	3.26
13	Standards of Assessment system	54	1	2	34	8	9	3.41
14	Quality of teaching	54	0	5	31	8	10	3.43

AVG	3.40
-----	------

K. Jee  
18/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreenadh

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Software Testing - 20A05604a

Sem: III- II

Course Faculty: Dr. T. Swarnalatha

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	1	24	12	17	3.83
2	Breadth of conceptual clarity	54	0	1	23	12	18	3.87
3	Evaluation Scheme	54	0	2	23	9	20	3.87
4	Involvement of Faculty	54	0	2	24	9	19	3.83
5	Overall effectiveness of the course	54	0	1	27	9	17	3.78
6	Preparedness of the faculty	54	0	0	26	12	16	3.81
7	Quality of Interaction	54	0	1	25	11	17	3.81
8	Quality of Rigor	54	0	0	28	9	17	3.80
9	Sequencing of the topics	54	0	0	24	11	19	3.91
10	Style of topic delivery	54	0	1	24	7	22	3.93
11	Time allotted for each topic	54	0	1	25	10	18	3.83
12	Value addition provided by the Course	54	0	0	28	8	18	3.81
13	Standards of Assessment system	54	0	1	24	11	18	3.85
14	Quality of teaching	54	0	0	22	9	23	4.02

AVG	3.85
-----	------

*K. Zeer*  
18/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Powreddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Soft Skills - 20A52401

Sem: III- II

Course Faculty: Mr. M. Hemachandra

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	1	31	12	10	3.57
2	Breadth of conceptual clarity	54	0	3	29	10	12	3.57
3	Evaluation Scheme	54	0	4	26	14	10	3.56
4	Involvement of Faculty	54	0	0	32	9	13	3.65
5	Overall effectiveness of the course	54	0	4	27	12	11	3.56
6	Preparedness of the faculty	54	0	6	25	10	13	3.56
7	Quality of Interaction	54	0	0	32	10	12	3.63
8	Quality of Rigor	54	0	2	30	10	12	3.59
9	Sequencing of the topics	54	0	4	28	9	13	3.57
10	Style of topic delivery	54	0	1	28	13	12	3.67
11	Time allotted for each topic	54	0	2	30	9	13	3.61
12	Value addition provided by the Course	54	0	4	28	12	10	3.52
13	Standards of Assessment system	54	0	7	25	9	13	3.52
14	Quality of teaching	54	0	1	28	9	16	3.74

AVG 3.59

K. Jee  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreedhar

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Compiler Design - 20A05601T

Sem: III- II

Course Faculty: Mr. K. Ramesh

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	1	28	11	14	3.70
2	Breadth of conceptual clarity	54	0	0	29	16	9	3.63
3	Evaluation Scheme	54	0	1	28	12	13	3.69
4	Involvement of Faculty	54	0	3	26	12	13	3.65
5	Overall effectiveness of the course	54	0	1	31	11	11	3.59
6	Preparedness of the faculty	54	0	1	27	14	12	3.69
7	Quality of Interaction	54	1	0	35	8	10	3.48
8	Quality of Rigor	54	0	2	29	15	8	3.54
9	Sequencing of the topics	54	0	1	29	9	15	3.70
10	Style of topic delivery	54	1	0	30	10	13	3.63
11	Time allotted for each topic	54	0	2	29	12	11	3.59
12	Value addition provided by the Course	54	0	2	27	14	11	3.63
13	Standards of Assessment system	54	0	1	28	14	11	3.65
14	Quality of teaching	54	0	1	26	13	14	3.74

AVG	3.64
-----	------

*K. Ramesh*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Internet of Things - 20A05603T

Sem: III- II

Course Faculty: Mr. D. V. Sai Kishore

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	0	22	16	16	3.89
2	Breadth of conceptual clarity	54	0	2	21	16	15	3.81
3	Evaluation Scheme	54	0	1	24	12	17	3.83
4	Involvement of Faculty	54	0	1	22	15	16	3.85
5	Overall effectiveness of the course	54	0	1	22	13	18	3.89
6	Preparedness of the faculty	54	0	1	22	19	12	3.78
7	Quality of Interaction	54	0	1	28	8	17	3.76
8	Quality of Rigor	54	0	1	23	17	13	3.78
9	Sequencing of the topics	54	0	0	24	12	18	3.89
10	Style of topic delivery	54	0	1	26	8	19	3.83
11	Time allotted for each topic	54	0	2	21	15	16	3.83
12	Value addition provided by the Course	54	0	2	24	14	14	3.74
13	Standards of Assessment system	54	0	1	26	12	15	3.76
14	Quality of teaching	54	0	0	23	11	20	3.94

AVG	3.83
-----	------

*K. Jee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ponreddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Internet of Things Laboratory - 20A05603P

Sem: III- II

Course Faculty: Mr. D. V. Sai Kishore & Mr. C H Amarnadh Sarma

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	0	29	12	13	3.70
2	Breadth of conceptual clarity	54	0	2	26	12	14	3.70
3	Evaluation Scheme	54	0	3	26	11	14	3.67
4	Involvement of Faculty	54	0	1	28	11	14	3.70
5	Overall effectiveness of the course	54	0	2	26	12	14	3.70
6	Preparedness of the faculty	54	0	2	27	11	14	3.69
7	Quality of Interaction	54	0	1	27	10	16	3.76
8	Quality of Rigor	54	0	1	27	12	14	3.72
9	Sequencing of the topics	54	0	1	27	11	15	3.74
10	Style of topic delivery	54	0	2	29	9	14	3.65
11	Time allotted for each topic	54	0	2	27	13	12	3.65
12	Value addition provided by the Course	54	0	1	28	11	14	3.70
13	Standards of Assessment system	54	0	1	26	12	15	3.76
14	Quality of teaching	54	0	0	25	13	16	3.83

AVG	3.71
-----	------

*K. Zeel*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Compiler Design Laboratory - 20A05601P

Sem: III- II

Course Faculty: Mr. S K Badulla

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	1	3	30	10	10	3.46
2	Breadth of conceptual clarity	54	0	6	25	12	11	3.52
3	Evaluation Scheme	54	1	3	29	10	11	3.50
4	Involvement of Faculty	54	0	4	28	9	13	3.57
5	Overall effectiveness of the course	54	0	4	30	10	10	3.48
6	Preparedness of the faculty	54	0	3	29	10	12	3.57
7	Quality of Interaction	54	0	0	33	11	10	3.57
8	Quality of Rigor	54	0	8	26	9	11	3.43
9	Sequencing of the topics	54	0	4	26	11	13	3.61
10	Style of topic delivery	54	1	4	27	12	10	3.48
11	Time allotted for each topic	54	1	3	28	11	11	3.52
12	Value addition provided by the Course	54	0	3	29	11	11	3.56
13	Standards of Assessment system	54	1	2	29	10	12	3.56
14	Quality of teaching	54	0	1	29	10	14	3.69

AVG	3.54
-----	------

*K. Jeeva*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Praveen*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Machine Learning Laboratory - 20A05602P

Sem: III- II

Course Faculty: Mr. V Sreenadh & Mr. V Srihari Naidu

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	2	3	26	13	10	3.48
2	Breadth of conceptual clarity	54	0	5	29	9	11	3.48
3	Evaluation Scheme	54	1	7	27	7	12	3.41
4	Involvement of Faculty	54	0	3	30	10	11	3.54
5	Overall effectiveness of the course	54	0	7	24	11	12	3.52
6	Preparedness of the faculty	54	1	6	27	8	12	3.44
7	Quality of Interaction	54	0	5	31	8	10	3.43
8	Quality of Rigor	54	0	3	31	10	10	3.50
9	Sequencing of the topics	54	0	5	26	12	11	3.54
10	Style of topic delivery	54	1	3	28	10	12	3.54
11	Time allotted for each topic	54	1	4	29	11	9	3.43
12	Value addition provided by the Course	54	0	4	33	8	9	3.41
13	Standards of Assessment system	54	0	6	30	9	9	3.39
14	Quality of teaching	54	0	4	27	10	13	3.59

AVG	3.48
-----	------

K. Jeeva  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreenadh  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Environmental Economics - 20A01605

Sem: III- II

Course Faculty: Mr. Y. Kiran Kumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	8	25	11	10	3.43
2	Breadth of conceptual clarity	54	0	6	27	10	11	3.48
3	Evaluation Scheme	54	1	7	25	9	12	3.44
4	Involvement of Faculty	54	0	4	28	11	11	3.54
5	Overall effectiveness of the course	54	1	6	27	8	12	3.44
6	Preparedness of the faculty	54	0	4	31	7	12	3.50
7	Quality of Interaction	54	1	6	23	13	11	3.50
8	Quality of Rigor	54	0	7	24	13	10	3.48
9	Sequencing of the topics	54	0	6	24	9	15	3.61
10	Style of topic delivery	54	0	2	31	10	11	3.56
11	Time allotted for each topic	54	0	6	28	8	12	3.48
12	Value addition provided by the Course	54	0	6	28	9	11	3.46
13	Standards of Assessment system	54	0	3	28	10	13	3.61
14	Quality of teaching	54	0	4	26	9	15	3.65

AVG 3.51

K. Zeel  
18/7/23

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE-A

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	4	31	10	9	3.44
2	Breadth of conceptual clarity	54	0	7	28	9	10	3.41
3	Evaluation Scheme	54	1	5	31	8	9	3.35
4	Involvement of Faculty	54	1	6	31	6	10	3.33
5	Overall effectiveness of the course	54	0	6	28	10	10	3.44
6	Preparedness of the faculty	54	1	9	25	9	10	3.33
7	Quality of Interaction	54	0	7	27	10	10	3.43
8	Quality of Rigor	54	1	6	31	6	10	3.33
9	Sequencing of the topics	54	0	9	26	10	9	3.35
10	Style of topic delivery	54	1	3	33	7	10	3.41
11	Time allotted for each topic	54	0	6	31	7	10	3.39
12	Value addition provided by the Course	54	1	7	28	9	9	3.33
13	Standards of Assessment system	54	1	6	25	12	10	3.44
14	Quality of teaching	54	0	3	30	10	11	3.54

AVG 3.40

K. Jeeva  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. V. Reddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: CSE- B

Sem: III- II

Date: 18-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05602T	Machine Learning	Mr. V. Sreenadh	48	3.69	
2	20A05604a	Software Testing	Dr. T. Swarnalatha	48	4.03	
3	20A52401	Soft Skills	Mr. M. Hemachandra	48	3.91	
4	20A05601T	Compiler Design	Mr. S K Badulla	48	3.91	
5	20A05603T	Internet of Things	Mr. D. V. Sai Kishore	48	4.06	
6	20A05603P	Internet of Things Laboratory	Mr. D. V. Sai Kishore & Mr. C H Amamadh Sarma	48	3.79	
7	20A05601P	Compiler Design Laboratory	Mr. S K Badulla	48	3.77	
8	20A05602P	Machine Learning Laboratory	Mr. V Sreenadh & Mr. V Srihari Naidu	48	3.71	
9	20A01605	Environmental Economics	Mr. Y. Kiran Kumar	48	3.82	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	48	3.38	

K. Zee 18/7/23

IQAC CO-ORDINATOR  
Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Penecdu

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Machine Learning - 20A05602T

Sem: III- II

Course Faculty: Mr. V. Sreenadh

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	2	23	8	15	3.75
2	Breadth of conceptual clarity	48	0	5	19	9	15	3.71
3	Evaluation Scheme	48	0	1	24	9	14	3.75
4	Involvement of Faculty	48	0	5	21	9	13	3.63
5	Overall effectiveness of the course	48	0	2	30	3	13	3.56
6	Preparedness of the faculty	48	0	3	20	12	13	3.73
7	Quality of Interaction	48	0	2	25	7	14	3.69
8	Quality of Rigor	48	0	4	22	10	12	3.63
9	Sequencing of the topics	48	0	3	23	7	15	3.71
10	Style of topic delivery	48	0	2	23	7	16	3.77
11	Time allotted for each topic	48	0	2	23	12	11	3.67
12	Value addition provided by the Course	48	0	3	22	10	13	3.69
13	Standards of Assessment system	48	0	5	21	9	13	3.63
14	Quality of teaching	48	0	2	20	11	15	3.81

AVG 3.69

K. Zeel  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreenadh  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Software Testing - 20A05604a

Sem: III- II

Course Faculty: Dr. T. Swarnalatha

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	0	17	12	19	4.04
2	Breadth of conceptual clarity	48	0	0	16	10	22	4.13
3	Evaluation Scheme	48	0	0	18	11	19	4.02
4	Involvement of Faculty	48	0	2	14	12	20	4.04
5	Overall effectiveness of the course	48	0	0	18	11	19	4.02
6	Preparedness of the faculty	48	0	0	16	12	20	4.08
7	Quality of Interaction	48	0	2	17	12	17	3.92
8	Quality of Rigor	48	0	3	14	13	18	3.96
9	Sequencing of the topics	48	0	2	15	8	23	4.08
10	Style of topic delivery	48	0	0	16	12	20	4.08
11	Time allotted for each topic	48	0	2	14	12	20	4.04
12	Value addition provided by the Course	48	0	0	17	15	16	3.98
13	Standards of Assessment system	48	0	2	17	8	21	4.00
14	Quality of teaching	48	0	0	16	12	20	4.08

AVG	4.03
-----	------

K. Zeel  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Suresh

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Soft Skills - 20A52401

Sem: III- II

Course Faculty: Mr. M. Hemachandra

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	1	19	12	16	3.90
2	Breadth of conceptual clarity	48	0	1	20	9	18	3.92
3	Evaluation Scheme	48	0	1	19	10	18	3.94
4	Involvement of Faculty	48	0	1	20	9	18	3.92
5	Overall effectiveness of the course	48	0	1	18	14	15	3.90
6	Preparedness of the faculty	48	0	0	19	15	14	3.90
7	Quality of Interaction	48	0	0	22	10	16	3.88
8	Quality of Rigor	48	0	2	18	13	15	3.85
9	Sequencing of the topics	48	0	0	21	11	16	3.90
10	Style of topic delivery	48	0	0	20	6	22	4.04
11	Time allotted for each topic	48	0	1	20	14	13	3.81
12	Value addition provided by the Course	48	0	2	17	12	17	3.92
13	Standards of Assessment system	48	1	2	17	10	18	3.88
14	Quality of teaching	48	0	2	16	8	22	4.04

AVG	3.91
-----	------

*K. B. 18/7/23.*  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*feucady*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Compiler Design - 20A05601T

Sem: III- II

Course Faculty: Mr. S K Badulla

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	1	18	10	19	3.98
2	Breadth of conceptual clarity	48	0	2	18	10	18	3.92
3	Evaluation Scheme	48	0	0	19	8	21	4.04
4	Involvement of Faculty	48	0	1	19	8	20	3.98
5	Overall effectiveness of the course	48	0	4	18	8	18	3.83
6	Preparedness of the faculty	48	0	1	20	8	19	3.94
7	Quality of Interaction	48	0	1	21	8	18	3.90
8	Quality of Rigor	48	1	2	17	12	16	3.83
9	Sequencing of the topics	48	0	3	18	9	18	3.88
10	Style of topic delivery	48	0	3	17	11	17	3.88
11	Time allotted for each topic	48	0	1	20	11	16	3.88
12	Value addition provided by the Course	48	1	1	20	10	16	3.81
13	Standards of Assessment system	48	0	2	18	7	21	3.98
14	Quality of teaching	48	0	3	16	13	16	3.88

AVG	3.91
-----	------

K. Zee  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

for Reddy

PRINCIPAL  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Internet of Things - 20A05603T

Sem: III- II

Course Faculty: Mr. D. V. Sai Kishore

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	1	15	12	20	4.06
2	Breadth of conceptual clarity	48	0	0	15	12	21	4.13
3	Evaluation Scheme	48	0	1	15	10	22	4.10
4	Involvement of Faculty	48	0	0	17	11	20	4.06
5	Overall effectiveness of the course	48	0	0	18	15	15	3.94
6	Preparedness of the faculty	48	0	1	14	15	18	4.04
7	Quality of Interaction	48	0	1	18	8	21	4.02
8	Quality of Rigor	48	0	1	14	15	18	4.04
9	Sequencing of the topics	48	0	1	15	13	19	4.04
10	Style of topic delivery	48	0	1	14	12	21	4.10
11	Time allotted for each topic	48	0	0	18	10	20	4.04
12	Value addition provided by the Course	48	0	0	15	16	17	4.04
13	Standards of Assessment system	48	0	1	16	10	21	4.06
14	Quality of teaching	48	0	0	15	10	23	4.17

AVG	4.06
-----	------

*K. Jee*  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*forw...*

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Internet of Things Laboratory - 20A05603P

Sem: III- II

Course Faculty: Mr. D. V. Sai Kishore & Mr. C H Amarnadh Sarma

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	4	19	7	18	3.81
2	Breadth of conceptual clarity	48	0	3	19	11	15	3.79
3	Evaluation Scheme	48	0	1	20	11	16	3.88
4	Involvement of Faculty	48	0	2	20	11	15	3.81
5	Overall effectiveness of the course	48	0	2	22	7	17	3.81
6	Preparedness of the faculty	48	0	3	20	11	14	3.75
7	Quality of Interaction	48	0	2	20	11	15	3.81
8	Quality of Rigor	48	0	5	18	12	13	3.69
9	Sequencing of the topics	48	0	1	24	8	15	3.77
10	Style of topic delivery	48	0	1	20	14	13	3.81
11	Time allotted for each topic	48	0	1	22	11	14	3.79
12	Value addition provided by the Course	48	0	4	20	10	14	3.71
13	Standards of Assessment system	48	0	3	20	9	16	3.79
14	Quality of teaching	48	0	1	19	12	16	3.90

AVG	3.79
-----	------

K. Zeek  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Compiler Design Laboratory - 20A05601P

Sem: III- II

Course Faculty: Mr. S K Badulla

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	1	1	22	8	16	3.77
2	Breadth of conceptual clarity	48	1	2	20	10	15	3.75
3	Evaluation Scheme	48	1	1	21	7	18	3.83
4	Involvement of Faculty	48	1	2	20	9	16	3.77
5	Overall effectiveness of the course	48	2	1	20	9	16	3.75
6	Preparedness of the faculty	48	1	3	22	6	16	3.69
7	Quality of Interaction	48	1	2	20	8	17	3.79
8	Quality of Rigor	48	1	3	18	11	15	3.75
9	Sequencing of the topics	48	1	1	20	11	15	3.79
10	Style of topic delivery	48	0	3	20	9	16	3.79
11	Time allotted for each topic	48	2	2	19	7	18	3.77
12	Value addition provided by the Course	48	0	3	24	5	16	3.71
13	Standards of Assessment system	48	2	1	19	8	18	3.81
14	Quality of teaching	48	1	2	20	10	15	3.75

AVG	3.77
-----	------

*K. Zee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. Reddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Machine Learning Laboratory - 20A05602P

Sem: III- II

Course Faculty: Mr. V Sreenadh & Mr. V Srihari Naidu

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	2	1	25	5	15	3.63
2	Breadth of conceptual clarity	48	1	3	22	8	14	3.65
3	Evaluation Scheme	48	1	3	19	5	20	3.83
4	Involvement of Faculty	48	0	2	20	9	17	3.85
5	Overall effectiveness of the course	48	2	0	23	8	15	3.71
6	Preparedness of the faculty	48	0	3	20	11	14	3.75
7	Quality of Interaction	48	2	1	19	9	17	3.79
8	Quality of Rigor	48	0	3	22	11	12	3.67
9	Sequencing of the topics	48	1	3	25	6	13	3.56
10	Style of topic delivery	48	2	2	23	10	11	3.54
11	Time allotted for each topic	48	2	2	20	9	15	3.69
12	Value addition provided by the Course	48	0	3	23	8	14	3.69
13	Standards of Assessment system	48	1	1	22	8	16	3.77
14	Quality of teaching	48	1	1	21	7	18	3.83

AVG 3.71

K. Jeeva  
18/7/23.

IQAC Co-Ordinator

Co-Ordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreenadh

PRINCIPAL  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Environmental Economics - 20A01605

Sem: III- II

Course Faculty: Mr. Y. Kiran Kumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	2	19	10	17	3.88
2	Breadth of conceptual clarity	48	0	1	20	8	19	3.94
3	Evaluation Scheme	48	0	2	23	9	14	3.73
4	Involvement of Faculty	48	0	2	21	5	20	3.90
5	Overall effectiveness of the course	48	1	2	19	12	14	3.75
6	Preparedness of the faculty	48	0	2	21	8	17	3.83
7	Quality of Interaction	48	0	1	22	12	13	3.77
8	Quality of Rigor	48	0	2	19	11	16	3.85
9	Sequencing of the topics	48	1	1	22	9	15	3.75
10	Style of topic delivery	48	0	2	19	9	18	3.90
11	Time allotted for each topic	48	0	2	23	8	15	3.75
12	Value addition provided by the Course	48	0	2	20	8	18	3.88
13	Standards of Assessment system	48	2	1	20	11	14	3.71
14	Quality of teaching	48	1	1	20	8	18	3.85

AVG	3.82
-----	------

K. Jeeva  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandat, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE- B

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	1	6	25	4	12	3.42
2	Breadth of conceptual clarity	48	2	6	22	7	11	3.40
3	Evaluation Scheme	48	2	6	20	9	11	3.44
4	Involvement of Faculty	48	2	6	21	9	10	3.40
5	Overall effectiveness of the course	48	1	5	25	8	9	3.40
6	Preparedness of the faculty	48	2	8	21	8	9	3.29
7	Quality of Interaction	48	1	7	22	8	10	3.40
8	Quality of Rigor	48	2	8	21	10	7	3.25
9	Sequencing of the topics	48	1	4	28	6	9	3.38
10	Style of topic delivery	48	1	5	24	10	8	3.40
11	Time allotted for each topic	48	2	4	25	7	10	3.40
12	Value addition provided by the Course	48	1	6	22	12	7	3.38
13	Standards of Assessment system	48	1	6	23	10	8	3.38
14	Quality of teaching	48	2	3	24	9	10	3.46

AVG	3.38
-----	------

*K. Jee*  
18/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Jee*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: ECE- A

Sem: III- II

Date: 18-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A04601T	Antennas & Microwave Engineering	Mrs. K. Sreelakshmi	46	4.00	
2	20A04602T	VLSI Design	Mr. V. Sreedhar	46	4.02	
3	20A04603T	Communication Networks	Dr. N. Krishna Chaitanya	46	4.19	
4	20A05605a	Principles of Operating Systems	Mr. V. Srihari Naidu	46	3.82	
5	20A04604c	Optical Communications	Mrs. Bhargavi	46	4.07	
6	20A04601P	Antennas & Microwave Engineering Laboratory	Mrs. K. Sreelakshmi & Mrs. CH Yamini	46	4.05	
7	20A04605	RF System Design	Mr. B. Madhu	46	3.96	
8	20A04602P	VLSI Design Laboratory	Mr. V. Sreedhar	46	4.15	
9	20A04603P	Communication Networks Laboratory	Mr. V. Srihari Naidu	46	3.88	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	46	3.90	

*K. Jee*  
18/7/23.  
IQAC CO-ORDINATOR  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Sreedhar*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Antennas & Microwave Engineering - 20A04601T

Sem: III- II

Course Faculty: Mrs. K. Sreelakshmi

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	1	13	16	16	4.02
2	Breadth of conceptual clarity	46	0	0	16	17	13	3.93
3	Evaluation Scheme	46	0	0	14	18	14	4.00
4	Involvement of Faculty	46	0	0	14	19	13	3.98
5	Overall effectiveness of the course	46	0	0	14	14	18	4.09
6	Preparedness of the faculty	46	0	0	16	19	11	3.89
7	Quality of Interaction	46	0	0	11	22	13	4.04
8	Quality of Rigor	46	0	2	15	16	13	3.87
9	Sequencing of the topics	46	0	0	15	19	12	3.93
10	Style of topic delivery	46	0	1	13	17	15	4.00
11	Time allotted for each topic	46	0	1	13	17	15	4.00
12	Value addition provided by the Course	46	0	0	11	19	16	4.11
13	Standards of Assessment system	46	0	1	13	14	18	4.07
14	Quality of teaching	46	0	0	14	14	18	4.09

AVG 4.00

K. Sree  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreelakshmi

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: VLSI Design - 20A04602T

Sem: III- II

Course Faculty: Mr. V. Sreedhar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	0	15	14	17	4.04
2	Breadth of conceptual clarity	46	0	2	14	11	19	4.02
3	Evaluation Scheme	46	0	1	13	15	17	4.04
4	Involvement of Faculty	46	0	0	17	12	17	4.00
5	Overall effectiveness of the course	46	0	1	16	13	16	3.96
6	Preparedness of the faculty	46	0	1	13	14	18	4.07
7	Quality of Interaction	46	0	0	15	17	14	3.98
8	Quality of Rigor	46	0	1	14	12	19	4.07
9	Sequencing of the topics	46	0	0	14	18	14	4.00
10	Style of topic delivery	46	0	1	12	14	19	4.11
11	Time allotted for each topic	46	0	1	15	15	15	3.96
12	Value addition provided by the Course	46	0	1	14	10	21	4.11
13	Standards of Assessment system	46	0	0	19	15	12	3.85
14	Quality of teaching	46	0	0	14	12	20	4.13

AVG	4.02
-----	------

K. Jeeva  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreedhar

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Communication Networks - 20A04603T

Sem: III- II

Course Faculty: Dr. N. Krishna Chaitanya

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	0	10	14	22	4.26
2	Breadth of conceptual clarity	46	0	1	11	13	21	4.17
3	Evaluation Scheme	46	0	1	10	10	25	4.28
4	Involvement of Faculty	46	0	0	13	13	20	4.15
5	Overall effectiveness of the course	46	0	1	10	16	19	4.15
6	Preparedness of the faculty	46	0	0	13	13	20	4.15
7	Quality of Interaction	46	0	1	11	14	20	4.15
8	Quality of Rigor	46	0	1	14	11	20	4.09
9	Sequencing of the topics	46	0	0	12	13	21	4.20
10	Style of topic delivery	46	0	1	8	15	22	4.26
11	Time allotted for each topic	46	0	0	11	16	19	4.17
12	Value addition provided by the Course	46	0	0	14	8	24	4.22
13	Standards of Assessment system	46	0	1	13	15	17	4.04
14	Quality of teaching	46	0	1	7	14	24	4.33

AVG	4.19
-----	------

K. Jee  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Principles of Operating Systems - 20A05605a

Sem: III- II

Course Faculty: Mr. V. Srihari Naidu

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	1	19	15	11	3.78
2	Breadth of conceptual clarity	46	0	3	16	12	15	3.85
3	Evaluation Scheme	46	0	3	16	18	9	3.72
4	Involvement of Faculty	46	0	4	13	16	13	3.83
5	Overall effectiveness of the course	46	0	3	17	14	12	3.76
6	Preparedness of the faculty	46	0	2	15	13	16	3.93
7	Quality of Interaction	46	0	4	14	14	14	3.83
8	Quality of Rigor	46	0	5	14	18	9	3.67
9	Sequencing of the topics	46	0	3	18	13	12	3.74
10	Style of topic delivery	46	0	4	13	17	12	3.80
11	Time allotted for each topic	46	0	2	17	16	11	3.78
12	Value addition provided by the Course	46	0	3	15	11	17	3.91
13	Standards of Assessment system	46	0	2	15	18	11	3.83
14	Quality of teaching	46	0	1	15	12	18	4.02

AVG	3.82
-----	------

K. Zees  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. S. Reddy

PRINCIPAL  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Course Name & Code: Optical Communications - 20A04604c

Course Faculty: Mrs. Bhargavi

Branch: ECE- A

Sem: III- II

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	0	14	12	20	4.13
2	Breadth of conceptual clarity	46	0	1	13	13	19	4.09
3	Evaluation Scheme	46	0	1	13	19	13	3.96
4	Involvement of Faculty	46	0	1	13	10	22	4.15
5	Overall effectiveness of the course	46	0	0	12	17	17	4.11
6	Preparedness of the faculty	46	0	1	15	14	16	3.98
7	Quality of Interaction	46	0	1	13	18	14	3.98
8	Quality of Rigor	46	0	0	14	17	15	4.02
9	Sequencing of the topics	46	0	1	8	21	16	4.13
10	Style of topic delivery	46	0	0	10	16	20	4.22
11	Time allotted for each topic	46	0	1	11	19	15	4.04
12	Value addition provided by the Course	46	0	1	13	13	19	4.09
13	Standards of Assessment system	46	0	1	12	21	12	3.96
14	Quality of teaching	46	0	0	11	17	18	4.15

AVG 4.07

K. Zeel  
18/7/23.  
IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

forwards  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Antennas & Microwave Engineering Laboratory -  
20A04601P

Sem: III- II

Course Faculty: Mrs. K. Sreelakshmi & Mrs. CH Yamini

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	0	14	16	16	4.04
2	Breadth of conceptual clarity	46	0	0	12	17	17	4.11
3	Evaluation Scheme	46	0	0	15	16	15	4.00
4	Involvement of Faculty	46	0	0	13	12	21	4.17
5	Overall effectiveness of the course	46	0	1	13	17	15	4.00
6	Preparedness of the faculty	46	0	0	13	17	16	4.07
7	Quality of Interaction	46	0	0	12	21	13	4.02
8	Quality of Rigor	46	0	1	15	12	18	4.02
9	Sequencing of the topics	46	0	0	16	13	17	4.02
10	Style of topic delivery	46	0	0	16	15	15	3.98
11	Time allotted for each topic	46	0	0	12	19	15	4.07
12	Value addition provided by the Course	46	0	0	15	13	18	4.07
13	Standards of Assessment system	46	0	1	14	14	17	4.02
14	Quality of teaching	46	0	0	12	15	19	4.15

AVG 4.05

K. Zele  
18/7/23

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Chandra  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: RF System Design - 20A04605

Sem: III- II

Course Faculty: Mr. B. Madhu

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	0	13	18	15	4.04
2	Breadth of conceptual clarity	46	0	1	15	14	16	3.98
3	Evaluation Scheme	46	0	0	15	17	14	3.98
4	Involvement of Faculty	46	0	1	14	16	15	3.98
5	Overall effectiveness of the course	46	0	1	14	18	13	3.93
6	Preparedness of the faculty	46	0	0	16	19	11	3.89
7	Quality of Interaction	46	0	2	14	18	12	3.87
8	Quality of Rigor	46	0	0	13	20	13	4.00
9	Sequencing of the topics	46	0	3	12	18	13	3.89
10	Style of topic delivery	46	0	1	13	18	14	3.98
11	Time allotted for each topic	46	0	2	11	17	16	4.02
12	Value addition provided by the Course	46	0	2	14	19	11	3.85
13	Standards of Assessment system	46	0	3	11	18	14	3.93
14	Quality of teaching	46	0	0	11	18	17	4.13

AVG 3.96

K. Zees  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: VLSI Design Laboratory - 20A04602P

Sem: III- II

Course Faculty: Mr. V. Sreedhar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	1	10	15	20	4.17
2	Breadth of conceptual clarity	46	0	0	14	10	22	4.17
3	Evaluation Scheme	46	0	1	12	13	20	4.13
4	Involvement of Faculty	46	0	0	11	12	23	4.26
5	Overall effectiveness of the course	46	0	0	12	12	22	4.22
6	Preparedness of the faculty	46	0	2	12	13	19	4.07
7	Quality of Interaction	46	0	1	11	16	18	4.11
8	Quality of Rigor	46	0	1	9	19	17	4.13
9	Sequencing of the topics	46	0	1	15	12	18	4.02
10	Style of topic delivery	46	0	0	10	17	19	4.20
11	Time allotted for each topic	46	0	1	11	14	20	4.15
12	Value addition provided by the Course	46	0	1	13	11	21	4.13
13	Standards of Assessment system	46	0	0	14	12	20	4.13
14	Quality of teaching	46	0	2	10	13	21	4.15

AVG	4.15
-----	------

K. Zee  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreedhar

PRINCIPAL  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Communication Networks Laboratory - 20A04603P

Sem: III- II

Course Faculty: Mr. V. Srihari Naidu

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	0	18	15	13	3.89
2	Breadth of conceptual clarity	46	0	2	16	10	18	3.96
3	Evaluation Scheme	46	0	0	16	20	10	3.87
4	Involvement of Faculty	46	0	0	20	12	14	3.87
5	Overall effectiveness of the course	46	0	1	16	19	10	3.83
6	Preparedness of the faculty	46	0	2	16	13	15	3.89
7	Quality of Interaction	46	0	2	16	18	10	3.78
8	Quality of Rigor	46	0	0	19	13	14	3.89
9	Sequencing of the topics	46	0	1	15	18	12	3.89
10	Style of topic delivery	46	0	0	21	10	15	3.87
11	Time allotted for each topic	46	0	0	18	19	9	3.80
12	Value addition provided by the Course	46	0	2	17	12	15	3.87
13	Standards of Assessment system	46	0	0	18	14	14	3.91
14	Quality of teaching	46	0	1	18	9	18	3.96

AVG	3.88
-----	------

*K. Zee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- A

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	1	14	17	14	3.96
2	Breadth of conceptual clarity	46	0	2	16	10	18	3.96
3	Evaluation Scheme	46	0	1	16	16	13	3.89
4	Involvement of Faculty	46	0	3	13	15	15	3.91
5	Overall effectiveness of the course	46	0	3	13	19	11	3.83
6	Preparedness of the faculty	46	0	2	16	13	15	3.89
7	Quality of Interaction	46	0	2	14	19	11	3.85
8	Quality of Rigor	46	0	2	16	12	16	3.91
9	Sequencing of the topics	46	0	2	15	19	10	3.80
10	Style of topic delivery	46	0	3	11	18	14	3.93
11	Time allotted for each topic	46	0	2	14	18	12	3.87
12	Value addition provided by the Course	46	0	2	14	15	15	3.93
13	Standards of Assessment system	46	0	1	15	17	13	3.91
14	Quality of teaching	46	0	1	16	14	15	3.93

AVG 3.90

*K. Zee*  
18/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. S. S.*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: ECE- B

Sem: III- II

Date: 18-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A04601T	Antennas & Microwave Engineering	Mrs. K. Sreelakshmi	50	4.60	
2	20A04602T	VLSI Design	Mr. V. Sreedhar	50	4.65	
3	20A04603T	Communication Networks	Dr. N. Krishna Chaitanya	50	4.73	
4	20A05605a	Principles of Operating Systems	Mr. V. Srihari Naidu	50	4.24	
5	20A04604c	Optical Communications	Mrs. Bhargavi	50	4.56	
6	20A04601P	Antennas & Microwave Engineering Laboratory	Mrs. K. Sreelakshmi & Mrs. CH Yamini	50	4.63	
7	20A04605	RF System Design	Mr. B. Madhu	50	4.50	
8	20A04602P	VLSI Design Laboratory	Mr. V. Sreedhar	50	4.67	
9	20A04603P	Communication Networks Laboratory	Mr. V. Srihari Naidu	50	4.45	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	50	4.49	

K. Zee  
18/7/23

**IQAC CO-ORDINATOR**  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreedhar  
18/7/23

**PRINCIPAL**  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Antennas & Microwave Engineering - 20A04601T

Sem: III- II

Course Faculty: Mrs. K. Sreelakshmi

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	1	1	13	35	4.64
2	Breadth of conceptual clarity	50	0	1	2	17	30	4.52
3	Evaluation Scheme	50	0	0	2	20	28	4.52
4	Involvement of Faculty	50	0	0	2	17	31	4.58
5	Overall effectiveness of the course	50	0	0	1	15	34	4.66
6	Preparedness of the faculty	50	0	0	2	18	30	4.56
7	Quality of Interaction	50	0	0	2	15	33	4.62
8	Quality of Rigor	50	0	0	2	18	30	4.56
9	Sequencing of the topics	50	0	0	0	14	36	4.72
10	Style of topic delivery	50	0	0	3	16	31	4.56
11	Time allotted for each topic	50	0	1	1	13	35	4.64
12	Value addition provided by the Course	50	0	0	3	14	33	4.60
13	Standards of Assessment system	50	0	1	2	12	35	4.62
14	Quality of teaching	50	0	0	2	13	35	4.66

AVG 4.60

K. Sree  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: VLSI Design - 20A04602T

Sem: III- II

Course Faculty: Mr. V. Sreedhar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	1	11	38	4.74
2	Breadth of conceptual clarity	50	0	0	1	15	34	4.66
3	Evaluation Scheme	50	0	0	1	13	36	4.70
4	Involvement of Faculty	50	0	0	0	20	30	4.60
5	Overall effectiveness of the course	50	0	0	0	15	35	4.70
6	Preparedness of the faculty	50	0	0	3	15	32	4.58
7	Quality of Interaction	50	0	0	1	13	36	4.70
8	Quality of Rigor	50	0	0	3	15	32	4.58
9	Sequencing of the topics	50	0	0	3	12	35	4.64
10	Style of topic delivery	50	0	0	1	14	35	4.68
11	Time allotted for each topic	50	0	0	2	18	30	4.56
12	Value addition provided by the Course	50	0	0	2	13	35	4.66
13	Standards of Assessment system	50	0	0	4	14	32	4.56
14	Quality of teaching	50	0	0	2	9	39	4.74

AVG 4.65

K. Zeek  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Communication Networks - 20A04603T

Sem: III- II

Course Faculty: Dr. N. Krishna Chaitanya

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	1	7	42	4.82
2	Breadth of conceptual clarity	50	0	0	1	10	39	4.76
3	Evaluation Scheme	50	0	0	2	7	41	4.78
4	Involvement of Faculty	50	0	0	1	13	36	4.70
5	Overall effectiveness of the course	50	0	0	3	10	37	4.68
6	Preparedness of the faculty	50	0	0	2	12	36	4.68
7	Quality of Interaction	50	0	0	1	11	38	4.74
8	Quality of Rigor	50	0	0	1	10	39	4.76
9	Sequencing of the topics	50	0	0	2	11	37	4.70
10	Style of topic delivery	50	0	0	0	17	33	4.66
11	Time allotted for each topic	50	0	0	3	10	37	4.68
12	Value addition provided by the Course	50	0	0	2	11	37	4.70
13	Standards of Assessment system	50	0	0	2	9	39	4.74
14	Quality of teaching	50	0	0	0	8	42	4.84

AVG 4.73

K. Jeeva  
18/7/23

IQAC Co-Ordinator  
Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Principles of Operating Systems - 20A05605a

Sem: III- II

Course Faculty: Mr. V. Srihari Naidu

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	2	4	19	25	4.34
2	Breadth of conceptual clarity	50	0	3	6	23	18	4.12
3	Evaluation Scheme	50	0	1	6	22	21	4.26
4	Involvement of Faculty	50	1	2	5	22	20	4.16
5	Overall effectiveness of the course	50	0	2	5	23	20	4.22
6	Preparedness of the faculty	50	0	2	8	15	25	4.26
7	Quality of Interaction	50	1	3	4	21	21	4.16
8	Quality of Rigor	50	0	1	8	22	19	4.18
9	Sequencing of the topics	50	0	3	3	21	23	4.28
10	Style of topic delivery	50	0	1	8	19	22	4.24
11	Time allotted for each topic	50	0	2	6	20	22	4.24
12	Value addition provided by the Course	50	0	1	6	17	26	4.36
13	Standards of Assessment system	50	0	2	5	20	23	4.28
14	Quality of teaching	50	0	1	6	20	23	4.30

AVG	4.24
-----	------

K. Jee  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

for

PRINCIPAL  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Optical Communications - 20A04604c

Sem: III- II

Course Faculty: Mrs. Bhargavi

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	3	9	38	4.70
2	Breadth of conceptual clarity	50	0	0	3	12	35	4.64
3	Evaluation Scheme	50	0	1	2	18	29	4.50
4	Involvement of Faculty	50	0	0	3	13	34	4.62
5	Overall effectiveness of the course	50	0	1	1	16	32	4.58
6	Preparedness of the faculty	50	0	0	3	16	31	4.56
7	Quality of Interaction	50	0	1	4	15	30	4.48
8	Quality of Rigor	50	0	0	6	15	29	4.46
9	Sequencing of the topics	50	0	1	3	13	33	4.56
10	Style of topic delivery	50	0	0	6	13	31	4.50
11	Time allotted for each topic	50	0	1	2	13	34	4.60
12	Value addition provided by the Course	50	0	0	6	13	31	4.50
13	Standards of Assessment system	50	0	0	4	15	31	4.54
14	Quality of teaching	50	0	0	3	12	35	4.64

AVG	4.56
-----	------

K. Zeer  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

foruadly

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Antennas & Microwave Engineering Laboratory -  
20A04601P

Sem: III- II

Course Faculty: Mrs. K. Sreelakshmi & Mrs. CH Yamini

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	2	12	36	4.68
2	Breadth of conceptual clarity	50	0	0	2	8	40	4.76
3	Evaluation Scheme	50	0	0	3	12	35	4.64
4	Involvement of Faculty	50	0	0	2	17	31	4.58
5	Overall effectiveness of the course	50	0	0	2	12	36	4.68
6	Preparedness of the faculty	50	0	0	3	14	33	4.60
7	Quality of Interaction	50	0	0	3	17	30	4.54
8	Quality of Rigor	50	0	0	4	11	35	4.62
9	Sequencing of the topics	50	0	0	4	12	34	4.60
10	Style of topic delivery	50	0	0	3	12	35	4.64
11	Time allotted for each topic	50	0	0	4	16	30	4.52
12	Value addition provided by the Course	50	0	0	2	14	34	4.64
13	Standards of Assessment system	50	0	0	2	14	34	4.64
14	Quality of teaching	50	0	0	2	12	36	4.68

AVG 4.63

K. Zee  
18/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Poureddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: RF System Design - 20A04605

Sem: III- II

Course Faculty: Mr. B. Madhu

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	5	14	31	4.52
2	Breadth of conceptual clarity	50	0	0	6	16	28	4.44
3	Evaluation Scheme	50	0	0	5	15	30	4.50
4	Involvement of Faculty	50	0	0	5	18	27	4.44
5	Overall effectiveness of the course	50	0	0	4	16	30	4.52
6	Preparedness of the faculty	50	0	0	3	19	28	4.50
7	Quality of Interaction	50	0	1	4	13	32	4.52
8	Quality of Rigor	50	0	0	5	18	27	4.44
9	Sequencing of the topics	50	0	0	4	14	32	4.56
10	Style of topic delivery	50	0	0	4	22	24	4.40
11	Time allotted for each topic	50	0	0	3	12	35	4.64
12	Value addition provided by the Course	50	0	0	4	19	27	4.46
13	Standards of Assessment system	50	0	0	4	14	32	4.56
14	Quality of teaching	50	0	0	3	16	31	4.56

AVG	4.50
-----	------

K. Jee  
18/7/23

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Poureddy

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: VLSI Design Laboratory - 20A04602P

Sem: III- II

Course Faculty: Mr. V. Sreedhar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	2	11	37	4.70
2	Breadth of conceptual clarity	50	0	0	1	13	36	4.70
3	Evaluation Scheme	50	0	0	2	12	36	4.68
4	Involvement of Faculty	50	0	0	1	14	35	4.68
5	Overall effectiveness of the course	50	0	0	1	16	33	4.64
6	Preparedness of the faculty	50	0	0	2	14	34	4.64
7	Quality of Interaction	50	0	0	1	12	37	4.72
8	Quality of Rigor	50	0	0	3	15	32	4.58
9	Sequencing of the topics	50	0	0	2	10	38	4.72
10	Style of topic delivery	50	0	0	3	12	35	4.64
11	Time allotted for each topic	50	0	0	2	12	36	4.68
12	Value addition provided by the Course	50	0	0	3	14	33	4.60
13	Standards of Assessment system	50	0	1	1	10	38	4.70
14	Quality of teaching	50	0	0	2	13	35	4.66

AVG	4.67
-----	------

K. Zee 18/7/23

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreedhar

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Communication Networks Laboratory - 20A04603P

Sem: III- II

Course Faculty: Mr. V. Srihari Naidu

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	2	17	31	4.58
2	Breadth of conceptual clarity	50	0	0	4	19	27	4.46
3	Evaluation Scheme	50	0	0	3	23	24	4.42
4	Involvement of Faculty	50	0	0	4	23	23	4.38
5	Overall effectiveness of the course	50	0	1	1	22	26	4.46
6	Preparedness of the faculty	50	0	0	3	28	19	4.32
7	Quality of Interaction	50	0	1	2	18	29	4.50
8	Quality of Rigor	50	0	0	3	26	21	4.36
9	Sequencing of the topics	50	0	1	5	13	31	4.48
10	Style of topic delivery	50	0	1	2	23	24	4.40
11	Time allotted for each topic	50	0	0	2	23	25	4.46
12	Value addition provided by the Course	50	0	0	3	25	22	4.38
13	Standards of Assessment system	50	0	1	0	22	27	4.50
14	Quality of teaching	50	0	0	2	19	29	4.54

AVG 4.45

K. Jeeva  
18/7/23

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Sreedhar  
18/7/23

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE- B

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	5	12	33	4.56
2	Breadth of conceptual clarity	50	0	0	4	20	26	4.44
3	Evaluation Scheme	50	0	0	5	13	32	4.54
4	Involvement of Faculty	50	0	0	6	21	23	4.34
5	Overall effectiveness of the course	50	0	0	4	13	33	4.58
6	Preparedness of the faculty	50	0	0	5	20	25	4.40
7	Quality of Interaction	50	0	0	3	16	31	4.56
8	Quality of Rigor	50	0	0	4	21	25	4.42
9	Sequencing of the topics	50	0	0	3	16	31	4.56
10	Style of topic delivery	50	0	0	4	21	25	4.42
11	Time allotted for each topic	50	0	0	4	17	29	4.50
12	Value addition provided by the Course	50	0	0	5	19	26	4.42
13	Standards of Assessment system	50	0	0	4	13	33	4.58
14	Quality of teaching	50	0	0	3	17	30	4.54

AVG	4.49
-----	------

*K. Zeer*  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy,  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. Reddy*

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: EEE

Sem: III- II

Date: 18-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A02602T	Digital Computing Platform	Dr. V. Raveendra Reddy	24	4.06	
2	20A04502T	Digital Signal Processing	Mr. M. Kondaiah	24	3.97	
3	20A02604a	HVDC and FACTS	Mr. A. Bhasker	24	4.00	
4	20A02601T	Power System Analysis	Mr. P. V. Ramkumar	24	4.13	
5	20A02602P	Digital Computing Platforms Laboratory	Mr. M. Narendra Kumar	24	4.32	
6	20A02601P	Power System Analysis Laboratory	Mr. M. Narendra Kumar & Mr. P. V. Ramkumar	24	4.18	
7	20A04502P	Digital Signal Processing Laboratory	Mr. M. Kondaiah	24	3.93	
8	20A02606	Application of Soft Computing Tools in Electrical Engineering	Dr. V. Raveendra Reddy	24	4.12	
9	20A04606	Basic VLSI Design	Mr. M. Narendra Kumar	24	4.26	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	24	3.92	

*K. Jee*  
18/7/23  
IQAC CO-ORDINATOR  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Poureddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Digital Computing Platform - 20A02602T

Sem: III- II

Course Faculty: Dr. V. Raveendra Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	0	9	9	6	3.88
2	Breadth of conceptual clarity	24	0	0	9	7	8	3.96
3	Evaluation Scheme	24	0	1	10	6	7	3.79
4	Involvement of Faculty	24	0	0	8	8	8	4.00
5	Overall effectiveness of the course	24	0	1	6	9	8	4.00
6	Preparedness of the faculty	24	0	2	5	4	13	4.17
7	Quality of Interaction	24	0	1	6	9	8	4.00
8	Quality of Rigor	24	0	2	6	6	10	4.00
9	Sequencing of the topics	24	0	1	5	5	13	4.25
10	Style of topic delivery	24	0	0	6	8	10	4.17
11	Time allotted for each topic	24	0	2	4	2	16	4.33
12	Value addition provided by the Course	24	0	2	4	10	8	4.00
13	Standards of Assessment system	24	0	2	5	4	13	4.17
14	Quality of teaching	24	0	1	6	6	11	4.13

AVG	4.06
-----	------

K. Zeel  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Digital Signal Processing - 20A04502T

Sem: III- II

Course Faculty: Mr. M. Kondaiah

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	2	7	11	4	3.71
2	Breadth of conceptual clarity	24	0	0	8	12	4	3.83
3	Evaluation Scheme	24	0	1	7	7	9	4.00
4	Involvement of Faculty	24	0	2	5	9	8	3.96
5	Overall effectiveness of the course	24	0	2	6	10	6	3.83
6	Preparedness of the faculty	24	0	2	5	10	7	3.92
7	Quality of Interaction	24	0	2	7	7	8	3.88
8	Quality of Rigor	24	0	0	7	7	10	4.13
9	Sequencing of the topics	24	0	0	7	9	8	4.04
10	Style of topic delivery	24	0	3	4	7	10	4.00
11	Time allotted for each topic	24	0	1	6	7	10	4.08
12	Value addition provided by the Course	24	0	1	5	7	11	4.17
13	Standards of Assessment system	24	0	3	4	9	8	3.92
14	Quality of teaching	24	0	2	5	5	12	4.13

AVG 3.97

*K. Jee*  
18/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*forreddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: HVDC and FACTS - 20A02604a

Sem: III- II

Course Faculty: Mr. A. Bhasker

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	3	6	7	8	3.83
2	Breadth of conceptual clarity	24	0	1	7	9	7	3.92
3	Evaluation Scheme	24	0	2	5	9	8	3.96
4	Involvement of Faculty	24	0	1	7	9	7	3.92
5	Overall effectiveness of the course	24	0	1	7	6	10	4.04
6	Preparedness of the faculty	24	0	1	9	10	4	3.71
7	Quality of Interaction	24	0	3	5	6	10	3.96
8	Quality of Rigor	24	0	1	5	9	9	4.08
9	Sequencing of the topics	24	0	1	7	6	10	4.04
10	Style of topic delivery	24	0	0	7	9	8	4.04
11	Time allotted for each topic	24	0	3	3	7	11	4.08
12	Value addition provided by the Course	24	0	0	6	10	8	4.08
13	Standards of Assessment system	24	0	3	3	9	9	4.00
14	Quality of teaching	24	0	0	6	5	13	4.29

AVG 4.00

*K. Zeel*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ponreddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Power System Analysis - 20A02601T

Sem: III- II

Course Faculty: Mr. P. V. Ramkumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	1	5	6	12	4.21
2	Breadth of conceptual clarity	24	0	0	7	9	8	4.04
3	Evaluation Scheme	24	0	0	6	9	9	4.13
4	Involvement of Faculty	24	0	1	6	9	8	4.00
5	Overall effectiveness of the course	24	0	1	6	9	8	4.00
6	Preparedness of the faculty	24	0	1	6	7	10	4.08
7	Quality of Interaction	24	0	0	6	6	12	4.25
8	Quality of Rigor	24	0	1	5	7	11	4.17
9	Sequencing of the topics	24	0	1	5	7	11	4.17
10	Style of topic delivery	24	0	2	4	6	12	4.17
11	Time allotted for each topic	24	0	0	6	7	11	4.21
12	Value addition provided by the Course	24	0	2	4	8	10	4.08
13	Standards of Assessment system	24	0	1	5	8	10	4.13
14	Quality of teaching	24	0	1	5	5	13	4.25

AVG 4.13

*K. Jee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. V. Ramkumar*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Digital Computing Platforms Laboratory -  
20A02602P

Sem: III- II

Course Faculty: Mr. M. Narendra Kumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	0	6	1	17	4.46
2	Breadth of conceptual clarity	24	0	0	7	3	14	4.29
3	Evaluation Scheme	24	0	0	7	3	14	4.29
4	Involvement of Faculty	24	0	0	6	4	14	4.33
5	Overall effectiveness of the course	24	0	2	4	1	17	4.38
6	Preparedness of the faculty	24	0	0	6	5	13	4.29
7	Quality of Interaction	24	0	1	5	2	16	4.38
8	Quality of Rigor	24	0	0	6	5	13	4.29
9	Sequencing of the topics	24	0	2	4	2	16	4.33
10	Style of topic delivery	24	0	0	6	5	13	4.29
11	Time allotted for each topic	24	0	0	7	2	15	4.33
12	Value addition provided by the Course	24	0	0	6	6	12	4.25
13	Standards of Assessment system	24	0	3	3	4	14	4.21
14	Quality of teaching	24	0	1	5	4	14	4.29

AVG 4.32

K. Bala  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Power System Analysis Laboratory - 20A02601P

Sem: III- II

Course Faculty: Mr. M. Narendra Kumar & Mr. P. V. Ramkumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	0	6	3	15	4.38
2	Breadth of conceptual clarity	24	0	0	6	4	14	4.33
3	Evaluation Scheme	24	0	1	5	6	12	4.21
4	Involvement of Faculty	24	0	1	5	4	14	4.29
5	Overall effectiveness of the course	24	0	1	5	9	9	4.08
6	Preparedness of the faculty	24	0	0	7	4	13	4.25
7	Quality of Interaction	24	0	0	6	13	5	3.96
8	Quality of Rigor	24	0	1	5	5	13	4.25
9	Sequencing of the topics	24	0	0	6	6	12	4.25
10	Style of topic delivery	24	0	1	6	7	10	4.08
11	Time allotted for each topic	24	0	0	7	7	10	4.13
12	Value addition provided by the Course	24	0	1	6	8	9	4.04
13	Standards of Assessment system	24	0	1	8	5	10	4.00
14	Quality of teaching	24	0	0	7	4	13	4.25

AVG 4.18

K. Zele  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh  
18/7/23.

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Digital Signal Processing Laboratory - 20A04502P

Sem: III- II

Course Faculty: Mr. M. Kondaiah

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	1	9	4	10	3.96
2	Breadth of conceptual clarity	24	0	0	8	8	8	4.00
3	Evaluation Scheme	24	0	2	6	6	10	4.00
4	Involvement of Faculty	24	0	3	7	5	9	3.83
5	Overall effectiveness of the course	24	0	1	9	6	8	3.88
6	Preparedness of the faculty	24	0	1	7	8	8	3.96
7	Quality of Interaction	24	0	2	5	9	8	3.96
8	Quality of Rigor	24	0	4	5	8	7	3.75
9	Sequencing of the topics	24	0	2	8	6	8	3.83
10	Style of topic delivery	24	0	2	7	7	8	3.88
11	Time allotted for each topic	24	0	1	6	7	10	4.08
12	Value addition provided by the Course	24	0	3	6	9	6	3.75
13	Standards of Assessment system	24	0	1	7	6	10	4.04
14	Quality of teaching	24	0	1	6	6	11	4.13

AVG 3.93

K. Zee  
18/7/23  
IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. V. Reddy  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Application of Soft Computing Tools in Electrical  
Course Name & Code: Engineering - 20A02606

Sem: III- II

Course Faculty: Dr. V. Raveendra Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	0	6	5	13	4.29
2	Breadth of conceptual clarity	24	0	0	7	7	10	4.13
3	Evaluation Scheme	24	0	0	6	8	10	4.17
4	Involvement of Faculty	24	0	1	5	6	12	4.21
5	Overall effectiveness of the course	24	0	1	5	10	8	4.04
6	Preparedness of the faculty	24	0	1	6	6	11	4.13
7	Quality of Interaction	24	0	0	6	10	8	4.08
8	Quality of Rigor	24	0	0	7	8	9	4.08
9	Sequencing of the topics	24	0	1	7	6	10	4.04
10	Style of topic delivery	24	0	1	6	7	10	4.08
11	Time allotted for each topic	24	0	1	5	9	9	4.08
12	Value addition provided by the Course	24	0	0	8	6	10	4.08
13	Standards of Assessment system	24	0	2	4	8	10	4.08
14	Quality of teaching	24	0	1	5	7	11	4.17

AVG 4.12

*K. Zee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Basic VLSI Design - 20A04606

Sem: III- II

Course Faculty: Mr. M. Narendra Kumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	0	0	6	3	15	4.38
2	Breadth of conceptual clarity	24	0	2	4	5	13	4.21
3	Evaluation Scheme	24	0	0	6	2	16	4.42
4	Involvement of Faculty	24	0	2	4	2	16	4.33
5	Overall effectiveness of the course	24	0	1	5	8	10	4.13
6	Preparedness of the faculty	24	0	1	6	5	12	4.17
7	Quality of Interaction	24	0	1	6	4	13	4.21
8	Quality of Rigor	24	0	2	4	6	12	4.17
9	Sequencing of the topics	24	0	1	5	2	16	4.38
10	Style of topic delivery	24	0	0	6	1	17	4.46
11	Time allotted for each topic	24	0	1	5	5	13	4.25
12	Value addition provided by the Course	24	0	1	5	7	11	4.17
13	Standards of Assessment system	24	0	2	4	8	10	4.08
14	Quality of teaching	24	0	0	6	4	14	4.33

AVG 4.26

K. Jeeva  
18/7/23.

IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	24	1	2	3	8	10	4.00
2	Breadth of conceptual clarity	24	1	2	4	5	12	4.04
3	Evaluation Scheme	24	1	1	5	8	9	3.96
4	Involvement of Faculty	24	1	1	5	7	10	4.00
5	Overall effectiveness of the course	24	1	3	5	9	6	3.67
6	Preparedness of the faculty	24	1	2	6	6	9	3.83
7	Quality of Interaction	24	1	1	6	8	8	3.88
8	Quality of Rigor	24	1	1	6	8	8	3.88
9	Sequencing of the topics	24	1	2	5	6	10	3.92
10	Style of topic delivery	24	1	3	4	5	11	3.92
11	Time allotted for each topic	24	1	1	7	8	7	3.79
12	Value addition provided by the Course	24	1	0	6	9	8	3.96
13	Standards of Assessment system	24	1	2	3	7	11	4.04
14	Quality of teaching	24	1	2	3	7	11	4.04

AVG 3.92

*K. Zee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*for*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Sem: III- II

Date: 18-07-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A01601	Design of Steel Structures	Mr. K Vinod Kumar	27	3.87	
2	20A01602	Highway Engineering	Mr. G. Bharadwaja Rao	27	3.83	
3	20A01603	Hydrology and Irrigation Engineering	Dr. B. Satya Narayana Reddy	27	3.98	
4	20A01604c	Environmental Impact Assessment	Mr. V. Amarnadh Reddy	27	3.81	
5	20A51701	Chemistry of Polymers and Its Applications	Mr. M. Venkata Subbaiah	27	3.87	
6	20A01606	Design Studio Lab with STAAD Pro.	Mr. K. Vinod Kumar	27	3.97	
7	20A01607	Highway Materials Lab	Mr. G. Bharadwaja Rao	27	3.94	
8	20A01608	Concrete Technology Lab	Mr. K Vinod Kumar	27	3.89	
9	20A01609	BIM Fundamentals for Civil Engineers	Mr. K. Jagadeesh	27	3.93	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	27	3.70	

*K. Jeeva*  
18/7/23.  
IQAC CO-ORDINATOR  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Sreedhar*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Design of Steel Structures - 20A01601

Sem: III- II

Course Faculty: Mr. K Vinod Kumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	2	1	10	3	11	3.74
2	Breadth of conceptual clarity	27	0	4	8	6	9	3.74
3	Evaluation Scheme	27	0	4	11	1	11	3.70
4	Involvement of Faculty	27	0	1	12	5	9	3.81
5	Overall effectiveness of the course	27	1	2	9	4	11	3.81
6	Preparedness of the faculty	27	0	2	11	4	10	3.81
7	Quality of Interaction	27	0	1	10	9	7	3.81
8	Quality of Rigor	27	0	1	11	5	10	3.89
9	Sequencing of the topics	27	0	2	9	5	11	3.93
10	Style of topic delivery	27	1	1	9	8	8	3.78
11	Time allotted for each topic	27	0	1	10	4	12	4.00
12	Value addition provided by the Course	27	0	1	9	4	13	4.07
13	Standards of Assessment system	27	0	2	10	4	11	3.89
14	Quality of teaching	27	0	1	9	1	16	4.19

AVG	3.87
-----	------

*K. Jee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Highway Engineering - 20A01602

Sem: III- II

Course Faculty: Mr. G. Bharadwaja Rao

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	2	2	9	1	13	3.78
2	Breadth of conceptual clarity	27	0	5	8	7	7	3.59
3	Evaluation Scheme	27	0	3	11	2	11	3.78
4	Involvement of Faculty	27	0	3	9	5	10	3.81
5	Overall effectiveness of the course	27	0	1	11	5	10	3.89
6	Preparedness of the faculty	27	1	2	8	8	8	3.74
7	Quality of Interaction	27	1	0	9	7	10	3.93
8	Quality of Rigor	27	1	1	9	7	9	3.81
9	Sequencing of the topics	27	1	0	10	4	12	3.96
10	Style of topic delivery	27	1	2	8	5	11	3.85
11	Time allotted for each topic	27	0	1	9	4	13	4.07
12	Value addition provided by the Course	27	1	2	9	5	10	3.78
13	Standards of Assessment system	27	1	1	8	8	9	3.85
14	Quality of teaching	27	1	1	10	5	10	3.81

AVG 3.83

*K. Jeeva*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*G. Bharadwaja Rao*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Hydrology and Irrigation Engineering - 20A01603

Sem: III- II

Course Faculty: Dr. B. Satya Narayana Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	2	1	9	1	14	3.89
2	Breadth of conceptual clarity	27	0	3	9	3	12	3.89
3	Evaluation Scheme	27	0	3	11	1	12	3.81
4	Involvement of Faculty	27	0	1	12	4	10	3.85
5	Overall effectiveness of the course	27	0	1	10	3	13	4.04
6	Preparedness of the faculty	27	0	1	11	5	10	3.89
7	Quality of Interaction	27	0	1	10	6	10	3.93
8	Quality of Rigor	27	0	1	10	5	11	3.96
9	Sequencing of the topics	27	0	1	10	2	14	4.07
10	Style of topic delivery	27	0	1	8	6	12	4.07
11	Time allotted for each topic	27	0	1	10	2	14	4.07
12	Value addition provided by the Course	27	0	1	9	4	13	4.07
13	Standards of Assessment system	27	0	1	8	6	12	4.07
14	Quality of teaching	27	0	1	9	4	13	4.07

AVG	3.98
-----	------

*K. Zee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*fourcadly*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142,



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Environmental Impact Assessment - 20A01604c

Sem: III- II

Course Faculty: Mr. V. Amarnadh Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	3	1	9	3	11	3.67
2	Breadth of conceptual clarity	27	1	4	9	5	8	3.56
3	Evaluation Scheme	27	1	1	11	6	8	3.70
4	Involvement of Faculty	27	1	1	10	5	10	3.81
5	Overall effectiveness of the course	27	1	1	12	5	8	3.67
6	Preparedness of the faculty	27	1	1	10	9	6	3.67
7	Quality of Interaction	27	1	0	8	6	12	4.04
8	Quality of Rigor	27	1	1	8	8	9	3.85
9	Sequencing of the topics	27	1	0	11	5	10	3.85
10	Style of topic delivery	27	1	1	8	7	10	3.89
11	Time allotted for each topic	27	1	0	11	3	12	3.93
12	Value addition provided by the Course	27	1	1	9	5	11	3.89
13	Standards of Assessment system	27	1	0	9	6	11	3.96
14	Quality of teaching	27	1	2	8	6	10	3.81

AVG	3.81
-----	------

*K. Jee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*for*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Chemistry of Polymers and Its Applications -  
20A51701

Sem: III- II

Course Faculty: Mr. M. Venkata Subbaiah

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	3	0	8	3	13	3.85
2	Breadth of conceptual clarity	27	1	3	6	8	9	3.78
3	Evaluation Scheme	27	1	3	9	5	9	3.67
4	Involvement of Faculty	27	1	1	9	6	10	3.85
5	Overall effectiveness of the course	27	1	1	10	3	12	3.89
6	Preparedness of the faculty	27	1	1	11	3	11	3.81
7	Quality of Interaction	27	1	0	11	4	11	3.89
8	Quality of Rigor	27	1	2	8	6	10	3.81
9	Sequencing of the topics	27	1	0	10	6	10	3.89
10	Style of topic delivery	27	1	1	9	5	11	3.89
11	Time allotted for each topic	27	1	0	12	3	11	3.85
12	Value addition provided by the Course	27	1	1	9	4	12	3.93
13	Standards of Assessment system	27	1	0	9	3	14	4.07
14	Quality of teaching	27	1	1	8	3	14	4.04

AVG	3.87
-----	------

*K. Zeeshan*  
18/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Design Studio Lab with STAAD Pro. - 20A01606

Sem: III- II

Course Faculty: Mr. K. Vinod Kumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	2	1	7	4	13	3.93
2	Breadth of conceptual clarity	27	0	3	8	4	12	3.93
3	Evaluation Scheme	27	0	3	8	7	9	3.81
4	Involvement of Faculty	27	0	1	10	6	10	3.93
5	Overall effectiveness of the course	27	1	0	10	4	12	3.96
6	Preparedness of the faculty	27	1	1	9	6	10	3.85
7	Quality of Interaction	27	0	1	9	4	13	4.07
8	Quality of Rigor	27	0	2	8	9	8	3.85
9	Sequencing of the topics	27	0	1	8	5	13	4.11
10	Style of topic delivery	27	0	1	8	8	10	4.00
11	Time allotted for each topic	27	0	1	9	4	13	4.07
12	Value addition provided by the Course	27	0	1	8	8	10	4.00
13	Standards of Assessment system	27	0	2	8	5	12	4.00
14	Quality of teaching	27	0	2	6	6	13	4.11

AVG 3.97

*K. Jee*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*forreddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Highway Materials Lab - 20A01607

Sem: III- II

Course Faculty: Mr. G. Bharadwaja Rao

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	2	1	8	2	14	3.93
2	Breadth of conceptual clarity	27	0	4	8	8	7	3.67
3	Evaluation Scheme	27	0	3	9	4	11	3.85
4	Involvement of Faculty	27	0	1	10	6	10	3.93
5	Overall effectiveness of the course	27	0	1	11	3	12	3.96
6	Preparedness of the faculty	27	0	1	10	8	8	3.85
7	Quality of Interaction	27	0	2	6	6	13	4.11
8	Quality of Rigor	27	0	1	9	8	9	3.93
9	Sequencing of the topics	27	0	2	9	7	9	3.85
10	Style of topic delivery	27	0	1	9	8	9	3.93
11	Time allotted for each topic	27	0	2	7	4	14	4.11
12	Value addition provided by the Course	27	0	1	9	7	10	3.96
13	Standards of Assessment system	27	0	2	8	4	13	4.04
14	Quality of teaching	27	0	2	8	3	14	4.07

AVG	3.94
-----	------

K. Zeer  
18/7/23.

IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. Venkatesh  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Concrete Technology Lab - 20A01608

Sem: III- II

Course Faculty: Mr. K Vinod Kumar

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	3	1	9	2	12	3.70
2	Breadth of conceptual clarity	27	0	3	9	5	10	3.81
3	Evaluation Scheme	27	1	2	9	7	8	3.70
4	Involvement of Faculty	27	1	0	11	6	9	3.81
5	Overall effectiveness of the course	27	1	0	10	5	11	3.93
6	Preparedness of the faculty	27	1	0	11	6	9	3.81
7	Quality of Interaction	27	1	1	9	4	12	3.93
8	Quality of Rigor	27	1	0	9	8	9	3.89
9	Sequencing of the topics	27	1	1	9	6	10	3.85
10	Style of topic delivery	27	1	1	7	5	13	4.04
11	Time allotted for each topic	27	1	1	8	4	13	4.00
12	Value addition provided by the Course	27	1	0	10	6	10	3.89
13	Standards of Assessment system	27	1	0	8	4	14	4.11
14	Quality of teaching	27	1	1	9	3	13	3.96

AVG	3.89
-----	------

*K. Vinod Kumar*  
18/7/23  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: BIM Fundamentals for Civil Engineers - 20A01609

Sem: III- II

Course Faculty: Mr. K. Jagadeesh

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	3	0	8	2	14	3.89
2	Breadth of conceptual clarity	27	1	2	8	7	9	3.78
3	Evaluation Scheme	27	1	2	10	3	11	3.78
4	Involvement of Faculty	27	1	0	9	9	8	3.85
5	Overall effectiveness of the course	27	1	0	9	5	12	4.00
6	Preparedness of the faculty	27	1	1	10	6	9	3.78
7	Quality of Interaction	27	1	1	9	5	11	3.89
8	Quality of Rigor	27	1	1	8	7	10	3.89
9	Sequencing of the topics	27	1	0	9	5	12	4.00
10	Style of topic delivery	27	1	1	8	5	12	3.96
11	Time allotted for each topic	27	1	0	8	5	13	4.07
12	Value addition provided by the Course	27	1	0	9	5	12	4.00
13	Standards of Assessment system	27	1	0	9	5	12	4.00
14	Quality of teaching	27	1	0	7	7	12	4.07

AVG 3.93

K. Jagadeesh  
18/7/23  
IQAC Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 18-07-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	27	3	0	10	3	11	3.70
2	Breadth of conceptual clarity	27	1	2	10	8	6	3.59
3	Evaluation Scheme	27	1	2	13	4	7	3.52
4	Involvement of Faculty	27	1	1	11	7	7	3.67
5	Overall effectiveness of the course	27	1	1	12	7	6	3.59
6	Preparedness of the faculty	27	1	0	15	5	6	3.56
7	Quality of Interaction	27	1	0	10	8	8	3.81
8	Quality of Rigor	27	1	0	10	8	8	3.81
9	Sequencing of the topics	27	1	1	10	8	7	3.70
10	Style of topic delivery	27	1	1	10	6	9	3.78
11	Time allotted for each topic	27	1	0	11	7	8	3.78
12	Value addition provided by the Course	27	1	1	10	6	9	3.78
13	Standards of Assessment system	27	1	0	12	5	9	3.78
14	Quality of teaching	27	1	2	10	4	10	3.74

AVG 3.70

*K. Zeel*  
18/7/23.  
IQAC Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: CIVIL

Sem: IV- II

Date: 28-04-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	19A01801c1	Environmental Impact Assessment	Mr. V. Amamadh Reddy	33	3.54	
2	19A03802a	Energy Conservation And Management	Mrs. K Saranya Reddy	33	3.62	
3	19A01803	Major Project	-	33	4.21	

*K. Jee* 28/4/23

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy

Engineering College

NH-5, Kadanuthala - 524142

*Ramireddy*

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Environmental Impact Assessment - 19A01801c1

Sem: IV- II

Course Faculty: Mr. V. Amarnadh Reddy

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	3	14	7	9	3.67
2	Breadth of conceptual clarity	33	1	2	17	4	9	3.55
3	Evaluation Scheme	33	1	4	16	3	9	3.45
4	Involvement of Faculty	33	1	2	18	2	10	3.55
5	Overall effectiveness of the course	33	1	2	17	3	10	3.58
6	Preparedness of the faculty	33	1	3	16	4	9	3.52
7	Quality of Interaction	33	1	1	20	2	9	3.52
8	Quality of Rigor	33	1	4	15	4	9	3.48
9	Sequencing of the topics	33	1	2	17	4	9	3.55
10	Style of topic delivery	33	1	3	16	4	9	3.52
11	Time allotted for each topic	33	1	1	18	5	8	3.55
12	Value addition provided by the Course	33	1	2	16	5	9	3.58
13	Standards of Assessment system	33	1	2	17	4	9	3.55
14	Quality of teaching	33	1	1	18	5	8	3.55

AVG 3.54

K. Jeeva 28/4/23.

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy

Engineering College

NH-5, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Energy Conservation And Management - 19A03802a Sem: IV- II

Course Faculty: Mrs. K Saranya Reddy

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	3	17	2	11	3.64
2	Breadth of conceptual clarity	33	0	6	14	4	9	3.48
3	Evaluation Scheme	33	0	5	15	2	11	3.58
4	Involvement of Faculty	33	1	1	17	4	10	3.64
5	Overall effectiveness of the course	33	0	3	17	2	11	3.64
6	Preparedness of the faculty	33	1	2	16	4	10	3.61
7	Quality of Interaction	33	0	3	16	3	11	3.67
8	Quality of Rigor	33	0	2	18	3	10	3.64
9	Sequencing of the topics	33	1	3	15	5	9	3.55
10	Style of topic delivery	33	0	2	18	2	11	3.67
11	Time allotted for each topic	33	0	4	16	3	10	3.58
12	Value addition provided by the Course	33	0	3	16	4	10	3.64
13	Standards of Assessment system	33	0	4	15	4	10	3.61
14	Quality of teaching	33	0	1	19	1	12	3.73

AVG	3.62
-----	------

*K. Jell*  
28/4/23.

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CIVIL

Course Name & Code: Major Project - 19A01803

Sem: IV- II

Course Faculty: -

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Rate your experience on project work at the institution	33	0	0	6	14	13	4.21

AVG	4.21
-----	------

*K. Zee*  
28/4/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. S. S.*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: CSE (A&B)

Sem: IV- II

Date: 28-04-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	19A05801c	Adhoc & Sensor Networks	Dr. T. Chalama Reddy	104	3.22	
2	19A01802b	Global Warming and climate changes	Mr. V. Amarnadh Reddy	104	3.30	
3	19A05803	Project	-	104	3.50	

K. Bell 28/4/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. S. Reddy  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE (A&B)

Course Name & Code: Adhoc & Sensor Networks - 19A05801c

Sem: IV- II

Course Faculty: Dr. T. Chalama Reddy

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	104	1	11	63	23	6	3.21
2	Breadth of conceptual clarity	104	2	22	53	17	10	3.11
3	Evaluation Scheme	104	0	16	57	21	10	3.24
4	Involvement of Faculty	104	0	16	54	24	10	3.27
5	Overall effectiveness of the course	104	0	18	58	19	9	3.18
6	Preparedness of the faculty	104	0	13	59	23	9	3.27
7	Quality of Interaction	104	1	15	58	19	11	3.23
8	Quality of Rigor	104	1	18	55	24	6	3.15
9	Sequencing of the topics	104	1	15	54	26	8	3.24
10	Style of topic delivery	104	1	17	57	22	7	3.16
11	Time allotted for each topic	104	2	18	53	22	9	3.17
12	Value addition provided by the Course	104	0	17	55	20	12	3.26
13	Standards of Assessment system	104	3	13	56	20	12	3.24
14	Quality of teaching	104	0	15	58	16	15	3.30

AVG 3.22

K. Balaji  
28/4/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

Ramireddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE (A&B)

Course Name & Code: Global Warming and climate changes - 19A01802b

Sem: IV- II

Course Faculty: Mr. V. Amarnadh Reddy

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	104	1	10	63	20	10	3.27
2	Breadth of conceptual clarity	104	0	15	55	26	8	3.26
3	Evaluation Scheme	104	2	10	57	24	11	3.31
4	Involvement of Faculty	104	0	11	58	24	11	3.34
5	Overall effectiveness of the course	104	1	12	58	23	10	3.28
6	Preparedness of the faculty	104	0	12	59	22	11	3.31
7	Quality of Interaction	104	0	16	51	22	15	3.35
8	Quality of Rigor	104	0	15	55	24	10	3.28
9	Sequencing of the topics	104	2	11	58	21	12	3.29
10	Style of topic delivery	104	1	10	61	19	13	3.32
11	Time allotted for each topic	104	0	11	59	24	10	3.32
12	Value addition provided by the Course	104	1	12	60	21	10	3.26
13	Standards of Assessment system	104	0	14	57	20	13	3.31
14	Quality of teaching	104	0	9	61	20	14	3.38

AVG 3.30

K. Jee  
28/4/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. S. Reddy

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: CSE (A&B)

Course Name & Code: Project - 19A05803

Sem: IV- II

Course Faculty: -

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Rate your experience on project work at the institution	104	0	11	45	33	15	3.50

AVG	3.50
-----	------

*K. Zeeshan*  
28/4/23.

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Suresh*

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: ECE (A&B)

Sem: IV- II

Date: 28-04-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	19A04801b	Introduction to Internet of Things	Mr. CH Amarnatha Sarma	93	3.87	
2	19A01802b	Global Warming and climate changes	Mr. A. V. Ramamurthy	93	3.90	
3	19A04803	Project	-	93	4.02	

*K. Zeel*  
28/4/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Ramireddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE (A&B)

Course Name & Code: Introduction to Internet of Things - 19A04801b

Sem: IV- II

Course Faculty: Mr. CH Amarnatha Sarma

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	93	0	2	36	30	25	3.84
2	Breadth of conceptual clarity	93	0	7	32	29	25	3.77
3	Evaluation Scheme	93	1	5	34	28	25	3.76
4	Involvement of Faculty	93	0	2	34	23	34	3.96
5	Overall effectiveness of the course	93	0	7	28	32	26	3.83
6	Preparedness of the faculty	93	0	3	32	26	32	3.94
7	Quality of Interaction	93	0	4	35	23	31	3.87
8	Quality of Rigor	93	0	4	32	32	25	3.84
9	Sequencing of the topics	93	0	6	29	30	28	3.86
10	Style of topic delivery	93	0	1	35	32	25	3.87
11	Time allotted for each topic	93	0	4	31	28	30	3.90
12	Value addition provided by the Course	93	0	6	28	24	35	3.95
13	Standards of Assessment system	93	0	7	26	30	30	3.89
14	Quality of teaching	93	0	1	36	21	35	3.97

AVG	3.87
-----	------

*K. Zel*  
28/4/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*feureddy*

PRINCIPAL  
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: ECE (A&B)

Course Name & Code: Global Warming and climate changes - 19A01802b

Sem: IV- II

Course Faculty: Mr. A. V. Ramamurthy

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	93	1	2	34	25	31	3.89
2	Breadth of conceptual clarity	93	0	2	32	29	30	3.94
3	Evaluation Scheme	93	0	6	31	21	35	3.91
4	Involvement of Faculty	93	0	3	33	24	33	3.94
5	Overall effectiveness of the course	93	1	6	30	28	28	3.82
6	Preparedness of the faculty	93	0	5	32	22	34	3.91
7	Quality of Interaction	93	0	4	30	31	28	3.89
8	Quality of Rigor	93	0	8	27	35	23	3.78
9	Sequencing of the topics	93	1	4	32	25	31	3.87
10	Style of topic delivery	93	0	4	32	28	29	3.88
11	Time allotted for each topic	93	0	3	33	26	31	3.91
12	Value addition provided by the Course	93	0	4	30	26	33	3.95
13	Standards of Assessment system	93	1	3	29	29	31	3.92
14	Quality of teaching	93	0	3	32	19	39	4.01

AVG 3.90

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

K. Zeel 28/4/23  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.





NH-5, KADANTHALA - 524142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: EEE

Sem: IV- II

Date: 28-04-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	19A02801a	Electrical Distribution System Automation	Mr. P. V. Ramkumar	22	3.72	
2	19A03802a	Energy Conservation And Management	Mrs. K Saranya Reddy	22	3.93	
3	19A02803	Project	-	22	4.00	

*K. Zele* 28/4/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Venkatesh*  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Electrical Distribution System Automation -  
19A02801a

Sem: IV- II

Course Faculty: Mr. P. V. Ramkumar

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	22	1	1	8	11	1	3.45
2	Breadth of conceptual clarity	22	1	3	6	8	4	3.50
3	Evaluation Scheme	22	1	2	7	7	5	3.59
4	Involvement of Faculty	22	1	0	8	8	5	3.73
5	Overall effectiveness of the course	22	1	2	5	9	5	3.68
6	Preparedness of the faculty	22	1	0	9	10	2	3.55
7	Quality of Interaction	22	0	1	6	9	6	3.91
8	Quality of Rigor	22	0	1	6	10	5	3.86
9	Sequencing of the topics	22	0	1	6	11	4	3.82
10	Style of topic delivery	22	0	2	7	9	4	3.68
11	Time allotted for each topic	22	1	0	7	7	7	3.86
12	Value addition provided by the Course	22	0	0	8	10	4	3.82
13	Standards of Assessment system	22	0	1	7	10	4	3.77
14	Quality of teaching	22	0	1	7	7	7	3.91

AVG 3.72

K. Zee 28/4/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

P. V. Ramkumar

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Energy Conservation And Management -  
Course Name & Code: 19A03802a

Sem: IV- II

Course Faculty: Mrs. K Saranya Reddy

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	22	1	0	6	10	5	3.82
2	Breadth of conceptual clarity	22	0	0	7	10	5	3.91
3	Evaluation Scheme	22	0	0	8	7	7	3.95
4	Involvement of Faculty	22	0	1	7	7	7	3.91
5	Overall effectiveness of the course	22	0	1	6	7	8	4.00
6	Preparedness of the faculty	22	0	1	6	11	4	3.82
7	Quality of Interaction	22	0	0	7	9	6	3.95
8	Quality of Rigor	22	0	0	7	10	5	3.91
9	Sequencing of the topics	22	0	0	5	11	6	4.05
10	Style of topic delivery	22	0	1	7	6	8	3.95
11	Time allotted for each topic	22	0	1	5	10	6	3.95
12	Value addition provided by the Course	22	0	0	7	11	4	3.86
13	Standards of Assessment system	22	0	1	5	11	5	3.91
14	Quality of teaching	22	0	0	6	10	6	4.00

AVG	3.93
-----	------

*K. Saranya Reddy*  
28/4/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. Reddy*  
PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: EEE

Course Name & Code: Project - 19A02803

Sem: IV- II

Course Faculty: -

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Rate your experience on project work at the institution	22	0	0	5	12	5	4.00

AVG	4.00
-----	------

K. Jeeva  
28/4/23.

Internal Quality Assurance Cell (IQAC)

Co-Ordinator

Coordinator - IQAC

Ramireddy Subbarami Reddy

Engineering College

NH-5, Kadanuthala - 524142

*[Signature]*

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC  
Approved by AICTE, New Delhi & Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT (SUMMARY)

Academic Year: 2022 - 2023

Branch: Mechanical

Sem: IV- II

Date: 28-04-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	19A03801c	Refrigeration and Air conditioning	Dr. C. V. Subba Reddy	19	4.21	
2	19A01802b	Global Warming and climate changes	Mr. Y. Kiran Kumar	19	3.68	
3	19A03803	Project	-	19	4.21	

*K. Zeel*  
28/4/23  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*Principal*  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: Mechanical

Course Name & Code: Refrigeration and Air conditioning - 19A03801c

Sem: IV- II

Course Faculty: Dr. C. V. Subba Reddy

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	1	6	0	12	4.21
2	Breadth of conceptual clarity	19	0	0	7	1	11	4.21
3	Evaluation Scheme	19	0	0	7	2	10	4.16
4	Involvement of Faculty	19	0	0	6	1	12	4.32
5	Overall effectiveness of the course	19	0	0	7	3	9	4.11
6	Preparedness of the faculty	19	0	0	6	1	12	4.32
7	Quality of Interaction	19	0	1	5	4	9	4.11
8	Quality of Rigor	19	0	0	6	2	11	4.26
9	Sequencing of the topics	19	0	0	7	1	11	4.21
10	Style of topic delivery	19	0	0	6	1	12	4.32
11	Time allotted for each topic	19	0	0	7	2	10	4.16
12	Value addition provided by the Course	19	0	0	6	3	10	4.21
13	Standards of Assessment system	19	0	0	8	2	9	4.05
14	Quality of teaching	19	0	0	6	2	11	4.26

AVG	4.21
-----	------

K. Jee  
28/4/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-15, Kadanuthala - 524142

P. Venkatesh

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: Mechanical

Course Name & Code: Global Warming and climate changes - 19A01802b Sem: IV- II

Course Faculty: Mr. Y. Kiran Kumar

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	2	8	3	6	3.68
2	Breadth of conceptual clarity	19	0	1	9	4	5	3.68
3	Evaluation Scheme	19	0	2	8	2	7	3.74
4	Involvement of Faculty	19	0	1	9	4	5	3.68
5	Overall effectiveness of the course	19	0	3	6	3	7	3.74
6	Preparedness of the faculty	19	0	1	7	5	6	3.84
7	Quality of Interaction	19	0	2	9	3	5	3.58
8	Quality of Rigor	19	0	3	8	3	5	3.53
9	Sequencing of the topics	19	0	2	8	2	7	3.74
10	Style of topic delivery	19	0	3	8	3	5	3.53
11	Time allotted for each topic	19	0	2	7	4	6	3.74
12	Value addition provided by the Course	19	0	4	7	1	7	3.58
13	Standards of Assessment system	19	0	2	7	3	7	3.79
14	Quality of teaching	19	0	2	9	1	7	3.68

AVG 3.68

*K. Jee*  
28/4/23.  
Internal Quality Assurance Cell (IQAC)  
Co-Ordinator  
Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. Sreeddy*  
PRINCIPAL  
PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142.



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.  
Recognized by UGC under Section 2(f) of UGC Act, 1956.  
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.  
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



## STUDENT FEEDBACK REPORT

Academic Year: 2022 - 2023

Branch: Mechanical

Course Name & Code: Project - 19A03803

Sem: IV- II

Course Faculty: -

Date: 28-04-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Rate your experience on project work at the institution	19	0	0	4	7	8	4.21

AVG	4.21
-----	------

*K. B. Reddy*  
28/4/23

Internal Quality Assurance Cell (IQAC)  
Co-Ordinator

Coordinator - IQAC  
Ramireddy Subbarami Reddy  
Engineering College  
NH-5, Kadanuthala - 524142

*P. S. Reddy*

PRINCIPAL

PRINCIPAL  
RAMIREDDY SUBBARAMI REDDY  
ENGINEERING COLLEGE  
NH-5, KADANUTHALA - 524 142



# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE:

KADANUTHALA

## TEACHER'S FEEDBACK FORM

YEAR: 2022-23

BRANCH: MBA

SEMESTER: EVEN

Name of the Staff:	K. Ramamohan Reddy	Employee SAP - ID:(Aadhar Last 8 Digits)	5427
e-Mail ID:	K.Ramamohanreddy789@gmail.com	Contact Number:	9700924478

### Rate your valuable Feedback (✓)

1 - Strongly Disagree    2 - Disagree    3 - Satisfactory    4 - Agree    5 - Strongly Agree

1. The Environment in the Department is Conducive to Teaching

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

2. The Institute provides incentive to promote research publication in reputed research journals

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

3. Sufficient numbers of prescribed books are available in the Library

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

4. The course/syllabus Framed by university has good balance between theory and application

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

5. Infrastructural facilities, such as teacher's rooms, class rooms, reading, rooms and toilets are available in the Department

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

6. Tests and examinations are conducted well in time with proper coverage of all units in the syllabus

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

7. I have the freedom to adopt new Techniques/strategies of teaching such as seminar presentations, group discussions and learners' participations

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

8. The Institute provides adequate funding and support to faculty members for attending conferences

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>



9. The Institute provides adequate and smooth support/incentives for projects and research facilities

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

10. The Institute provides adequate funding and support to faculty members for upgrading their skills and qualifications

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

11. The Institute has fair and transparent Evaluation of answer scripts for examination

1	2	3	4	5
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>



# TEACHER'S FEEDBACK FORM

YEAR: 2022-2023

SEMESTER: Even

BRANCH: MBA

Name of the Staff:	Dr. S. Malyadine Reddy	Employee SAP - ID:(Aadhar Last 8 Digits)	13597921
e-Mail ID:	DRIMREDDY@gmail.com	Contact Number:	9848796639

Rate your valuable Feedback (✓)

1 - Strongly Disagree 2 - Disagree 3 - Satisfactory 4 - Agree 5 - Strongly Agree

The Environment in the Department IsConducive to Teaching

1 2 3 4 5

☐ ☐ ☐ ☐ ☒

The Institute provides incentive to promote research publication in reputed research journals

1 2 3 4 5

☐ ☐ ☐ ☒ ☐

Sufficient numbers of prescribed booksare available in the Library

1 2 3 4 5

☐ ☐ ☐ ☐ ☒

The course/syllabus Framed by universityhas good balance between theory and application

1 2 3 4 5

☐ ☐ ☐ ☒ ☐

Infrastructural facilities, such as teacher's rooms, class rooms, reading, rooms and toilets are available in the Department

1 2 3 4 5

☐ ☐ ☐ ☒ ☐

Tests and examinations are conducted well in time with proper coverage of all units in the syllabus

1 2 3 4 5

☐ ☐ ☐ ☒ ☐

I have the freedom to adopt new Techniques/strategies of teaching such as seminar presentations, group discussions and learners' participations

1 2 3 4 5

☐ ☐ ☐ ☐ ☒

The Institute provides adequate funding and support to faculty members for attending conferences

1 2 3 4 5

☐ ☐ ☐ ☒ ☐

The Institute provides adequate and smooth support/incentives for projects and research facilities

1 2 3 4 5

☐ ☐ ☐ ☒ ☐

The Institute provides adequate funding and support to faculty members for upgrading their skills and qualifications

1 2 3 4 5

☐ ☐ ☐ ☒ ☐

The Institute has fair and transparent Evaluationof answer scripts for examination

1 2 3 4 5

☐ ☐ ☐ ☐ ☒



# RSR ENGINEERING COLLEGE – KADANUTHALA

## ALUMNI FEEDBACK

Date: 22/08/2023

01 Name of Alumni : G. Jhansi

02 E-Mail ID : gummajhansi03 @ gmail.com

03 Contact Number : 9550788797

04 Programme : MBA

05 Year of Passing : 2023

06 Alumni No. (Hall Ticket Number) : 213RIE0001

Tick The Following (1 – Poor, 2 – Average, 3- Good, 4 – Very Good, 5 - Excellent)

	1	2	3	4	5
07 Ambience	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
08 Environment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
09 Infrastructure & Lab Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10 Faculty	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
11 Project Guidance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12 Quality of Support Material	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
13 Training & Placement	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14 Library	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
15 Canteen Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
16 Hostel Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
17 Overall Rating of the institute	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
18 Alumni Association/Network of Old Friends	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
19 Standards of Assessment System	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
20 Quality of Teaching	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>



21 Suggestions

—

22 Mention the Department/Institute  
Committee wants you like to  
contribute

—

23 Improvements in teaching and  
learning process

Not need

24 What help did you get through your  
Project work and industrial training

Practical ~~Knowledge~~ Knowledge

25 Your preferred place for next summer  
visit

RSE Engineering college

26 Any Other Suggestions

—



# RSR ENGINEERING COLLEGE – KADANUTHALA

## ALUMNI FEEDBACK

Date: 22.08.2023

01 Name of Alumni : N. Swathi  
 02 E-Mail ID : Swathireddy0830@gmail.com  
 03 Contact Number : 7386845687  
 04 Programme : MBA  
 05 Year of Passing : 2021 - 2023 (2023)  
 06 Alumni No. (Hall Ticket Number) : 213RIE0007

Tick The Following (1 – Poor, 2 – Average, 3- Good, 4 – Very Good, 5 - Excellent)

	1	2	3	4	5
07 Ambience	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
08 Environment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
09 Infrastructure & Lab Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10 Faculty	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
11 Project Guidance	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
12 Quality of Support Material	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
13 Training & Placement	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
14 Library	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
15 Canteen Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
16 Hostel Facilities	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
17 Overall Rating of the institute	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
18 Alumni Association/Network of Old Friends	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
19 Standards of Assessment System	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
20 Quality of Teaching	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>



21 Suggestions

:

22 Mention the Department/Institute Committees would you like to contribute

:

23 Improvements in teaching and learning Process

Not Necessary  
: Encouraging students with direct two way interaction.

24 What help did you get through your Project work and industrial Training

: I got practical help in project work and live interactions with students in Industrial training.

25 Your preferred place for next alumni meet

: RSR Engineering college.

26 Any Other Suggestions

:





# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


## FEEDBACK ANALYSED REPORT (AY:2022-23)

### STUDENT FEEDBACK ANALYSED REPORT (AY:2022-23)


Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Students.

The Feedback analysis is presented below:

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
1	Course Content	1	5	6	7	81



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
2	Breadth of conceptual clarity	3	5	4	6	82







RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
**NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.**  
**Ph: 08626 – 255655      Fax: 08626 – 255655      E-mail: rsrenggcollege@gmail.com**

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
3	Evaluation Scheme	0	3	3	9	85



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
4	Involvement of faculty	2	9	6	4	79









# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
5	Overall Effectiveness of the course	8	10	3	7	72



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
6	Preparedness of the faculty	2	1	8	11	78









# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
7	Quality of Interaction	5	6	6	8	75



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
8	Quality of rigor	1	6	4	7	82









# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
9	Sequencing of the topics	0	3	1	15	81



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
10	Style of topics delivery	2	1	10	7	80









# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
11	Time allotted for each topic	5	9	3	8	75



S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
12	Value addition provided by the course	7	11	4	5	73








# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S. No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
13	Standards of assessment system	3	5	3	9	80

## STANDARDS OF ASSESSMENT SYSTEM



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
14	Quality of teaching	0	2	9	3	86

## QUALITY OF TEACHING







## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


### FEEDBACK ANALYSED REPORT (AY:2022-23)

#### ALUMNI FEEDBACK ANALYSED REPORT (AY:2022-23)

Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Alumni.

The Feedback analysis is presented below:

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
1	Ambience	2	2	2	13	81









## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
2	Environment	1	2	5	8	84



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
3	Infrastructure and lab facility	2	2	5	9	82









# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
4	Faculty and teaching methods	1	3	8	9	79



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
5	Project Guidance and Placement	0	4	8	13	75








## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
6	Quality of support material	3	4	5	10	78

### Quality of support material



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
7	Training & Placement	1	3	5	11	80

### Training & Placement









## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
8	Library Facilities	05	1	4	10	80



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
9	Canteen Facilities	3	5	5	8	79









## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
10	Hostel Facilities	5	4	4	7	80



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
11	Overall rating of the institute	3	3	4	8	82








# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
12	Alumni Association/Network with old friends	1	2	3	11	83

## Alumni Association/Network with old friends



S.No.	Feedback on Parameter	1- Poor	2- Average	3- Good	4- Very Good	5- Excellent
13	Standards of Assessment System	0	4	4	11	81

## Standards of Assessment System








## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
14	Quality of Teaching	1	3	5	7	84







# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

## FEEDBACK ANALYSED REPORT (AY:2022-23)

### TEACHERS/ FACULTY FEEDBACK ANALYSED REPORT (AY:2022-23)


Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Faculty.

The Feedback analysis is presented below:

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
1	Environment in the department is conducive to teaching	0	2	2	13	83

### Environment in the department is conducive to teaching

1- Strongly Disagree % 2- Disagree % 3- Satisfactory %  
4- Agree % 5- Strongly Agree %








# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
2	Content implementation	0	2	4	10	84

## Content implementation



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
3	Prescribed books availability in the library	0	2	5	8	85

## Prescribed books availability in the library








# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
4	Infrastructural facilities in the department	2	1	6	9	82

## Infrastructural facilities in the department



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
5	Conduction of examination with proper coverage of all units in the syllabus	2	2	3	13	80






## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

### Conduction of examination with proper coverage of all units in the syllabus


■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
6	Freedom to adopt new techniques/strategies in teaching	1	2	3	11	83

### Freedom to adopt new techniques/strategies in teaching

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %








# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrengcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
7	Adequate funding and support to faculty members for attending conferences	0	2	2	8	88

## Freedom to adopt new techniques/strategies in teaching

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
8	Adequate and smooth support/incentives for projects and research facilities	2	2	4	7	85






# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

## Adequate and smooth support/incentives for projects and research facilities


■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %



S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
9	Adequate funding and support to faculty members for upgrading their skills and qualifications	0	1	3	13	83

## Adequate funding and support to faculty members for upgrading their skills and qualifications

■ 1- Strongly Disagree % ■ 2- Disagree % ■ 3- Satisfactory % ■ 4- Agree % ■ 5- Strongly Agree %








## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Strongly Disagree %	2- Disagree %	3- Satisfactory %	4- Agree %	5- Strongly Agree %
10	Fair & transparent evaluation of answer scripts	0	2	1	9	88

### Fair & transparent evaluation of answer scripts

Feedback on Parameter 1- Strongly Disagree % 2- Disagree %  
3- Satisfactory % 4- Agree % 5- Strongly Agree %







# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com


## FEEDBACK ANALYSED REPORT (AY:2022-23)

### EMPLOYERS FEEDBACK ANALYSED REPORT (AY:2022-23)

Ramireddy Subbarami Reddy Engineering College designs and collects feedback from its stakeholders to monitor and evaluate its performance. The feedbacks were collected from Employers.

The Feedback analysis is presented below:

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
1	Content and Syllabus	2	6	11	3	78



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
2	Knowledge base of the candidate	1	2	3	10	84






# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
 Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
 NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
 Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

## Knowledge base of the candidate



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
3	Practical handson Skills	2	2	2	11	83

## Practical hands on Skills



S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
4	Communication Skills	3	3	7	8	79






# RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655 Fax: 08626 – 255655 E-mail: rsrenggcollege@gmail.com

## Communication


## Skills



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
5	Administrative Abilities	0	5	5	8	82

## Administrative Abilities



- 1- Poor %
- 2- Average %
- 3- Good %
- 4- Very Good %
- 5- Excellent %





## RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

Accredited with 'A' Grade by NAAC | Approved by AICTE | Affiliated to JNTUA  
Recognized by UGC under section 2(f) of UGC Act, 1956 | An ISO Certified Institution  
NH-16, Kadanuthala – 524142, Bogole (M), Kavali, S.P.S. Nellore Dist., A.P.  
Ph: 08626 – 255655      Fax: 08626 – 255655      E-mail: rsrenggcollege@gmail.com

S.No.	Feedback on Parameter	1- Poor %	2- Average %	3- Good %	4- Very Good %	5- Excellent %
6	Overall Rating	2	2	4	12	80

