

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Sem: I- I

Date: 29-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00101T	Engineering Physics	Mrs. S. Shabana	51	4.64	
2	23ABS00102	Linear Algebra and Calculus	Dr. M. Obulesu	51	4.27	
3	23AES02101T	Basic Electrical and Electronics Engineering	Dr. P. V. N. Reddy	51	4.51	
4	23AES02101T	Basic Electrical and Electronics Engineering	Dr. V. Raveendra Reddy	51	4.46	
5	23AES03101	Engineering Graphics	Mr. B. Radha Krishnaiah	51	4.49	
6	23AES05101T	Introduction to Programming	Mrs. J. Madhuri	51	4.87	
7	23AES05102	IT Workshop	Mr. K. Ramesh	51	4.16	
8	23ABS00101P	Engineering Physics Laboratory	Mrs. S. Shabana	51	4.72	
9	23AES02101P	Electrical and Electronics Engineering Laboratory	Dr. V. Raveendra Reddy & Mr. A. Bhasker	51	4.28	
10	23AES05101P	Computer Programming Laboratory	Mrs. J. Madhuri	51	4.85	

K. B. Reddy
29/12/23.

IQAC CO-ORDINATOR
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

R. Reddy

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Engineering Physics -
23ABS00101T

Sem: I - I

Course Faculty: Mrs. S. Shabana

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	0	3	11	37	4.67
2	Breadth of conceptual clarity	51	0	2	0	14	35	4.61
3	Evaluation Scheme	51	2	1	1	15	32	4.45
4	Involvement of Faculty	51	1	2	0	8	40	4.65
5	Overall effectiveness of the course	51	0	3	0	11	37	4.61
6	Preparedness of the faculty	51	0	1	1	13	36	4.65
7	Quality of Interaction	51	0	1	2	7	41	4.73
8	Quality of Rigor	51	0	2	0	17	32	4.55
9	Sequencing of the topics	51	0	2	0	8	41	4.73
10	Style of topic delivery	51	0	2	0	5	44	4.78
11	Time allotted for each topic	51	0	2	0	13	36	4.63
12	Value addition provided by the Course	51	0	1	2	16	32	4.55
13	Standards of Assessment system	51	1	0	3	9	38	4.63
14	Quality of teaching	51	0	1	1	6	43	4.78

AVG 4.64

K. Des 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S. R. Nellore

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Linear Algebra and Calculus - 23ABS00102

Sem: I-I

Course Faculty: Dr. M. Obulesu

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	2	2	1	19	27	4.31
2	Breadth of conceptual clarity	51	2	2	2	23	22	4.20
3	Evaluation Scheme	51	1	2	3	24	21	4.22
4	Involvement of Faculty	51	1	3	4	18	25	4.24
5	Overall effectiveness of the course	51	3	2	2	20	24	4.18
6	Preparedness of the faculty	51	2	1	2	19	27	4.33
7	Quality of Interaction	51	2	2	2	24	21	4.18
8	Quality of Rigor	51	3	2	0	24	22	4.18
9	Sequencing of the topics	51	1	3	2	17	28	4.33
10	Style of topic delivery	51	1	3	1	21	25	4.29
11	Time allotted for each topic	51	1	3	2	22	23	4.24
12	Value addition provided by the Course	51	0	4	2	22	23	4.25
13	Standards of Assessment system	51	1	3	1	17	29	4.37
14	Quality of teaching	51	0	3	3	14	31	4.43

AVG 4.27

K. B. S. 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S. S.

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I- I

Course Faculty: Dr. P. V. N. Reddy

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	0	7	10	34	4.53
2	Breadth of conceptual clarity	51	0	0	6	14	31	4.49
3	Evaluation Scheme	51	0	0	6	15	30	4.47
4	Involvement of Faculty	51	0	0	4	15	32	4.55
5	Overall effectiveness of the course	51	0	1	4	15	31	4.49
6	Preparedness of the faculty	51	0	0	4	16	31	4.53
7	Quality of Interaction	51	1	0	4	11	35	4.55
8	Quality of Rigor	51	0	1	4	15	31	4.49
9	Sequencing of the topics	51	0	1	3	15	32	4.53
10	Style of topic delivery	51	0	1	4	15	31	4.49
11	Time allotted for each topic	51	0	2	3	14	32	4.49
12	Value addition provided by the Course	51	0	0	5	16	30	4.49
13	Standards of Assessment system	51	0	1	3	11	36	4.61
14	Quality of teaching	51	0	0	8	10	33	4.49

AVG	4.51

K. Jeeva
29/12/23.

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I-I

Course Faculty: Dr. V. Raveendra Reddy

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	1	1	5	11	33	4.45
2	Breadth of conceptual clarity	51	1	0	4	16	30	4.45
3	Evaluation Scheme	51	0	0	6	12	33	4.53
4	Involvement of Faculty	51	0	0	6	15	30	4.47
5	Overall effectiveness of the course	51	0	0	5	18	28	4.45
6	Preparedness of the faculty	51	0	0	6	15	30	4.47
7	Quality of Interaction	51	0	0	8	11	32	4.47
8	Quality of Rigor	51	1	0	5	16	29	4.41
9	Sequencing of the topics	51	0	1	5	14	31	4.47
10	Style of topic delivery	51	0	1	6	15	29	4.41
11	Time allotted for each topic	51	0	0	5	19	27	4.43
12	Value addition provided by the Course	51	0	2	3	16	30	4.45
13	Standards of Assessment system	51	0	2	6	10	33	4.45
14	Quality of teaching	51	0	1	5	8	37	4.59

AVG 4.46

K. B. S. 29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Raveendra Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Engineering Graphics - 23AES03101

Sem: I-I

Course Faculty: Mr. B. Radha Krishnaiah

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	1	5	13	32	4.49
2	Breadth of conceptual clarity	51	0	0	6	15	30	4.47
3	Evaluation Scheme	51	0	1	4	16	30	4.47
4	Involvement of Faculty	51	0	0	6	14	31	4.49
5	Overall effectiveness of the course	51	0	1	6	14	30	4.43
6	Preparedness of the faculty	51	0	1	5	15	30	4.45
7	Quality of Interaction	51	0	1	5	13	32	4.49
8	Quality of Rigor	51	0	0	7	15	29	4.43
9	Sequencing of the topics	51	0	1	5	11	34	4.53
10	Style of topic delivery	51	0	1	4	11	35	4.57
11	Time allotted for each topic	51	0	0	7	8	36	4.57
12	Value addition provided by the Course	51	0	1	5	13	32	4.49
13	Standards of Assessment system	51	0	1	6	13	31	4.45
14	Quality of teaching	51	0	1	4	14	32	4.51

AVG 4.49

K. Jeeva 29/12/23.
IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. Reddy
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Introduction to Programming -
23AES05101T

Sem: I-I

Course Faculty: Mrs. J. Madhuri

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	0	2	3	46	4.86
2	Breadth of conceptual clarity	51	0	0	1	4	46	4.88
3	Evaluation Scheme	51	0	0	1	6	44	4.84
4	Involvement of Faculty	51	0	0	2	3	46	4.86
5	Overall effectiveness of the course	51	0	0	1	3	47	4.90
6	Preparedness of the faculty	51	0	0	1	4	46	4.88
7	Quality of Interaction	51	0	1	1	4	45	4.82
8	Quality of Rigor	51	0	0	1	7	43	4.82
9	Sequencing of the topics	51	0	0	1	3	47	4.90
10	Style of topic delivery	51	0	0	1	3	47	4.90
11	Time allotted for each topic	51	0	0	1	3	47	4.90
12	Value addition provided by the Course	51	0	0	1	5	45	4.86
13	Standards of Assessment system	51	0	1	1	1	48	4.88
14	Quality of teaching	51	0	0	1	3	47	4.90

AVG 4.87

K. Jeeva 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.,
Andhra Pradesh 524 142

P. Jeeva

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.,
Andhra Pradesh 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: IT Workshop - 23AES05102

Sem: I-I

Course Faculty: Mr. K. Ramesh

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	3	9	20	19	4.08
2	Breadth of conceptual clarity	51	0	2	7	25	17	4.12
3	Evaluation Scheme	51	0	4	7	21	19	4.08
4	Involvement of Faculty	51	0	2	6	27	16	4.12
5	Overall effectiveness of the course	51	0	2	9	20	20	4.14
6	Preparedness of the faculty	51	0	3	6	24	18	4.12
7	Quality of Interaction	51	0	3	7	23	18	4.10
8	Quality of Rigor	51	0	1	8	23	19	4.18
9	Sequencing of the topics	51	0	1	8	22	20	4.20
10	Style of topic delivery	51	0	2	6	23	20	4.20
11	Time allotted for each topic	51	0	1	9	22	19	4.16
12	Value addition provided by the Course	51	0	3	5	22	21	4.20
13	Standards of Assessment system	51	0	2	7	21	21	4.20
14	Quality of teaching	51	0	1	6	18	26	4.35

AVG	4.16

K. Ramesh
29/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh - 524 142

P. Ramesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Engineering Physics Laboratory - 23ABS00101P

Sem: I-I

Course Faculty: Mrs. S. Shabana

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	0	5	4	42	4.73
2	Breadth of conceptual clarity	51	0	1	2	6	42	4.75
3	Evaluation Scheme	51	0	1	2	8	40	4.71
4	Involvement of Faculty	51	0	1	2	7	41	4.73
5	Overall effectiveness of the course	51	0	1	2	8	40	4.71
6	Preparedness of the faculty	51	0	1	2	9	39	4.69
7	Quality of Interaction	51	0	1	1	11	38	4.69
8	Quality of Rigor	51	0	1	2	10	38	4.67
9	Sequencing of the topics	51	0	1	1	6	43	4.78
10	Style of topic delivery	51	0	1	2	8	40	4.71
11	Time allotted for each topic	51	0	1	1	9	40	4.73
12	Value addition provided by the Course	51	0	1	3	9	38	4.65
13	Standards of Assessment system	51	0	1	2	5	43	4.76
14	Quality of teaching	51	0	1	2	2	46	4.82

AVG 4.72

K. Bala
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S. S. S.

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Electrical and Electronics Engineering Laboratory -

Course Name & Code: 23AES02101P

Sem: I-I

Course Faculty: Dr. V. Raveendra Reddy & Mr. A. Bhasker

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	2	2	4	18	25	4.22
2	Breadth of conceptual clarity	51	2	1	4	20	24	4.24
3	Evaluation Scheme	51	2	2	3	22	22	4.18
4	Involvement of Faculty	51	2	0	6	17	26	4.27
5	Overall effectiveness of the course	51	2	1	4	18	26	4.27
6	Preparedness of the faculty	51	2	1	3	17	28	4.33
7	Quality of Interaction	51	2	1	3	16	29	4.35
8	Quality of Rigor	51	2	1	3	20	25	4.27
9	Sequencing of the topics	51	2	1	4	19	25	4.25
10	Style of topic delivery	51	2	0	3	19	27	4.35
11	Time allotted for each topic	51	2	1	3	18	27	4.31
12	Value addition provided by the Course	51	2	1	4	20	24	4.24
13	Standards of Assessment system	51	2	1	5	16	27	4.27
14	Quality of teaching	51	2	0	4	14	31	4.41

AVG	4.28

K. Jesu 29/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist,

Andhra Pradesh 524 142

P. Raveendra

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist, Andhra Pradesh 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Computer Programming Laboratory - 23AES05101P

Sem: I-I

Course Faculty: Mrs. J. Madhuri

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	0	3	2	46	4.84
2	Breadth of conceptual clarity	51	0	0	2	4	45	4.84
3	Evaluation Scheme	51	0	0	1	2	48	4.92
4	Involvement of Faculty	51	0	1	0	5	45	4.84
5	Overall effectiveness of the course	51	0	1	1	2	47	4.86
6	Preparedness of the faculty	51	0	1	0	4	46	4.86
7	Quality of Interaction	51	0	1	1	3	46	4.84
8	Quality of Rigor	51	0	1	0	6	44	4.82
9	Sequencing of the topics	51	0	1	1	4	45	4.82
10	Style of topic delivery	51	0	1	1	4	45	4.82
11	Time allotted for each topic	51	0	1	0	5	45	4.84
12	Value addition provided by the Course	51	0	1	0	3	47	4.88
13	Standards of Assessment system	51	0	1	2	3	45	4.80
14	Quality of teaching	51	0	1	0	2	48	4.90

AVG 4.85

K. Zel
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Penecady

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Sem: I- I

Date: 29-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00103T	Communicative English	Mr. M V V Aditya	20	4.08	
2	23ABS00102	Linear Algebra and Calculus	Mr. B. Jagadeesh Kumar	20	4.20	
3	23ABS00104T	Chemistry	Mr. Y Kiran Kumar	20	4.17	
4	23AES01101	Basic Civil and Mechanical Engineering	Mrs. K. Manjusha	20	3.75	
5	23AES01101	Basic Civil and Mechanical Engineering	Mr. K. Vinod Kumar	20	4.14	
6	23AES05101T	Introduction to Programming	Mr. V. Pavan Kumar	20	4.49	
7	23ABS00103P	Communicative English Laboratory	Ms. K. Krishnaveni	20	4.90	
8	23ABS00104P	Chemistry Laboratory	Mr. Y Kiran Kumar	20	4.40	
9	23AES03101	Engineering Workshop	Mr. A. Anil	20	3.87	
10	23AES05101P	Computer Programming Laboratory	Mr. V. Pavan Kumar	20	4.39	

K. Jeyaraj
29/12/23.

IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. C. Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Communicative English -
23ABS00103T

Sem: I-I

Course Faculty: Mr. M V V Aditya

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	0	2	3	4	11	4.20
2	Breadth of conceptual clarity	20	0	0	6	6	8	4.10
3	Evaluation Scheme	20	0	3	2	6	9	4.05
4	Involvement of Faculty	20	0	2	6	3	9	3.95
5	Overall effectiveness of the course	20	0	1	6	2	11	4.15
6	Preparedness of the faculty	20	0	1	4	6	9	4.15
7	Quality of Interaction	20	0	1	4	4	11	4.25
8	Quality of Rigor	20	1	0	5	5	9	4.05
9	Sequencing of the topics	20	1	0	4	5	10	4.15
10	Style of topic delivery	20	0	3	2	6	9	4.05
11	Time allotted for each topic	20	2	2	3	5	8	3.75
12	Value addition provided by the Course	20	1	1	5	5	8	3.90
13	Standards of Assessment system	20	1	1	4	3	11	4.10
14	Quality of teaching	20	0	2	3	4	11	4.20

AVG 4.08

K. Zeel
29/12/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Linear Algebra and Calculus - 23ABS00102

Sem: I-I

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	1	0	5	2	12	4.20
2	Breadth of conceptual clarity	20	1	0	2	7	10	4.25
3	Evaluation Scheme	20	1	0	7	5	7	3.85
4	Involvement of Faculty	20	0	1	4	0	15	4.45
5	Overall effectiveness of the course	20	1	0	3	4	12	4.30
6	Preparedness of the faculty	20	0	2	3	4	11	4.20
7	Quality of Interaction	20	0	1	4	5	10	4.20
8	Quality of Rigor	20	2	0	5	3	10	3.95
9	Sequencing of the topics	20	1	0	4	5	10	4.15
10	Style of topic delivery	20	1	1	4	2	12	4.15
11	Time allotted for each topic	20	1	0	4	4	11	4.20
12	Value addition provided by the Course	20	1	0	4	3	12	4.25
13	Standards of Assessment system	20	0	2	4	1	13	4.25
14	Quality of teaching	20	1	0	2	3	14	4.45

AVG 4.20

K. J. V.
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Chemistry -
23ABS00104T

Sem: I-I

Course Faculty: Mr. Y Kiran Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	0	1	6	3	10	4.10
2	Breadth of conceptual clarity	20	0	2	5	3	10	4.05
3	Evaluation Scheme	20	0	1	5	2	12	4.25
4	Involvement of Faculty	20	0	2	4	2	12	4.20
5	Overall effectiveness of the course	20	0	2	3	3	12	4.25
6	Preparedness of the faculty	20	0	2	5	2	11	4.10
7	Quality of Interaction	20	0	1	4	3	12	4.30
8	Quality of Rigor	20	1	3	4	2	10	3.85
9	Sequencing of the topics	20	0	1	6	4	9	4.05
10	Style of topic delivery	20	0	2	5	0	13	4.20
11	Time allotted for each topic	20	0	1	4	4	11	4.25
12	Value addition provided by the Course	20	0	3	2	3	12	4.20
13	Standards of Assessment system	20	0	1	4	3	12	4.30
14	Quality of teaching	20	0	2	3	3	12	4.25

AVG 4.17

K. Jeyaraj
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore District

Andhra Pradesh - 524 142

Y. Kiran Kumar

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Basic Civil and Mechanical Engineering -
23AES01101

Sem: I-I

Course Faculty: Mrs. K. Manjusha

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	0	2	11	1	6	3.55
2	Breadth of conceptual clarity	20	0	2	6	7	5	3.75
3	Evaluation Scheme	20	1	2	8	4	5	3.50
4	Involvement of Faculty	20	0	1	9	3	7	3.80
5	Overall effectiveness of the course	20	0	1	8	3	8	3.90
6	Preparedness of the faculty	20	0	3	6	4	7	3.75
7	Quality of Interaction	20	1	1	8	3	7	3.70
8	Quality of Rigor	20	1	2	8	3	6	3.55
9	Sequencing of the topics	20	0	2	7	5	6	3.75
10	Style of topic delivery	20	0	2	7	6	5	3.70
11	Time allotted for each topic	20	0	1	5	7	7	4.00
12	Value addition provided by the Course	20	0	1	8	7	4	3.70
13	Standards of Assessment system	20	0	1	7	3	9	4.00
14	Quality of teaching	20	0	1	7	6	6	3.85

AVG	3.75

K. Jeeva
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreedhar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Basic Civil and Mechanical Engineering -
23AES01101

Sem: I-I

Course Faculty: Mr. K. Vinod Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	0	0	5	4	11	4.30
2	Breadth of conceptual clarity	20	0	2	5	3	10	4.05
3	Evaluation Scheme	20	0	0	6	5	9	4.15
4	Involvement of Faculty	20	0	2	5	1	12	4.15
5	Overall effectiveness of the course	20	0	0	6	6	8	4.10
6	Preparedness of the faculty	20	0	2	3	3	12	4.25
7	Quality of Interaction	20	0	0	4	9	7	4.15
8	Quality of Rigor	20	0	2	7	1	10	3.95
9	Sequencing of the topics	20	0	0	7	6	7	4.00
10	Style of topic delivery	20	0	2	4	4	10	4.10
11	Time allotted for each topic	20	0	0	5	4	11	4.30
12	Value addition provided by the Course	20	0	2	3	5	10	4.15
13	Standards of Assessment system	20	0	0	7	3	10	4.15
14	Quality of teaching	20	0	2	3	5	10	4.15

AVG 4.14

K. Zee
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Ramireddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Introduction to Programming -
23AES05101T

Sem: I-I

Course Faculty: Mr. V. Pavan Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	1	0	1	3	15	4.55
2	Breadth of conceptual clarity	20	1	0	2	3	14	4.45
3	Evaluation Scheme	20	1	1	0	3	15	4.50
4	Involvement of Faculty	20	1	0	0	6	13	4.50
5	Overall effectiveness of the course	20	1	0	1	4	14	4.50
6	Preparedness of the faculty	20	1	0	3	3	13	4.35
7	Quality of Interaction	20	1	1	1	4	13	4.35
8	Quality of Rigor	20	1	0	1	5	13	4.45
9	Sequencing of the topics	20	1	0	0	6	13	4.50
10	Style of topic delivery	20	1	0	0	5	14	4.55
11	Time allotted for each topic	20	1	0	0	5	14	4.55
12	Value addition provided by the Course	20	1	0	0	5	14	4.55
13	Standards of Assessment system	20	1	0	1	3	15	4.55
14	Quality of teaching	20	1	0	1	3	15	4.55

AVG 4.49

K. Zee
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. S. S. R.

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Communicative English Laboratory - 23ABS00103P

Sem: I-I

Course Faculty: Ms. K. Krishnaveni

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	0	0	0	1	19	4.95
2	Breadth of conceptual clarity	20	0	0	0	1	19	4.95
3	Evaluation Scheme	20	0	0	0	1	19	4.95
4	Involvement of Faculty	20	1	0	0	2	17	4.70
5	Overall effectiveness of the course	20	0	0	0	1	19	4.95
6	Preparedness of the faculty	20	0	0	0	2	18	4.90
7	Quality of Interaction	20	0	0	0	1	19	4.95
8	Quality of Rigor	20	0	0	0	3	17	4.85
9	Sequencing of the topics	20	0	0	0	3	17	4.85
10	Style of topic delivery	20	0	0	0	3	17	4.85
11	Time allotted for each topic	20	0	0	0	1	19	4.95
12	Value addition provided by the Course	20	0	0	0	2	18	4.90
13	Standards of Assessment system	20	0	0	0	2	18	4.90
14	Quality of teaching	20	0	0	0	1	19	4.95

AVG 4.90

K. Zea
29/12/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Sreedhar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Chemistry Laboratory - 23ABS00104P

Sem: I- I

Course Faculty: Mr. Y Kiran Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	0	0	4	2	14	4.50
2	Breadth of conceptual clarity	20	0	0	5	2	13	4.40
3	Evaluation Scheme	20	0	0	4	4	12	4.40
4	Involvement of Faculty	20	0	1	4	1	14	4.40
5	Overall effectiveness of the course	20	0	0	5	3	12	4.35
6	Preparedness of the faculty	20	0	0	5	3	12	4.35
7	Quality of Interaction	20	0	0	4	3	13	4.45
8	Quality of Rigor	20	0	1	3	4	12	4.35
9	Sequencing of the topics	20	0	0	5	2	13	4.40
10	Style of topic delivery	20	0	0	4	3	13	4.45
11	Time allotted for each topic	20	0	1	3	3	13	4.40
12	Value addition provided by the Course	20	0	1	3	2	14	4.45
13	Standards of Assessment system	20	0	0	4	5	11	4.35
14	Quality of teaching	20	0	0	4	4	12	4.40

AVG 4.40

K. Jeeva
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Engineering Workshop - 23AES03101

Sem: I-I

Course Faculty: Mr. A. Anil

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	0	2	7	3	8	3.85
2	Breadth of conceptual clarity	20	0	3	6	4	7	3.75
3	Evaluation Scheme	20	0	2	7	5	6	3.75
4	Involvement of Faculty	20	0	3	4	5	8	3.90
5	Overall effectiveness of the course	20	0	3	4	6	7	3.85
6	Preparedness of the faculty	20	0	3	4	4	9	3.95
7	Quality of Interaction	20	0	3	5	4	8	3.85
8	Quality of Rigor	20	0	3	5	4	8	3.85
9	Sequencing of the topics	20	0	2	6	4	8	3.90
10	Style of topic delivery	20	0	3	5	4	8	3.85
11	Time allotted for each topic	20	0	2	4	6	8	4.00
12	Value addition provided by the Course	20	0	4	3	5	8	3.85
13	Standards of Assessment system	20	1	2	2	7	8	3.95
14	Quality of teaching	20	1	2	5	3	9	3.85

AVG 3.87

K. B. S. 29/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. S. S. R. Nellore

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Computer Programming Laboratory - 23AES05101P

Sem: I-I

Course Faculty: Mr. V. Pavan Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	20	1	0	2	2	15	4.50
2	Breadth of conceptual clarity	20	1	0	2	4	13	4.40
3	Evaluation Scheme	20	1	0	3	4	12	4.30
4	Involvement of Faculty	20	1	0	3	4	12	4.30
5	Overall effectiveness of the course	20	1	0	2	4	13	4.40
6	Preparedness of the faculty	20	1	0	2	4	13	4.40
7	Quality of Interaction	20	1	0	2	4	13	4.40
8	Quality of Rigor	20	1	0	1	6	12	4.40
9	Sequencing of the topics	20	1	0	2	5	12	4.35
10	Style of topic delivery	20	1	0	1	4	14	4.50
11	Time allotted for each topic	20	1	0	4	3	12	4.25
12	Value addition provided by the Course	20	1	0	1	6	12	4.40
13	Standards of Assessment system	20	1	0	2	5	12	4.35
14	Quality of teaching	20	1	0	1	5	13	4.45

AVG 4.39

K. Jey 29/12/23.
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Sem: I- I

Date: 29-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00101T	Engineering Physics	Mr. R. Mallikarjuna Sharma	50	3.56	
2	23ABS00102	Linear Algebra and Calculus	Mr. B. Jagadeesh Kumar	50	4.25	
3	23AES02101T	Basic Electrical and Electronics Engineering	Dr. P. V. N. Reddy	50	4.18	
4	23AES02101T	Basic Electrical and Electronics Engineering	Mr. A. Bhasker	50	4.02	
5	23AES03101	Engineering Graphics	Mr. B. Radha Krishnaiah	50	4.03	
6	23AES05101T	Introduction to Programming	Mr. K. Ramesh	50	3.98	
7	23AES05102	IT Workshop	Mr. K. Ramesh	50	4.15	
8	23ABS00101P	Engineering Physics Laboratory	Mrs. S. Shabana	50	4.20	
9	23AES02101P	Electrical and Electronics Engineering Laboratory	Mr. P. V. Ramkumar & Mrs. K. Saranya Reddy	50	3.89	
10	23AES05101P	Computer Programming Laboratory	Ms. B. Sushma Yamini	50	3.52	

K. Jey
29/12/23.
IQAC CO-ORDINATOR
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist
Andhra Pradesh - 524 142

P. Venkatesh
PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Engineering Physics -
23ABS00101T

Sem: I- I

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	3	26	12	9	3.54
2	Breadth of conceptual clarity	50	0	7	25	10	8	3.38
3	Evaluation Scheme	50	0	6	24	13	7	3.42
4	Involvement of Faculty	50	0	3	19	17	11	3.72
5	Overall effectiveness of the course	50	0	7	21	10	12	3.54
6	Preparedness of the faculty	50	1	7	20	13	9	3.44
7	Quality of Interaction	50	0	6	18	17	9	3.58
8	Quality of Rigor	50	0	3	24	16	7	3.54
9	Sequencing of the topics	50	0	4	25	11	10	3.54
10	Style of topic delivery	50	0	3	26	11	10	3.56
11	Time allotted for each topic	50	1	4	24	11	10	3.50
12	Value addition provided by the Course	50	0	5	20	14	11	3.62
13	Standards of Assessment system	50	0	4	20	16	10	3.64
14	Quality of teaching	50	0	2	21	14	13	3.76

AVG 3.56

K. Zee
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh. 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Linear Algebra and Calculus - 23ABS00102

Sem: I-I

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	12	11	27	4.30
2	Breadth of conceptual clarity	50	0	1	11	15	23	4.20
3	Evaluation Scheme	50	0	1	12	11	26	4.24
4	Involvement of Faculty	50	1	0	10	13	26	4.26
5	Overall effectiveness of the course	50	0	2	10	10	28	4.28
6	Preparedness of the faculty	50	0	4	11	7	28	4.18
7	Quality of Interaction	50	0	1	10	10	29	4.34
8	Quality of Rigor	50	0	1	13	12	24	4.18
9	Sequencing of the topics	50	0	3	9	8	30	4.30
10	Style of topic delivery	50	0	2	9	12	27	4.28
11	Time allotted for each topic	50	1	1	12	9	27	4.20
12	Value addition provided by the Course	50	0	1	13	12	24	4.18
13	Standards of Assessment system	50	0	2	12	9	27	4.22
14	Quality of teaching	50	0	1	10	9	30	4.36

AVG 4.25

K. Jeyaraj
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. S. S. R. Nellore

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I-I

Course Faculty: Dr. P. V. N. Reddy

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	1	14	16	19	4.06
2	Breadth of conceptual clarity	50	0	0	14	15	21	4.14
3	Evaluation Scheme	50	0	1	14	16	19	4.06
4	Involvement of Faculty	50	0	1	12	17	20	4.12
5	Overall effectiveness of the course	50	0	1	8	22	19	4.18
6	Preparedness of the faculty	50	0	0	11	18	21	4.20
7	Quality of Interaction	50	0	1	9	21	19	4.16
8	Quality of Rigor	50	0	0	10	22	18	4.16
9	Sequencing of the topics	50	0	2	8	17	23	4.22
10	Style of topic delivery	50	0	2	9	16	23	4.20
11	Time allotted for each topic	50	0	2	9	24	15	4.04
12	Value addition provided by the Course	50	0	0	7	22	21	4.28
13	Standards of Assessment system	50	0	1	7	20	22	4.26
14	Quality of teaching	50	0	0	6	15	29	4.46

AVG 4.18

K. Zel
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. V. N. Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I-I

Course Faculty: Mr. A. Bhasker

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	1	3	10	14	22	4.06
2	Breadth of conceptual clarity	50	0	5	7	17	21	4.08
3	Evaluation Scheme	50	0	3	14	16	17	3.94
4	Involvement of Faculty	50	1	2	14	13	20	3.98
5	Overall effectiveness of the course	50	2	5	8	13	22	3.96
6	Preparedness of the faculty	50	1	3	14	12	20	3.94
7	Quality of Interaction	50	2	4	8	15	21	3.98
8	Quality of Rigor	50	1	6	10	16	17	3.84
9	Sequencing of the topics	50	1	2	11	18	18	4.00
10	Style of topic delivery	50	1	3	9	14	23	4.10
11	Time allotted for each topic	50	1	2	12	16	19	4.00
12	Value addition provided by the Course	50	0	4	11	12	23	4.08
13	Standards of Assessment system	50	0	5	9	16	20	4.02
14	Quality of teaching	50	0	2	10	9	29	4.30

AVG 4.02

K. B. 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh - 524 142

P. S. S. R.

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Engineering Graphics - 23AES03101

Sem: I-I

Course Faculty: Mr. B. Radha Krishnaiah

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	2	19	8	21	3.96
2	Breadth of conceptual clarity	50	0	1	19	9	21	4.00
3	Evaluation Scheme	50	0	1	15	13	21	4.08
4	Involvement of Faculty	50	0	2	15	14	19	4.00
5	Overall effectiveness of the course	50	0	2	16	9	23	4.06
6	Preparedness of the faculty	50	0	2	15	12	21	4.04
7	Quality of Interaction	50	0	2	16	10	22	4.04
8	Quality of Rigor	50	0	2	17	11	20	3.98
9	Sequencing of the topics	50	0	2	13	12	23	4.12
10	Style of topic delivery	50	0	2	16	8	24	4.08
11	Time allotted for each topic	50	0	2	18	9	21	3.98
12	Value addition provided by the Course	50	0	3	15	11	21	4.00
13	Standards of Assessment system	50	0	2	18	8	22	4.00
14	Quality of teaching	50	0	2	16	11	21	4.02

AVG	4.03

K. Zel 29/12/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Introduction to Programming -
23AES05101T

Sem: I-I

Course Faculty: Mr. K. Ramesh

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	1	18	13	18	3.96
2	Breadth of conceptual clarity	50	0	0	18	13	19	4.02
3	Evaluation Scheme	50	0	1	18	12	19	3.98
4	Involvement of Faculty	50	0	0	17	14	19	4.04
5	Overall effectiveness of the course	50	0	3	17	13	17	3.88
6	Preparedness of the faculty	50	0	0	19	10	21	4.04
7	Quality of Interaction	50	0	2	19	12	17	3.88
8	Quality of Rigor	50	0	1	21	11	17	3.88
9	Sequencing of the topics	50	0	1	18	13	18	3.96
10	Style of topic delivery	50	0	1	16	11	22	4.08
11	Time allotted for each topic	50	1	0	23	9	17	3.82
12	Value addition provided by the Course	50	0	1	17	10	22	4.06
13	Standards of Assessment system	50	0	0	17	12	21	4.08
14	Quality of teaching	50	0	1	16	13	20	4.04

AVG 3.98

K. Ramesh
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Ramireddy Subbarami Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: IT Workshop - 23AES05102

Sem: I-I

Course Faculty: Mr. K. Ramesh

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	2	12	11	25	4.18
2	Breadth of conceptual clarity	50	0	2	14	9	25	4.14
3	Evaluation Scheme	50	0	3	11	12	24	4.14
4	Involvement of Faculty	50	0	2	12	15	21	4.10
5	Overall effectiveness of the course	50	0	2	15	12	21	4.04
6	Preparedness of the faculty	50	0	2	13	11	24	4.14
7	Quality of Interaction	50	0	1	12	12	25	4.22
8	Quality of Rigor	50	0	3	11	11	25	4.16
9	Sequencing of the topics	50	0	1	11	13	25	4.24
10	Style of topic delivery	50	0	3	12	13	22	4.08
11	Time allotted for each topic	50	0	2	12	9	27	4.22
12	Value addition provided by the Course	50	0	2	13	12	23	4.12
13	Standards of Assessment system	50	0	2	12	15	21	4.10
14	Quality of teaching	50	0	2	11	9	28	4.26

AVG 4.15

K. Jay 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Engineering Physics Laboratory - 23ABS00101P

Sem: I- I

Course Faculty: Mrs. S. Shabana

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	1	14	13	22	4.12
2	Breadth of conceptual clarity	50	0	0	12	18	20	4.16
3	Evaluation Scheme	50	0	0	15	12	23	4.16
4	Involvement of Faculty	50	0	0	11	15	24	4.26
5	Overall effectiveness of the course	50	0	0	15	9	26	4.22
6	Preparedness of the faculty	50	0	0	12	14	24	4.24
7	Quality of Interaction	50	0	0	12	18	20	4.16
8	Quality of Rigor	50	0	0	13	13	24	4.22
9	Sequencing of the topics	50	0	0	11	17	22	4.22
10	Style of topic delivery	50	0	0	11	12	27	4.32
11	Time allotted for each topic	50	0	0	16	14	20	4.08
12	Value addition provided by the Course	50	0	0	12	19	19	4.14
13	Standards of Assessment system	50	0	0	13	14	23	4.20
14	Quality of teaching	50	0	0	11	16	23	4.24

AVG 4.20

K. 30
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. 2023

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Electrical and Electronics Engineering Laboratory -

Course Name & Code: 23AES02101P

Sem: I-I

Course Faculty: Mr. P. V. Ramkumar & Mrs. K. Saranya Reddy

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	1	20	14	15	3.86
2	Breadth of conceptual clarity	50	0	0	19	13	18	3.98
3	Evaluation Scheme	50	0	2	17	12	19	3.96
4	Involvement of Faculty	50	0	1	17	18	14	3.90
5	Overall effectiveness of the course	50	0	2	18	14	16	3.88
6	Preparedness of the faculty	50	0	2	18	16	14	3.84
7	Quality of Interaction	50	0	1	18	14	17	3.94
8	Quality of Rigor	50	0	2	18	19	11	3.78
9	Sequencing of the topics	50	0	1	19	17	13	3.84
10	Style of topic delivery	50	0	1	17	20	12	3.86
11	Time allotted for each topic	50	0	1	20	15	14	3.84
12	Value addition provided by the Course	50	0	0	20	16	14	3.88
13	Standards of Assessment system	50	0	2	18	17	13	3.82
14	Quality of teaching	50	0	0	18	12	20	4.04

AVG 3.89

K. Saranya Reddy
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh Reddy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Computer Programming Laboratory - 23AES05101P

Sem: I- I

Course Faculty: Ms. B. Sushma Yamini

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	3	5	21	11	10	3.40
2	Breadth of conceptual clarity	50	3	7	21	10	9	3.30
3	Evaluation Scheme	50	4	4	21	14	7	3.32
4	Involvement of Faculty	50	2	5	17	16	10	3.54
5	Overall effectiveness of the course	50	2	5	17	18	8	3.50
6	Preparedness of the faculty	50	3	5	10	8	24	3.90
7	Quality of Interaction	50	2	7	15	14	12	3.54
8	Quality of Rigor	50	3	4	19	15	9	3.46
9	Sequencing of the topics	50	3	2	18	16	11	3.60
10	Style of topic delivery	50	3	4	16	15	12	3.58
11	Time allotted for each topic	50	4	4	17	13	12	3.50
12	Value addition provided by the Course	50	4	5	19	9	13	3.44
13	Standards of Assessment system	50	4	3	19	10	14	3.54
14	Quality of teaching	50	3	5	15	12	15	3.62

AVG 3.52

K.305
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist:
Andhra Pradesh 524 142

P. Sushma

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Sem: I-I

Date: 29-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00101T	Engineering Physics	Mr. R. Mallikarjuna Sharma	42	3.72	
2	23ABS00102	Linear Algebra and Calculus	Mr. B. Jagadeesh Kumar	42	4.43	
3	23AES02101T	Basic Electrical and Electronics Engineering	Dr. P. V. N. Reddy	42	4.16	
4	23AES02101T	Basic Electrical and Electronics Engineering	Mr. A. Bhasker	42	4.04	
5	23AES03101	Engineering Graphics	Mr. B. Radha Krishnaiah	42	4.19	
6	23AES05101T	Introduction to Programming	Mr. K. Ramesh	42	4.03	
7	23AES05102	IT Workshop	Mr. K. Ramesh	42	4.06	
8	23ABS00101P	Engineering Physics Laboratory	Mr. R. Mallikarjuna Sharma	42	3.93	
9	23AES02101P	Electrical and Electronics Engineering Laboratory	Dr. V. Raveendra Reddy & Mr. S. Ezra	42	3.98	
10	23AES05101P	Computer Programming Laboratory	Mr. V. Pavan Kumar	42	4.17	

K.304
29/12/23.

IQAC CO-ORDINATOR
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: Engineering Physics -
23ABS00101T

Sem: I-I

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	20	9	12	3.76
2	Breadth of conceptual clarity	42	0	1	19	12	10	3.74
3	Evaluation Scheme	42	0	2	16	14	10	3.76
4	Involvement of Faculty	42	0	2	18	11	11	3.74
5	Overall effectiveness of the course	42	0	3	15	10	14	3.83
6	Preparedness of the faculty	42	0	2	17	12	11	3.76
7	Quality of Interaction	42	0	4	18	8	12	3.67
8	Quality of Rigor	42	0	3	16	15	8	3.67
9	Sequencing of the topics	42	0	2	19	8	13	3.76
10	Style of topic delivery	42	0	2	18	11	11	3.74
11	Time allotted for each topic	42	0	5	15	13	9	3.62
12	Value addition provided by the Course	42	0	2	20	9	11	3.69
13	Standards of Assessment system	42	0	4	15	16	7	3.62
14	Quality of teaching	42	0	2	19	11	10	3.69

AVG 3.72

K-302
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. V. Reddy

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA, 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: Linear Algebra and Calculus - 23ABS00102

Sem: I-I

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	0	9	7	26	4.40
2	Breadth of conceptual clarity	42	0	0	9	8	25	4.38
3	Evaluation Scheme	42	0	0	9	7	26	4.40
4	Involvement of Faculty	42	0	0	7	9	26	4.45
5	Overall effectiveness of the course	42	0	0	8	8	26	4.43
6	Preparedness of the faculty	42	0	0	8	7	27	4.45
7	Quality of Interaction	42	0	0	8	6	28	4.48
8	Quality of Rigor	42	0	1	7	9	25	4.38
9	Sequencing of the topics	42	0	0	10	6	26	4.38
10	Style of topic delivery	42	0	0	7	7	28	4.50
11	Time allotted for each topic	42	0	0	9	7	26	4.40
12	Value addition provided by the Course	42	0	0	8	10	24	4.38
13	Standards of Assessment system	42	0	0	9	8	25	4.38
14	Quality of teaching	42	0	0	6	8	28	4.52

AVG 4.43

K. Jeyaraj
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

B. Jagadeesh Kumar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: Basic Electrical and Electronics Engineering - 23AES02101T

Sem: I-I

Course Faculty: Dr. P. V. N. Reddy

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	0	12	12	18	4.14
2	Breadth of conceptual clarity	42	0	0	13	9	20	4.17
3	Evaluation Scheme	42	0	0	14	9	19	4.12
4	Involvement of Faculty	42	0	0	12	10	20	4.19
5	Overall effectiveness of the course	42	0	0	12	11	19	4.17
6	Preparedness of the faculty	42	0	0	13	9	20	4.17
7	Quality of Interaction	42	0	1	13	8	20	4.12
8	Quality of Rigor	42	0	0	14	10	18	4.10
9	Sequencing of the topics	42	0	0	13	9	20	4.17
10	Style of topic delivery	42	0	0	12	8	22	4.24
11	Time allotted for each topic	42	0	1	12	8	21	4.17
12	Value addition provided by the Course	42	0	0	13	10	19	4.14
13	Standards of Assessment system	42	0	0	14	7	21	4.17
14	Quality of teaching	42	0	0	12	9	21	4.21

AVG 4.16

K. Jeyaraj
29/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh
29/12/23

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA, 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES03101

Sem: I-I

Course Faculty: Mr. A. Bhasker

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	17	7	17	3.95
2	Breadth of conceptual clarity	42	0	0	17	8	17	4.00
3	Evaluation Scheme	42	0	0	18	6	18	4.00
4	Involvement of Faculty	42	0	1	13	11	17	4.05
5	Overall effectiveness of the course	42	0	0	16	10	16	4.00
6	Preparedness of the faculty	42	0	0	16	7	19	4.07
7	Quality of Interaction	42	0	1	15	7	19	4.05
8	Quality of Rigor	42	0	0	17	8	17	4.00
9	Sequencing of the topics	42	0	0	16	8	18	4.05
10	Style of topic delivery	42	0	0	16	7	19	4.07
11	Time allotted for each topic	42	0	0	17	7	18	4.02
12	Value addition provided by the Course	42	0	0	17	5	20	4.07
13	Standards of Assessment system	42	0	0	17	7	18	4.02
14	Quality of teaching	42	0	0	14	6	22	4.19

AVG 4.04

K. Jeyaraj
29/12/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA (V), BOGOLE (M)
KAVALI, SRI P.S.R. NELLORE DIST.
ANDHRA PRADESH - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: Engineering Graphics - 23AES05101T

Sem: I-I

Course Faculty: Mr. B. Radha Krishnaiah

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	11	8	22	4.21
2	Breadth of conceptual clarity	42	0	1	13	8	20	4.12
3	Evaluation Scheme	42	0	1	12	6	23	4.21
4	Involvement of Faculty	42	0	1	11	8	22	4.21
5	Overall effectiveness of the course	42	0	1	11	9	21	4.19
6	Preparedness of the faculty	42	0	1	11	8	22	4.21
7	Quality of Interaction	42	0	1	11	7	23	4.24
8	Quality of Rigor	42	0	2	10	8	22	4.19
9	Sequencing of the topics	42	0	1	11	10	20	4.17
10	Style of topic delivery	42	0	1	12	6	23	4.21
11	Time allotted for each topic	42	0	1	12	10	19	4.12
12	Value addition provided by the Course	42	0	1	12	9	20	4.14
13	Standards of Assessment system	42	0	1	10	11	20	4.19
14	Quality of teaching	42	0	1	12	7	22	4.19

AVG 4.19

K. B. 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. C. 29/12/23

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: Introduction to Programming -
23AES05102

Sem: I-I

Course Faculty: Mr. K. Ramesh

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	2	12	12	16	4.00
2	Breadth of conceptual clarity	42	0	1	13	11	17	4.05
3	Evaluation Scheme	42	0	2	9	17	14	4.02
4	Involvement of Faculty	42	0	2	12	11	17	4.02
5	Overall effectiveness of the course	42	0	1	13	12	16	4.02
6	Preparedness of the faculty	42	0	2	11	14	15	4.00
7	Quality of Interaction	42	0	1	12	11	18	4.10
8	Quality of Rigor	42	0	2	13	12	15	3.95
9	Sequencing of the topics	42	0	1	15	8	18	4.02
10	Style of topic delivery	42	0	1	14	11	16	4.00
11	Time allotted for each topic	42	0	1	12	12	17	4.07
12	Value addition provided by the Course	42	0	1	13	13	15	4.00
13	Standards of Assessment system	42	0	1	12	12	17	4.07
14	Quality of teaching	42	0	1	11	12	18	4.12

AVG 4.03

K. Ramesh
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist,

Andhra Pradesh 524 142

P. S. R. Nellore

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: IT Workshop - 23ABS00101P

Sem: I - I

Course Faculty: Mr. K. Ramesh

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	10	13	18	4.14
2	Breadth of conceptual clarity	42	0	2	9	17	14	4.02
3	Evaluation Scheme	42	0	2	9	14	17	4.10
4	Involvement of Faculty	42	0	2	12	10	18	4.05
5	Overall effectiveness of the course	42	0	2	13	9	18	4.02
6	Preparedness of the faculty	42	0	2	13	14	13	3.90
7	Quality of Interaction	42	0	2	13	10	17	4.00
8	Quality of Rigor	42	0	2	12	12	16	4.00
9	Sequencing of the topics	42	0	2	10	15	15	4.02
10	Style of topic delivery	42	0	2	10	12	18	4.10
11	Time allotted for each topic	42	0	1	11	14	16	4.07
12	Value addition provided by the Course	42	0	1	10	12	19	4.17
13	Standards of Assessment system	42	0	1	11	15	15	4.05
14	Quality of teaching	42	0	1	11	9	21	4.19

AVG 4.06

K. Ramesh
29/12/23.

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: Engineering Physics Laboratory - 23AES02101P

Sem: I-I

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	13	12	16	4.02
2	Breadth of conceptual clarity	42	0	3	13	12	14	3.88
3	Evaluation Scheme	42	0	3	11	13	15	3.95
4	Involvement of Faculty	42	0	3	13	10	16	3.93
5	Overall effectiveness of the course	42	0	5	10	12	15	3.88
6	Preparedness of the faculty	42	0	3	11	13	15	3.95
7	Quality of Interaction	42	0	3	12	10	17	3.98
8	Quality of Rigor	42	0	4	11	12	15	3.90
9	Sequencing of the topics	42	0	3	11	12	16	3.98
10	Style of topic delivery	42	0	3	13	13	13	3.86
11	Time allotted for each topic	42	0	3	10	14	15	3.98
12	Value addition provided by the Course	42	0	4	11	13	14	3.88
13	Standards of Assessment system	42	0	3	12	11	16	3.95
14	Quality of teaching	42	0	2	15	9	16	3.93

AVG 3.93

K. 302
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Electrical and Electronics Engineering Laboratory -

Course Name & Code: 23AES05101P

Sem: I-I

Course Faculty: Dr. V. Raveendra Reddy & Mr. S. Ezra

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	16	9	16	3.95
2	Breadth of conceptual clarity	42	0	1	14	12	15	3.98
3	Evaluation Scheme	42	0	1	13	12	16	4.02
4	Involvement of Faculty	42	0	1	14	12	15	3.98
5	Overall effectiveness of the course	42	0	1	15	9	17	4.00
6	Preparedness of the faculty	42	0	1	16	9	16	3.95
7	Quality of Interaction	42	0	1	15	9	17	4.00
8	Quality of Rigor	42	0	1	14	12	15	3.98
9	Sequencing of the topics	42	0	1	15	12	14	3.93
10	Style of topic delivery	42	0	0	17	10	15	3.95
11	Time allotted for each topic	42	0	0	16	11	15	3.98
12	Value addition provided by the Course	42	0	1	14	10	17	4.02
13	Standards of Assessment system	42	0	1	15	10	16	3.98
14	Quality of teaching	42	0	0	16	8	18	4.05

AVG 3.98

K. Jee 29/12/23.
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Pone2dy
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B & CIVIL ENGG.

Course Name & Code: Computer Programming Laboratory - 23AES05101P Sem: I-I

Course Faculty: Mr. V. Pavan Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	0	10	14	18	4.19
2	Breadth of conceptual clarity	42	0	0	8	18	16	4.19
3	Evaluation Scheme	42	0	0	8	19	15	4.17
4	Involvement of Faculty	42	0	0	9	16	17	4.19
5	Overall effectiveness of the course	42	0	0	9	16	17	4.19
6	Preparedness of the faculty	42	0	0	9	19	14	4.12
7	Quality of Interaction	42	0	0	8	19	15	4.17
8	Quality of Rigor	42	0	0	9	19	14	4.12
9	Sequencing of the topics	42	0	0	9	18	15	4.14
10	Style of topic delivery	42	0	0	9	16	17	4.19
11	Time allotted for each topic	42	0	0	8	19	15	4.17
12	Value addition provided by the Course	42	0	1	8	19	14	4.10
13	Standards of Assessment system	42	0	0	8	17	17	4.21
14	Quality of teaching	42	0	0	8	15	19	4.26

AVG 4.17

K. Jeeva 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Sem: I- I

Date: 29-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00103T	Communicative English	Mr. M V V Aditya	59	4.82	
2	23ABS00102	Linear Algebra and Calculus	Dr. SK Masthan	59	4.61	
3	23ABS00104T	Chemistry	Mr. V V Suresh Babu	59	4.71	
4	23AES01101	Civil and Mechanical Engineering	Mrs. K. Manjusha	59	4.53	
5	23AES01101	Civil and Mechanical Engineering	Mr. K. Vinod Kumar	59	4.56	
6	23AES05101T	Introduction to Programming	Dr. K. Lakshmi	59	4.83	
7	23ABS00103P	Communicative English Laboratory	Mr. M V V Aditya	59	4.81	
8	23ABS00104P	Chemistry Laboratory	Mr. V V Suresh Babu	59	4.75	
9	23AES03101	Engineering Workshop	Mr. A. Anil	59	4.47	
10	23AES05101P	Computer Programming Laboratory	Mr. S. Badulla	59	4.52	

K. Jey
29/12/23.

IQAC CO-ORDINATOR
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
Kadanuthala (V), Bogole (M)
S.P.S.R. Nellore Dist.
Kavali- 524 142.

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Communicative English -
23ABS00103T

Sem: I- I

Course Faculty: Mr. M V V Aditya

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	0	0	4	6	49	4.76
2	Breadth of conceptual clarity	59	0	1	2	6	50	4.78
3	Evaluation Scheme	59	0	0	4	9	46	4.71
4	Involvement of Faculty	59	0	0	2	5	52	4.85
5	Overall effectiveness of the course	59	0	0	3	8	48	4.76
6	Preparedness of the faculty	59	0	0	2	4	53	4.86
7	Quality of Interaction	59	0	0	3	5	51	4.81
8	Quality of Rigor	59	0	0	2	4	53	4.86
9	Sequencing of the topics	59	0	0	3	4	52	4.83
10	Style of topic delivery	59	0	0	3	4	52	4.83
11	Time allotted for each topic	59	0	0	2	6	51	4.83
12	Value addition provided by the Course	59	0	0	2	4	53	4.86
13	Standards of Assessment system	59	0	0	3	5	51	4.81
14	Quality of teaching	59	0	0	3	2	54	4.86

AVG 4.82

K. Jee 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. V. V. Aditya

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Linear Algebra and Calculus - 23ABS00102

Sem: I- I

Course Faculty: Dr. SK Masthan

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	1	0	7	3	48	4.64
2	Breadth of conceptual clarity	59	1	0	9	4	45	4.56
3	Evaluation Scheme	59	1	0	10	5	43	4.51
4	Involvement of Faculty	59	1	0	6	5	47	4.64
5	Overall effectiveness of the course	59	1	0	7	6	45	4.59
6	Preparedness of the faculty	59	1	1	7	2	48	4.61
7	Quality of Interaction	59	1	1	5	5	47	4.63
8	Quality of Rigor	59	1	1	7	3	47	4.59
9	Sequencing of the topics	59	1	1	6	3	48	4.63
10	Style of topic delivery	59	1	1	7	3	47	4.59
11	Time allotted for each topic	59	1	1	7	4	46	4.58
12	Value addition provided by the Course	59	2	1	4	3	49	4.63
13	Standards of Assessment system	59	1	1	6	3	48	4.63
14	Quality of teaching	59	1	1	5	4	48	4.64

AVG	4.61

K. Jeyaraj
29/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. Masthan

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Chemistry -
23ABS00104T

Sem: I- I

Course Faculty: Mr. V V Suresh Babu

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	0	0	3	10	46	4.73
2	Breadth of conceptual clarity	59	0	0	3	10	46	4.73
3	Evaluation Scheme	59	0	0	5	9	45	4.68
4	Involvement of Faculty	59	0	0	3	7	49	4.78
5	Overall effectiveness of the course	59	0	0	4	9	46	4.71
6	Preparedness of the faculty	59	0	0	4	8	47	4.73
7	Quality of Interaction	59	0	0	5	8	46	4.69
8	Quality of Rigor	59	0	0	4	9	46	4.71
9	Sequencing of the topics	59	0	0	5	7	47	4.71
10	Style of topic delivery	59	0	1	4	8	46	4.68
11	Time allotted for each topic	59	0	0	4	9	46	4.71
12	Value addition provided by the Course	59	0	1	3	11	44	4.66
13	Standards of Assessment system	59	0	0	4	11	44	4.68
14	Quality of teaching	59	0	0	4	9	46	4.71

AVG 4.71

K. Jot 29/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Suresh Babu

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Civil and Mechanical Engineering -
23AES01101

Sem: I- I

Course Faculty: Mrs. K. Manjusha

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	0	2	5	12	40	4.53
2	Breadth of conceptual clarity	59	0	1	8	9	41	4.53
3	Evaluation Scheme	59	0	1	8	9	41	4.53
4	Involvement of Faculty	59	0	1	9	11	38	4.46
5	Overall effectiveness of the course	59	0	1	5	14	39	4.54
6	Preparedness of the faculty	59	0	1	7	11	40	4.53
7	Quality of Interaction	59	0	0	9	12	38	4.49
8	Quality of Rigor	59	0	0	7	10	42	4.59
9	Sequencing of the topics	59	0	0	7	13	39	4.54
10	Style of topic delivery	59	0	1	8	12	38	4.47
11	Time allotted for each topic	59	0	0	8	11	40	4.54
12	Value addition provided by the Course	59	0	0	7	9	43	4.61
13	Standards of Assessment system	59	0	1	7	10	41	4.54
14	Quality of teaching	59	0	0	8	10	41	4.56

AVG 4.53

K. Jeyaraj
29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Pouranjan

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Civil and Mechanical Engineering - 23AES01101

Sem: I- I

Course Faculty: Mr. K. Vinod Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	0	2	6	7	44	4.58
2	Breadth of conceptual clarity	59	0	3	6	6	44	4.54
3	Evaluation Scheme	59	0	3	6	7	43	4.53
4	Involvement of Faculty	59	0	3	6	7	43	4.53
5	Overall effectiveness of the course	59	0	1	8	7	43	4.56
6	Preparedness of the faculty	59	0	3	5	6	45	4.58
7	Quality of Interaction	59	0	1	8	8	42	4.54
8	Quality of Rigor	59	0	2	5	10	42	4.56
9	Sequencing of the topics	59	0	2	6	6	45	4.59
10	Style of topic delivery	59	0	3	5	7	44	4.56
11	Time allotted for each topic	59	0	2	6	7	44	4.58
12	Value addition provided by the Course	59	0	2	5	8	44	4.59
13	Standards of Assessment system	59	0	2	7	5	45	4.58
14	Quality of teaching	59	0	2	6	7	44	4.58

AVG 4.56

K. Jeeva
29/12/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Introduction to Programming -
23AES05101T

Sem: I- I

Course Faculty: Dr. K. Lakshmi

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	0	0	1	8	50	4.83
2	Breadth of conceptual clarity	59	0	1	1	4	53	4.85
3	Evaluation Scheme	59	0	0	1	7	51	4.85
4	Involvement of Faculty	59	0	0	2	5	52	4.85
5	Overall effectiveness of the course	59	0	0	1	8	50	4.83
6	Preparedness of the faculty	59	0	0	1	4	54	4.90
7	Quality of Interaction	59	0	0	1	7	51	4.85
8	Quality of Rigor	59	0	0	3	3	53	4.85
9	Sequencing of the topics	59	0	0	2	7	50	4.81
10	Style of topic delivery	59	0	1	2	3	53	4.83
11	Time allotted for each topic	59	0	1	2	6	50	4.78
12	Value addition provided by the Course	59	1	0	2	4	52	4.80
13	Standards of Assessment system	59	0	0	3	6	50	4.80
14	Quality of teaching	59	0	0	3	3	53	4.85

AVG 4.83

K. Jey 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. Udaya

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Communicative English Laboratory - 23ABS00103P

Sem: I-I

Course Faculty: Mr. M V V Aditya

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	0	0	3	4	52	4.83
2	Breadth of conceptual clarity	59	0	0	3	5	51	4.81
3	Evaluation Scheme	59	0	0	3	4	52	4.83
4	Involvement of Faculty	59	0	0	3	6	50	4.80
5	Overall effectiveness of the course	59	0	0	4	3	52	4.81
6	Preparedness of the faculty	59	0	0	4	4	51	4.80
7	Quality of Interaction	59	0	0	4	3	52	4.81
8	Quality of Rigor	59	0	0	4	4	51	4.80
9	Sequencing of the topics	59	0	0	3	6	50	4.80
10	Style of topic delivery	59	0	0	4	3	52	4.81
11	Time allotted for each topic	59	0	0	3	5	51	4.81
12	Value addition provided by the Course	59	0	0	4	3	52	4.81
13	Standards of Assessment system	59	0	0	3	4	52	4.83
14	Quality of teaching	59	0	0	3	4	52	4.83

AVG	4.81

K. Jeyaraj
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Chemistry Laboratory - 23ABS00104P

Sem: I- I

Course Faculty: Mr. V V Suresh Babu

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	0	0	4	5	50	4.78
2	Breadth of conceptual clarity	59	0	0	4	6	49	4.76
3	Evaluation Scheme	59	0	0	4	5	50	4.78
4	Involvement of Faculty	59	0	0	5	5	49	4.75
5	Overall effectiveness of the course	59	0	0	5	5	49	4.75
6	Preparedness of the faculty	59	0	0	5	4	50	4.76
7	Quality of Interaction	59	0	0	6	5	48	4.71
8	Quality of Rigor	59	0	0	5	5	49	4.75
9	Sequencing of the topics	59	0	0	5	6	48	4.73
10	Style of topic delivery	59	0	0	5	4	50	4.76
11	Time allotted for each topic	59	0	0	4	5	50	4.78
12	Value addition provided by the Course	59	0	0	4	7	48	4.75
13	Standards of Assessment system	59	0	0	4	6	49	4.76
14	Quality of teaching	59	0	0	4	7	48	4.75

AVG	4.75

K. B. S.
29/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Suresh Babu

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Engineering Workshop - 23AES03101

Sem: I- I

Course Faculty: Mr. A. Anil

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	1	0	9	9	40	4.47
2	Breadth of conceptual clarity	59	1	0	9	12	37	4.42
3	Evaluation Scheme	59	1	0	11	6	41	4.46
4	Involvement of Faculty	59	1	0	7	12	39	4.49
5	Overall effectiveness of the course	59	1	0	8	11	39	4.47
6	Preparedness of the faculty	59	2	0	6	12	39	4.46
7	Quality of Interaction	59	2	0	7	9	41	4.47
8	Quality of Rigor	59	1	1	7	11	39	4.46
9	Sequencing of the topics	59	1	0	8	8	42	4.53
10	Style of topic delivery	59	1	0	10	11	37	4.41
11	Time allotted for each topic	59	1	0	9	7	42	4.51
12	Value addition provided by the Course	59	1	0	10	10	38	4.42
13	Standards of Assessment system	59	1	0	9	5	44	4.54
14	Quality of teaching	59	1	0	9	9	40	4.47

AVG 4.47

K.30
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh - 524 142

for

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Computer Programming Laboratory - 23AES05101P

Sem: I- I

Course Faculty: Mr. S. Badulla

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	59	1	0	8	9	41	4.51
2	Breadth of conceptual clarity	59	1	0	9	7	42	4.51
3	Evaluation Scheme	59	1	0	10	10	38	4.42
4	Involvement of Faculty	59	1	0	8	9	41	4.51
5	Overall effectiveness of the course	59	1	0	8	11	39	4.47
6	Preparedness of the faculty	59	1	0	9	9	40	4.47
7	Quality of Interaction	59	1	0	8	7	43	4.54
8	Quality of Rigor	59	1	0	9	8	41	4.49
9	Sequencing of the topics	59	1	0	7	8	43	4.56
10	Style of topic delivery	59	1	0	7	7	44	4.58
11	Time allotted for each topic	59	1	0	7	10	41	4.53
12	Value addition provided by the Course	59	1	0	7	7	44	4.58
13	Standards of Assessment system	59	1	0	7	8	43	4.56
14	Quality of teaching	59	1	0	7	6	45	4.59

AVG	4.52

K. B. 29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. C. 29/12/23

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Sem: I- I

Date: 29-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00103T	Communicative English	Ms. K. Krishnaveni	56	4.33	
2	23ABS00102	Linear Algebra and Calculus	Dr. M. Obulesu	56	4.03	
3	23ABS00104T	Chemistry	Mr. V V Suresh Babu	56	4.42	
4	23AES01101	Civil and Mechanical Engineering	Mrs. K. Manjusha	56	4.11	
5	23AES01101	Civil and Mechanical Engineering	Mr. K. Vinod Kumar	56	4.31	
6	23AES05101T	Introduction to Programming	Dr. K. Lakshmi	56	4.64	
7	23ABS00103P	Communicative English Laboratory	Ms. K. Krishnaveni	56	4.53	
8	23ABS00104P	Chemistry Laboratory	Mr. V V Suresh Babu	56	4.44	
9	23AES03101	Engineering Workshop	Mr. A. Anil	56	4.26	
10	23AES05101P	Computer Programming Laboratory	Mrs. K. Lilly Grace Mary	56	4.35	

K. Jeyaraj
29/10/23.

IQAC CO-ORDINATOR

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali-524142, S.P.S.R. Nellore Dist
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Communicative English -
23ABS00103T

Sem: I- I

Course Faculty: Ms. K. Krishnaveni

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	0	2	9	17	28	4.27
2	Breadth of conceptual clarity	56	0	2	7	13	34	4.41
3	Evaluation Scheme	56	0	2	14	14	26	4.14
4	Involvement of Faculty	56	0	2	8	12	34	4.39
5	Overall effectiveness of the course	56	0	3	6	14	33	4.38
6	Preparedness of the faculty	56	0	1	10	18	27	4.27
7	Quality of Interaction	56	0	2	7	15	32	4.38
8	Quality of Rigor	56	0	3	9	12	32	4.30
9	Sequencing of the topics	56	0	2	6	15	33	4.41
10	Style of topic delivery	56	0	2	9	18	27	4.25
11	Time allotted for each topic	56	0	2	8	12	34	4.39
12	Value addition provided by the Course	56	0	2	10	14	30	4.29
13	Standards of Assessment system	56	0	1	12	14	29	4.27
14	Quality of teaching	56	0	0	8	10	38	4.54

AVG 4.33

K. Zele 29/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

foruashy

PRINCIPAL

NH-5, KADANTHALA - 524 142
ENGINEERING COLLEGE
RAMIREDDY SUBBARAMI REDDY
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Linear Algebra and Calculus - 23ABS00102

Sem: I- I

Course Faculty: Dr. M. Obulesu

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	2	2	8	21	23	4.09
2	Breadth of conceptual clarity	56	2	3	9	20	22	4.02
3	Evaluation Scheme	56	2	2	8	18	26	4.14
4	Involvement of Faculty	56	2	4	5	23	22	4.05
5	Overall effectiveness of the course	56	2	3	10	19	22	4.00
6	Preparedness of the faculty	56	2	4	10	21	19	3.91
7	Quality of Interaction	56	2	3	8	21	22	4.04
8	Quality of Rigor	56	2	2	10	21	21	4.02
9	Sequencing of the topics	56	2	3	9	20	22	4.02
10	Style of topic delivery	56	2	3	9	20	22	4.02
11	Time allotted for each topic	56	2	4	5	23	22	4.05
12	Value addition provided by the Course	56	2	3	11	20	20	3.95
13	Standards of Assessment system	56	2	3	8	23	20	4.00
14	Quality of teaching	56	2	3	9	17	25	4.07

AVG	4.03

K. Zee 29/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Poureddy
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Chemistry -
23ABS00104T

Sem: I- I

Course Faculty: Mr. V V Suresh Babu

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	0	0	12	11	33	4.38
2	Breadth of conceptual clarity	56	0	0	6	16	34	4.50
3	Evaluation Scheme	56	0	1	10	14	31	4.34
4	Involvement of Faculty	56	0	0	10	9	37	4.48
5	Overall effectiveness of the course	56	0	0	6	25	25	4.34
6	Preparedness of the faculty	56	0	0	10	10	36	4.46
7	Quality of Interaction	56	1	0	11	14	30	4.29
8	Quality of Rigor	56	0	0	7	17	32	4.45
9	Sequencing of the topics	56	0	0	8	17	31	4.41
10	Style of topic delivery	56	0	1	9	12	34	4.41
11	Time allotted for each topic	56	0	0	9	17	30	4.38
12	Value addition provided by the Course	56	0	0	10	9	37	4.48
13	Standards of Assessment system	56	0	0	9	19	28	4.34
14	Quality of teaching	56	0	0	4	13	39	4.63

AVG 4.42

K. Jee
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Civil and Mechanical Engineering -
23AES01101

Sem: I- I

Course Faculty: Mrs. K. Manjusha

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	0	1	18	17	20	4.00
2	Breadth of conceptual clarity	56	0	1	13	22	20	4.09
3	Evaluation Scheme	56	0	1	15	17	23	4.11
4	Involvement of Faculty	56	0	2	13	19	22	4.09
5	Overall effectiveness of the course	56	0	2	14	22	18	4.00
6	Preparedness of the faculty	56	0	1	15	13	27	4.18
7	Quality of Interaction	56	0	1	17	19	19	4.00
8	Quality of Rigor	56	0	3	14	15	24	4.07
9	Sequencing of the topics	56	0	2	9	21	24	4.20
10	Style of topic delivery	56	0	1	15	14	26	4.16
11	Time allotted for each topic	56	0	2	9	25	20	4.13
12	Value addition provided by the Course	56	0	3	13	18	22	4.05
13	Standards of Assessment system	56	0	1	14	23	18	4.04
14	Quality of teaching	56	0	1	11	9	35	4.39

AVG 4.11

K. Zel
29/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Veneethy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Civil and Mechanical Engineering - 23AES01101

Sem: I-I

Course Faculty: Mr. K. Vinod Kumar

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	0	1	11	18	26	4.23
2	Breadth of conceptual clarity	56	0	2	6	20	28	4.32
3	Evaluation Scheme	56	0	0	8	22	26	4.32
4	Involvement of Faculty	56	1	1	8	15	31	4.32
5	Overall effectiveness of the course	56	0	0	10	18	28	4.32
6	Preparedness of the faculty	56	0	1	10	15	30	4.32
7	Quality of Interaction	56	0	2	7	17	30	4.34
8	Quality of Rigor	56	0	0	12	15	29	4.30
9	Sequencing of the topics	56	0	1	11	16	28	4.27
10	Style of topic delivery	56	0	1	9	17	29	4.32
11	Time allotted for each topic	56	1	0	10	20	25	4.21
12	Value addition provided by the Course	56	0	2	11	15	28	4.23
13	Standards of Assessment system	56	0	1	11	17	27	4.25
14	Quality of teaching	56	0	0	6	13	37	4.55

AVG 4.31

K. J. S. 29/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Introduction to Programming -
23AES05101T

Sem: I- I

Course Faculty: Dr. K. Lakshmi

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	0	0	6	8	42	4.64
2	Breadth of conceptual clarity	56	0	0	1	16	39	4.68
3	Evaluation Scheme	56	0	0	3	9	44	4.73
4	Involvement of Faculty	56	0	0	3	12	41	4.68
5	Overall effectiveness of the course	56	0	0	4	14	38	4.61
6	Preparedness of the faculty	56	0	1	3	15	37	4.57
7	Quality of Interaction	56	0	0	3	15	38	4.63
8	Quality of Rigor	56	0	0	4	15	37	4.59
9	Sequencing of the topics	56	0	1	1	16	38	4.63
10	Style of topic delivery	56	0	0	4	11	41	4.66
11	Time allotted for each topic	56	0	0	6	9	41	4.63
12	Value addition provided by the Course	56	0	1	4	13	38	4.57
13	Standards of Assessment system	56	0	0	5	17	34	4.52
14	Quality of teaching	56	0	0	0	11	45	4.80

AVG 4.64

K. Jey
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (M), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Communicative English Laboratory - 23ABS00103P

Sem: I-I

Course Faculty: Ms. K. Krishnaveni

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	0	0	7	14	35	4.50
2	Breadth of conceptual clarity	56	0	1	4	13	38	4.57
3	Evaluation Scheme	56	0	0	8	13	35	4.48
4	Involvement of Faculty	56	0	0	6	9	41	4.63
5	Overall effectiveness of the course	56	0	1	6	11	38	4.54
6	Preparedness of the faculty	56	0	0	6	11	39	4.59
7	Quality of Interaction	56	0	0	6	14	36	4.54
8	Quality of Rigor	56	0	0	11	12	33	4.39
9	Sequencing of the topics	56	0	0	6	13	37	4.55
10	Style of topic delivery	56	0	1	4	15	36	4.54
11	Time allotted for each topic	56	0	0	10	12	34	4.43
12	Value addition provided by the Course	56	1	0	5	14	36	4.50
13	Standards of Assessment system	56	0	1	4	17	34	4.50
14	Quality of teaching	56	0	0	4	12	40	4.64

AVG 4.53

K. Bala
29/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Mandal, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Poureddy
Principal

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Chemistry Laboratory - 23ABS00104P

Sem: I- I

Course Faculty: Mr. V V Suresh Babu

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	0	0	7	18	31	4.43
2	Breadth of conceptual clarity	56	0	0	6	14	36	4.54
3	Evaluation Scheme	56	0	0	5	19	32	4.48
4	Involvement of Faculty	56	1	0	8	11	36	4.45
5	Overall effectiveness of the course	56	0	0	7	15	34	4.48
6	Preparedness of the faculty	56	0	0	11	12	33	4.39
7	Quality of Interaction	56	1	0	8	18	29	4.32
8	Quality of Rigor	56	0	0	7	12	37	4.54
9	Sequencing of the topics	56	0	0	9	15	32	4.41
10	Style of topic delivery	56	0	0	10	13	33	4.41
11	Time allotted for each topic	56	0	0	8	15	33	4.45
12	Value addition provided by the Course	56	0	1	9	15	31	4.36
13	Standards of Assessment system	56	0	1	10	19	26	4.25
14	Quality of teaching	56	0	0	7	8	41	4.61

AVG 4.44

K. Jeyaraj
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh - 524 142

J. V. Suresh Babu

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Engineering Workshop - 23AES03101

Sem: I- I

Course Faculty: Mr. A. Anil

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	1	0	14	16	25	4.14
2	Breadth of conceptual clarity	56	0	1	10	18	27	4.27
3	Evaluation Scheme	56	1	0	11	15	29	4.27
4	Involvement of Faculty	56	0	1	13	16	26	4.20
5	Overall effectiveness of the course	56	1	0	12	14	29	4.25
6	Preparedness of the faculty	56	0	2	12	14	28	4.21
7	Quality of Interaction	56	1	1	10	13	31	4.29
8	Quality of Rigor	56	0	2	10	15	29	4.27
9	Sequencing of the topics	56	1	0	12	16	27	4.21
10	Style of topic delivery	56	0	1	13	12	30	4.27
11	Time allotted for each topic	56	1	0	12	16	27	4.21
12	Value addition provided by the Course	56	0	1	13	13	29	4.25
13	Standards of Assessment system	56	1	0	10	14	31	4.32
14	Quality of teaching	56	0	1	8	8	39	4.52

AVG 4.26

K. Zuz
29/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Pourceddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Computer Programming Laboratory - 23AES05101P

Sem: I- I

Course Faculty: Mrs. K. Lilly Grace Mary

Date: 29-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	56	0	0	10	16	30	4.36
2	Breadth of conceptual clarity	56	0	0	11	17	28	4.30
3	Evaluation Scheme	56	0	0	7	18	31	4.43
4	Involvement of Faculty	56	0	0	11	15	30	4.34
5	Overall effectiveness of the course	56	0	0	12	18	26	4.25
6	Preparedness of the faculty	56	0	0	12	11	33	4.38
7	Quality of Interaction	56	0	0	12	17	27	4.27
8	Quality of Rigor	56	0	0	14	13	29	4.27
9	Sequencing of the topics	56	0	0	10	17	29	4.34
10	Style of topic delivery	56	0	0	14	11	31	4.30
11	Time allotted for each topic	56	0	0	9	17	30	4.38
12	Value addition provided by the Course	56	0	0	10	11	35	4.45
13	Standards of Assessment system	56	0	0	15	15	26	4.20
14	Quality of teaching	56	0	0	5	12	39	4.61

AVG 4.35

K. Zel
29/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

for ready
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Sem: II- I

Date: 24-11-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54302	Complex Variables & Transforms	Mrs. K. Sujitha	38	2.80	
2	20A02301T	Electrical Circuit Analysis	Mr. P. V. Ramkumar	38	3.45	
3	20A02302T	DC Machines & Transformers	Mr. A. Bhaskar	38	3.61	
4	20A04303T	Digital Logic Design	Mr. V. Sreedhar	38	4.13	
5	20A52301	Managerial Economics & Financial Analysis	Ms. S. Lilly Petricia	38	3.32	
6	20A02301P	Electrical Circuit Analysis Lab	Mr. P. V. Ramkumar	38	3.80	
7	20A02302P	DC Machines & Transformers Lab	Mr. A. Bhaskar & Mr. S. Ezra	38	3.76	
8	20A04303P	Digital Logic Design Lab	Mrs. K. Saranya Reddy & Mr. E. Neela Rao	38	3.61	
9	20A05305	Application development with Python	Mr. D. Ashok	38	3.51	
10	20A52201	Universal Human Values	Mr. M. Hemachandra	38	3.25	
11	SS	Soft Skills	Dr. Syed Mujahid	38	3.73	

K. Jeyaraj
24/11/23
IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Course Name & Code: Complex Variables & Transforms - 20A54302

Course Faculty: Mrs. K. Sujitha

Branch: EEE

Sem: II-I

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	38	3	6	23	3	3	2.92
2	Breadth of conceptual clarity	38	4	9	19	3	3	2.79
3	Evaluation Scheme	38	4	7	21	2	4	2.87
4	Involvement of Faculty	38	4	8	21	2	3	2.79
5	Overall effectiveness of the course	38	5	8	20	1	4	2.76
6	Preparedness of the faculty	38	7	5	20	2	4	2.76
7	Quality of Interaction	38	7	8	17	2	4	2.68
8	Quality of Rigor	38	6	6	21	1	4	2.76
9	Sequencing of the topics	38	5	8	19	2	4	2.79
10	Style of topic delivery	38	5	9	18	2	4	2.76
11	Time allotted for each topic	38	5	7	21	1	4	2.79
12	Value addition provided by the Course	38	4	6	20	4	4	2.95
13	Standards of Assessment system	38	5	5	22	2	4	2.87
14	Quality of teaching	38	6	6	21	1	4	2.76

AVG	2.80

K. Sujitha
24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S. R. Nellore

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142



RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Course Name & Code: Electrical Circuit Analysis - 20A02301T

Course Faculty: Mr. P. V. Ramkumar

Branch: EEE

Sem: II- I

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	38	2	2	17	12	5	3.42
2	Breadth of conceptual clarity	38	4	2	14	14	4	3.32
3	Evaluation Scheme	38	2	4	13	13	6	3.45
4	Involvement of Faculty	38	2	2	14	14	6	3.53
5	Overall effectiveness of the course	38	2	1	17	11	7	3.53
6	Preparedness of the faculty	38	2	3	13	15	5	3.47
7	Quality of Interaction	38	3	3	14	12	6	3.39
8	Quality of Rigor	38	2	3	14	13	6	3.47
9	Sequencing of the topics	38	1	2	18	11	6	3.50
10	Style of topic delivery	38	1	4	14	12	7	3.53
11	Time allotted for each topic	38	2	3	15	10	8	3.50
12	Value addition provided by the Course	38	2	4	13	14	5	3.42
13	Standards of Assessment system	38	2	2	18	11	5	3.39
14	Quality of teaching	38	2	5	12	12	7	3.45

AVG	3.45

K. 306
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. V. Ramkumar
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16 KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Electrical Circuit Analysis Lab -
20A02301P

Sem: II- I

Course Faculty: Mr. P. V. Ramkumar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	38	1	1	13	14	9	3.76
2	Breadth of conceptual clarity	38	1	1	14	14	8	3.71
3	Evaluation Scheme	38	1	0	15	10	12	3.84
4	Involvement of Faculty	38	1	1	14	13	9	3.74
5	Overall effectiveness of the course	38	0	0	16	13	9	3.82
6	Preparedness of the faculty	38	0	1	15	11	11	3.84
7	Quality of Interaction	38	0	1	13	13	11	3.89
8	Quality of Rigor	38	0	1	14	15	8	3.79
9	Sequencing of the topics	38	0	2	15	10	11	3.79
10	Style of topic delivery	38	1	1	13	13	10	3.79
11	Time allotted for each topic	38	1	1	12	11	13	3.89
12	Value addition provided by the Course	38	1	0	16	12	9	3.74
13	Standards of Assessment system	38	1	1	14	12	10	3.76
14	Quality of teaching	38	1	1	12	12	12	3.87

AVG 3.80

K. Jeeva 24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: DC Machines & Transformers Lab - 20A02302P

Sem: II- I

Course Faculty: Mr. A. Bhaskar & Mr. S. Ezra

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	38	3	1	12	10	12	3.71
2	Breadth of conceptual clarity	38	2	2	11	10	13	3.79
3	Evaluation Scheme	38	3	1	14	6	14	3.71
4	Involvement of Faculty	38	2	3	11	7	15	3.79
5	Overall effectiveness of the course	38	3	1	13	9	12	3.68
6	Preparedness of the faculty	38	2	2	11	10	13	3.79
7	Quality of Interaction	38	2	2	11	9	14	3.82
8	Quality of Rigor	38	2	2	13	9	12	3.71
9	Sequencing of the topics	38	3	1	12	7	15	3.79
10	Style of topic delivery	38	2	2	12	10	12	3.74
11	Time allotted for each topic	38	2	1	14	7	14	3.79
12	Value addition provided by the Course	38	2	2	12	10	12	3.74
13	Standards of Assessment system	38	2	1	14	9	12	3.74
14	Quality of teaching	38	2	2	11	7	16	3.87

AVG 3.76

K. Ezra
24/11/23
IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala, Bogole Mandal,
Kavali, Sri P.S.R. Nellore District,
Andhra Pradesh - 524 142

P. S. Ezra
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Digital Logic Design Lab - 20A04303P

Sem: II- I

Course Faculty: Mrs. K. Saranya Reddy & Mr. E. Neela Rao

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	38	0	5	16	9	8	3.53
2	Breadth of conceptual clarity	38	1	4	14	11	8	3.55
3	Evaluation Scheme	38	0	6	11	10	11	3.68
4	Involvement of Faculty	38	1	4	14	10	9	3.58
5	Overall effectiveness of the course	38	0	6	14	9	9	3.55
6	Preparedness of the faculty	38	1	4	14	12	7	3.53
7	Quality of Interaction	38	0	5	13	7	13	3.74
8	Quality of Rigor	38	1	4	13	12	8	3.58
9	Sequencing of the topics	38	0	5	16	6	11	3.61
10	Style of topic delivery	38	1	3	14	11	9	3.63
11	Time allotted for each topic	38	0	4	13	9	12	3.76
12	Value addition provided by the Course	38	1	4	14	10	9	3.58
13	Standards of Assessment system	38	0	5	16	8	9	3.55
14	Quality of teaching	38	1	4	14	8	11	3.63

AVG 3.61

K. Saranya Reddy
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

E. Neela Rao
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Application development with Python - 20A05305

Sem: II-I

Course Faculty: Mr. D. Ashok

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	38	0	3	20	7	8	3.53
2	Breadth of conceptual clarity	38	0	6	17	5	10	3.50
3	Evaluation Scheme	38	0	6	16	7	9	3.50
4	Involvement of Faculty	38	0	4	18	6	10	3.58
5	Overall effectiveness of the course	38	0	4	19	7	8	3.50
6	Preparedness of the faculty	38	0	5	17	8	8	3.50
7	Quality of Interaction	38	0	4	17	7	10	3.61
8	Quality of Rigor	38	0	5	18	7	8	3.47
9	Sequencing of the topics	38	0	4	17	9	8	3.55
10	Style of topic delivery	38	0	4	19	7	8	3.50
11	Time allotted for each topic	38	0	4	18	7	9	3.55
12	Value addition provided by the Course	38	0	4	20	6	8	3.47
13	Standards of Assessment system	38	0	4	20	7	7	3.45
14	Quality of teaching	38	0	4	20	6	8	3.47

AVG 3.51

K. Jeeva
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M),
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. G. Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Universal Human Values - 20A52201

Sem: II-I

Course Faculty: Mr. M. Hemachandra

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	38	4	2	18	10	4	3.21
2	Breadth of conceptual clarity	38	2	4	18	8	6	3.32
3	Evaluation Scheme	38	3	3	18	8	6	3.29
4	Involvement of Faculty	38	3	4	17	6	8	3.32
5	Overall effectiveness of the course	38	3	3	20	6	6	3.24
6	Preparedness of the faculty	38	3	3	19	7	6	3.26
7	Quality of Interaction	38	3	3	19	6	7	3.29
8	Quality of Rigor	38	3	6	17	6	6	3.16
9	Sequencing of the topics	38	2	3	21	8	4	3.24
10	Style of topic delivery	38	4	3	18	5	8	3.26
11	Time allotted for each topic	38	2	5	18	8	5	3.24
12	Value addition provided by the Course	38	3	3	22	4	6	3.18
13	Standards of Assessment system	38	2	4	21	7	4	3.18
14	Quality of teaching	38	3	3	19	6	7	3.29

AVG 3.25

K. Zeer
24/11/23

IQAC Co-Ordinator

IQAC Co-Ordinator
Internal Quality Assurance
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Bogole Mandal,
Kavali, S.P.S.R. Nellore - 524 142
Andhra Pradesh - 524 142

P. G. Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Soft Skills - SS

Sem: II-I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	38	0	3	13	11	11	3.79
2	Breadth of conceptual clarity	38	0	3	14	11	10	3.74
3	Evaluation Scheme	38	0	3	15	9	11	3.74
4	Involvement of Faculty	38	0	3	14	9	12	3.79
5	Overall effectiveness of the course	38	0	3	15	8	12	3.76
6	Preparedness of the faculty	38	0	3	15	10	10	3.71
7	Quality of Interaction	38	0	4	15	7	12	3.71
8	Quality of Rigor	38	0	3	15	10	10	3.71
9	Sequencing of the topics	38	0	4	13	9	12	3.76
10	Style of topic delivery	38	0	3	17	8	10	3.66
11	Time allotted for each topic	38	0	4	16	10	8	3.58
12	Value addition provided by the Course	38	0	3	13	9	13	3.84
13	Standards of Assessment system	38	0	4	16	7	11	3.66
14	Quality of teaching	38	0	3	14	8	13	3.82

AVG 3.73

K. Jeyaraj
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Soft Skills - SS

Sem: II-I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Training was relevant to my needs	38	2	2	16	8	10	3.58
2	Content was well organized	38	1	3	14	10	10	3.66
3	Training met my Expectations	38	1	3	17	8	9	3.55
4	Doubts raised were appropriately clarified	38	1	2	15	12	8	3.63
5	Training was effective	38	2	2	15	7	12	3.66

AVG 3.62

K. Zey 24/11/23
IQAC Co-Ordinator

P. S. S. R. Nellore
PRINCIPAL

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Sem: II- I

Date: 24-11-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54304	Discrete Mathematics & Graph Theory	Mrs. P. V. Madhavi	43	3.69	
2	20A04304T	Digital Electronics & Microprocessors	Mr. V. E. Neela Rao	43	3.90	
3	20A05301T	Advanced Data Structures & Algorithms	Mr. K V Prasad Reddy	43	4.20	
4	20A05302T	Object Oriented Programming Through Java	Mr. M. V. Prabhath Kumar	43	4.25	
5	20A05303	Computer Organization	Dr. Dileep Kumar	43	3.68	
6	20A04304P	Digital Electronics& Microprocessors Lab	Mr. V. E. Neela Rao	43	4.04	
7	20A05301P	Advanced Data Structures and Algorithms Lab	Mr. K V Prasad Reddy & Mrs. J. Madhuri	43	4.11	
8	20A05302P	Object Oriented Programming Through Java Lab	Mr. M. V. Prabhat Kumar & Mrs. J. Madhuri	43	4.23	
9	20A05304	Web application Development	Mr. V. Srihari Naidu	43	3.93	
10	20A52201	Universal Human Values	Mr. M. Hemachandra	43	3.90	
11	SS	Soft Skills	Dr. Syed Mujahid	43	3.97	

K. Jee 24/11/23
IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Pourandhy
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Discrete Mathematics & Graph Theory -
20A54304

Sem: II-I

Course Faculty: Mrs. P. V. Madhavi

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	3	18	13	9	3.65
2	Breadth of conceptual clarity	43	0	3	18	13	9	3.65
3	Evaluation Scheme	43	0	3	17	13	10	3.70
4	Involvement of Faculty	43	0	3	17	12	11	3.72
5	Overall effectiveness of the course	43	0	3	18	13	9	3.65
6	Preparedness of the faculty	43	0	3	17	11	12	3.74
7	Quality of Interaction	43	0	4	15	16	8	3.65
8	Quality of Rigor	43	0	3	16	14	10	3.72
9	Sequencing of the topics	43	0	3	18	13	9	3.65
10	Style of topic delivery	43	0	3	15	13	12	3.79
11	Time allotted for each topic	43	0	3	20	13	7	3.56
12	Value addition provided by the Course	43	0	4	17	11	11	3.67
13	Standards of Assessment system	43	0	3	17	13	10	3.70
14	Quality of teaching	43	0	2	18	10	13	3.79

AVG 3.69

K. Jey 24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142.

P. Venkatesh

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Digital Electronics & Microprocessors - 20A04304T

Sem: II- I

Course Faculty: Mr. V. E. Neela Rao

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	1	18	11	13	3.84
2	Breadth of conceptual clarity	43	0	0	19	12	12	3.84
3	Evaluation Scheme	43	0	1	16	12	14	3.91
4	Involvement of Faculty	43	0	0	16	13	14	3.95
5	Overall effectiveness of the course	43	0	1	15	14	13	3.91
6	Preparedness of the faculty	43	0	0	15	16	12	3.93
7	Quality of Interaction	43	0	1	16	12	14	3.91
8	Quality of Rigor	43	0	0	18	11	14	3.91
9	Sequencing of the topics	43	0	1	17	12	13	3.86
10	Style of topic delivery	43	0	0	17	11	15	3.95
11	Time allotted for each topic	43	0	2	15	10	16	3.93
12	Value addition provided by the Course	43	0	1	14	15	13	3.93
13	Standards of Assessment system	43	1	0	16	12	14	3.88
14	Quality of teaching	43	1	0	15	14	13	3.88

AVG 3.90

K. Jey
24/11/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh
Principal

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Advanced Data Structures & Algorithms -
20A05301T

Sem: II-I

Course Faculty: Mr. K V Prasad Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	2	10	10	21	4.16
2	Breadth of conceptual clarity	43	0	3	6	14	20	4.19
3	Evaluation Scheme	43	0	2	9	11	21	4.19
4	Involvement of Faculty	43	0	2	8	13	20	4.19
5	Overall effectiveness of the course	43	0	1	8	11	23	4.30
6	Preparedness of the faculty	43	0	2	9	11	21	4.19
7	Quality of Interaction	43	0	3	10	11	19	4.07
8	Quality of Rigor	42	0	2	8	13	19	4.17
9	Sequencing of the topics	43	0	1	10	11	21	4.21
10	Style of topic delivery	43	0	2	7	15	19	4.19
11	Time allotted for each topic	43	0	1	9	11	22	4.26
12	Value addition provided by the Course	43	0	3	6	12	22	4.23
13	Standards of Assessment system	43	0	3	8	11	21	4.16
14	Quality of teaching	43	0	2	6	12	23	4.30

AVG 4.20

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Prasad Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Object Oriented Programming Through Java -
20A05302T

Sem: II-I

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	12	10	21	4.21
2	Breadth of conceptual clarity	43	0	0	9	13	21	4.28
3	Evaluation Scheme	43	0	0	10	12	21	4.26
4	Involvement of Faculty	43	0	0	8	14	21	4.30
5	Overall effectiveness of the course	43	0	0	11	10	22	4.26
6	Preparedness of the faculty	43	0	0	9	13	21	4.28
7	Quality of Interaction	43	0	0	11	12	20	4.21
8	Quality of Rigor	43	0	0	11	11	21	4.23
9	Sequencing of the topics	43	0	0	9	12	22	4.30
10	Style of topic delivery	43	0	0	12	11	20	4.19
11	Time allotted for each topic	43	0	0	11	10	22	4.26
12	Value addition provided by the Course	43	0	0	8	16	19	4.26
13	Standards of Assessment system	43	0	0	11	10	22	4.26
14	Quality of teaching	43	0	0	11	13	19	4.19

AVG 4.25

K. Zeel
24/11/23

IQAC Co-Ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Computer Organization - 20A05303

Sem: II-I

Course Faculty: Dr. Dileep Kumar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	4	17	13	9	3.63
2	Breadth of conceptual clarity	43	0	2	17	16	8	3.70
3	Evaluation Scheme	43	0	4	16	12	11	3.70
4	Involvement of Faculty	43	0	2	17	17	7	3.67
5	Overall effectiveness of the course	43	0	2	17	17	7	3.67
6	Preparedness of the faculty	43	0	2	19	15	7	3.63
7	Quality of Interaction	43	0	4	18	13	8	3.58
8	Quality of Rigor	43	0	2	16	17	8	3.72
9	Sequencing of the topics	43	0	4	17	14	8	3.60
10	Style of topic delivery	43	0	2	16	15	10	3.77
11	Time allotted for each topic	43	0	3	17	15	8	3.65
12	Value addition provided by the Course	43	0	1	18	14	10	3.77
13	Standards of Assessment system	43	0	2	19	15	7	3.63
14	Quality of teaching	43	0	1	17	14	11	3.81

AVG 3.68

K. Jeeva
24/11/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala A., Bogole Mandal,
Nellore, S.P.S.R. Nellore District
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Digital Electronics & Microprocessors Lab - 20A04304P

Sem: II-I

Course Faculty: Mr. V. E. Neela Rao

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	14	13	16	4.05
2	Breadth of conceptual clarity	43	0	0	11	18	14	4.07
3	Evaluation Scheme	43	0	0	13	14	16	4.07
4	Involvement of Faculty	43	0	1	10	18	14	4.05
5	Overall effectiveness of the course	43	0	0	12	13	18	4.14
6	Preparedness of the faculty	43	0	0	13	17	13	4.00
7	Quality of Interaction	43	0	0	13	15	15	4.05
8	Quality of Rigor	43	0	1	13	14	15	4.00
9	Sequencing of the topics	43	0	0	13	16	14	4.02
10	Style of topic delivery	43	0	0	14	14	15	4.02
11	Time allotted for each topic	43	0	0	13	15	15	4.05
12	Value addition provided by the Course	43	0	1	12	17	13	3.98
13	Standards of Assessment system	43	0	0	13	14	16	4.07
14	Quality of teaching	43	0	0	12	18	13	4.02

AVG 4.04

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Advanced Data Structures and Algorithms Lab - 20A05301P

Sem: II-I

Course Faculty: Mr. K V Prasad Reddy & Mrs. J. Madhuri

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	1	2	10	10	20	4.07
2	Breadth of conceptual clarity	43	0	2	10	11	20	4.14
3	Evaluation Scheme	43	2	1	10	9	21	4.07
4	Involvement of Faculty	43	0	2	8	14	19	4.16
5	Overall effectiveness of the course	43	0	3	10	9	21	4.12
6	Preparedness of the faculty	43	2	1	9	11	20	4.07
7	Quality of Interaction	43	0	2	11	10	20	4.12
8	Quality of Rigor	43	2	1	10	10	20	4.05
9	Sequencing of the topics	43	1	2	8	11	21	4.14
10	Style of topic delivery	43	0	3	8	12	20	4.14
11	Time allotted for each topic	43	2	1	9	9	22	4.12
12	Value addition provided by the Course	43	0	2	9	12	20	4.16
13	Standards of Assessment system	43	2	1	9	11	20	4.07
14	Quality of teaching	43	0	2	10	10	21	4.16

AVG 4.11

K.zeel
24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M),
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Prasad Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Object Oriented Programming Through Java Lab - 20A05302P

Sem: II-I

Course Faculty: Mr. M. V. Prabhat Kumar & Mrs. J. Madhuri

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	13	7	23	4.23
2	Breadth of conceptual clarity	43	0	1	10	12	20	4.19
3	Evaluation Scheme	43	0	0	12	8	23	4.26
4	Involvement of Faculty	43	0	0	12	9	22	4.23
5	Overall effectiveness of the course	43	0	0	11	9	23	4.28
6	Preparedness of the faculty	43	0	0	12	10	21	4.21
7	Quality of Interaction	43	0	0	13	7	23	4.23
8	Quality of Rigor	43	0	0	12	10	21	4.21
9	Sequencing of the topics	43	0	0	14	6	23	4.21
10	Style of topic delivery	43	0	0	12	9	22	4.23
11	Time allotted for each topic	43	0	0	12	8	23	4.26
12	Value addition provided by the Course	43	0	0	13	8	22	4.21
13	Standards of Assessment system	43	0	0	13	7	23	4.23
14	Quality of teaching	43	0	0	12	9	22	4.23

AVG 4.23

K. Jey
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. V. Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Web application Development - 20A05304

Sem: II-I

Course Faculty: Mr. V. Srihari Naidu

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	18	10	15	3.93
2	Breadth of conceptual clarity	43	0	1	14	15	13	3.93
3	Evaluation Scheme	43	0	1	15	12	15	3.95
4	Involvement of Faculty	43	0	0	16	14	13	3.93
5	Overall effectiveness of the course	43	0	0	17	12	14	3.93
6	Preparedness of the faculty	43	0	0	13	17	13	4.00
7	Quality of Interaction	43	0	1	13	16	13	3.95
8	Quality of Rigor	43	0	0	14	18	11	3.93
9	Sequencing of the topics	43	0	0	17	14	12	3.88
10	Style of topic delivery	43	0	0	14	17	12	3.95
11	Time allotted for each topic	43	0	0	16	15	12	3.91
12	Value addition provided by the Course	43	0	1	14	17	11	3.88
13	Standards of Assessment system	43	0	0	15	15	13	3.95
14	Quality of teaching	43	0	0	15	16	12	3.93

AVG	3.93

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh
Principal

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Universal Human Values - 20A52201

Sem: II-I

Course Faculty: Mr. M. Hemachandra

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	15	14	14	3.98
2	Breadth of conceptual clarity	43	0	3	13	15	12	3.84
3	Evaluation Scheme	43	0	0	14	15	14	4.00
4	Involvement of Faculty	43	0	3	12	14	14	3.91
5	Overall effectiveness of the course	43	0	0	17	14	12	3.88
6	Preparedness of the faculty	43	0	3	14	13	13	3.84
7	Quality of Interaction	43	0	0	17	14	12	3.88
8	Quality of Rigor	43	0	2	13	13	15	3.95
9	Sequencing of the topics	43	0	1	15	13	14	3.93
10	Style of topic delivery	43	0	2	14	14	13	3.88
11	Time allotted for each topic	43	0	1	15	13	14	3.93
12	Value addition provided by the Course	43	0	2	12	17	12	3.91
13	Standards of Assessment system	43	0	1	18	11	13	3.84
14	Quality of teaching	43	0	1	17	12	13	3.86

AVG 3.90

K. Jeeva
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Hemachandra
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Soft Skills - SS

Sem: II-I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	1	13	14	15	4.00
2	Breadth of conceptual clarity	43	0	0	16	12	15	3.98
3	Evaluation Scheme	43	0	1	15	13	14	3.93
4	Involvement of Faculty	43	0	1	16	11	15	3.93
5	Overall effectiveness of the course	43	0	1	14	12	16	4.00
6	Preparedness of the faculty	43	0	0	17	10	16	3.98
7	Quality of Interaction	43	0	2	14	11	16	3.95
8	Quality of Rigor	43	0	0	15	11	17	4.05
9	Sequencing of the topics	43	0	1	13	15	14	3.98
10	Style of topic delivery	43	0	0	16	11	16	4.00
11	Time allotted for each topic	43	0	1	13	15	14	3.98
12	Value addition provided by the Course	43	0	1	17	9	16	3.93
13	Standards of Assessment system	43	0	1	15	13	14	3.93
14	Quality of teaching	43	0	1	15	11	16	3.98

AVG 3.97

K. Jeeva
24/11/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Soft Skills - SS

Sem: II- I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Training was relevant to my needs	43	0	1	18	12	12	3.81
2	Content was well organized	43	0	2	15	15	11	3.81
3	Training met my Expectations	43	0	1	16	13	13	3.88
4	Doubts raised were appropriately clarified	43	0	2	16	14	11	3.79
5	Training was effective	43	0	2	15	13	13	3.86

AVG 3.83

K. Jeeva
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Sem: II- I

Date: 24-11-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54302	Complex Variables and Transforms	Mrs. K. Sujitha	44	3.46	
2	20A04301T	Signals and Systems	Mr. M. Kondaiah	44	3.14	
3	20A02303T	Electrical Engineering	Mrs. K. Saranya Reddy	44	3.44	
4	20A04302T	Analog Circuits	Dr. N. Krishna Chaitanya	44	4.22	
5	20A52301	Managerial Economics & Financial Analysis	Mr. B. Bhaskar Reddy	44	3.73	
6	20A04301P	Simulation Lab	Dr. CH. Amarnatha Sarma	44	3.53	
7	20A02303P	Electrical Engineering Lab	Mr. P. V. Ramkumar	44	3.39	
8	20A04302P	Analog Circuits Lab	Mr. B. Madhu & Mrs. K Sreelakshmi	44	3.97	
9	20A05305	Application Development with Python	Mr. M. V. Prabhath Kumar	44	4.15	
10	20A52201	Universal Human Values	Mr. M. Hemachandra	44	3.55	
11	SS	Soft Skills	Dr. Syed Mujahid	44	3.80	

K. Jay
24/11/23.

IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Forceddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Complex Variables and Transforms -
20A54302

Sem: II-I

Course Faculty: Mrs. K. Sujitha

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	1	5	19	10	9	3.48
2	Breadth of conceptual clarity	44	1	4	20	13	6	3.43
3	Evaluation Scheme	44	1	4	22	7	10	3.48
4	Involvement of Faculty	44	1	4	20	13	6	3.43
5	Overall effectiveness of the course	44	1	4	19	10	10	3.55
6	Preparedness of the faculty	44	1	3	19	12	9	3.57
7	Quality of Interaction	44	2	4	21	8	9	3.41
8	Quality of Rigor	44	1	3	20	11	9	3.55
9	Sequencing of the topics	44	1	4	22	10	7	3.41
10	Style of topic delivery	44	2	4	21	11	6	3.34
11	Time allotted for each topic	44	1	5	22	8	8	3.39
12	Value addition provided by the Course	44	1	3	23	11	6	3.41
13	Standards of Assessment system	44	2	4	19	11	8	3.43
14	Quality of teaching	44	1	3	20	11	9	3.55

AVG 3.46

K. Sujitha 24/11/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Signals and Systems - 20A04301T

Sem: II-I

Course Faculty: Mr. M. Kondalah

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	7	6	14	12	5	3.05
2	Breadth of conceptual clarity	44	6	7	16	10	5	3.02
3	Evaluation Scheme	44	7	5	15	12	5	3.07
4	Involvement of Faculty	44	6	5	18	8	7	3.11
5	Overall effectiveness of the course	44	5	5	15	13	6	3.23
6	Preparedness of the faculty	44	7	4	17	9	7	3.11
7	Quality of Interaction	44	7	5	14	12	6	3.11
8	Quality of Rigor	44	6	5	17	9	7	3.14
9	Sequencing of the topics	44	7	4	14	12	7	3.18
10	Style of topic delivery	44	9	4	15	10	6	3.00
11	Time allotted for each topic	44	5	6	15	11	7	3.20
12	Value addition provided by the Course	44	4	5	18	11	6	3.23
13	Standards of Assessment system	44	4	4	19	10	7	3.27
14	Quality of teaching	44	6	4	17	9	8	3.20

AVG 3.14

K. Zel
24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M);
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Kondalah

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Electrical Engineering -
20A02303T

Sem: II- I

Course Faculty: Mrs. K. Saranya Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	3	3	21	10	7	3.34
2	Breadth of conceptual clarity	44	1	6	18	14	5	3.36
3	Evaluation Scheme	44	3	3	19	10	9	3.43
4	Involvement of Faculty	44	1	6	17	14	6	3.41
5	Overall effectiveness of the course	44	3	4	20	8	9	3.36
6	Preparedness of the faculty	44	1	4	20	14	5	3.41
7	Quality of Interaction	44	1	4	18	13	8	3.52
8	Quality of Rigor	44	1	3	19	15	6	3.50
9	Sequencing of the topics	44	1	5	18	11	9	3.50
10	Style of topic delivery	44	1	6	19	11	7	3.39
11	Time allotted for each topic	44	1	3	21	10	9	3.52
12	Value addition provided by the Course	44	1	4	18	15	6	3.48
13	Standards of Assessment system	44	1	5	18	11	9	3.50
14	Quality of teaching	44	1	5	18	13	7	3.45

AVG 3.44

K. Saranya Reddy
24/11/23

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Saranya Reddy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Analog Circuits -
20A04302T

Sem: II- I

Course Faculty: Dr. N. Krishna Chaitanya

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	1	11	9	23	4.23
2	Breadth of conceptual clarity	44	0	2	9	11	22	4.20
3	Evaluation Scheme	44	1	1	11	7	24	4.18
4	Involvement of Faculty	44	0	2	9	11	22	4.20
5	Overall effectiveness of the course	44	0	1	11	7	25	4.27
6	Preparedness of the faculty	44	0	2	10	9	23	4.20
7	Quality of Interaction	44	0	1	13	6	24	4.20
8	Quality of Rigor	44	1	1	10	9	23	4.18
9	Sequencing of the topics	44	0	1	13	7	23	4.18
10	Style of topic delivery	44	0	2	11	7	24	4.20
11	Time allotted for each topic	44	0	1	12	7	24	4.23
12	Value addition provided by the Course	44	0	2	10	8	24	4.23
13	Standards of Assessment system	44	0	1	12	7	24	4.23
14	Quality of teaching	44	0	1	9	10	24	4.30

AVG	4.22

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sr. P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Suresh Babu

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Course Name & Code: Managerial Economics & Financial Analysis - 20A52301

Course Faculty: Mr. B. Bhaskar Reddy

Branch: ECE- B

Sem: II-I

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	2	4	13	14	11	3.64
2	Breadth of conceptual clarity	44	2	5	12	12	13	3.66
3	Evaluation Scheme	44	2	3	14	13	12	3.68
4	Involvement of Faculty	44	2	4	14	10	14	3.68
5	Overall effectiveness of the course	44	2	2	14	13	13	3.75
6	Preparedness of the faculty	44	2	3	13	11	15	3.77
7	Quality of Interaction	44	2	2	14	12	14	3.77
8	Quality of Rigor	44	2	3	14	12	13	3.70
9	Sequencing of the topics	44	1	3	14	14	12	3.75
10	Style of topic delivery	44	1	4	15	12	12	3.68
11	Time allotted for each topic	44	1	3	15	12	13	3.75
12	Value addition provided by the Course	44	1	2	16	11	14	3.80
13	Standards of Assessment system	44	1	3	15	11	14	3.77
14	Quality of teaching	44	1	2	15	11	15	3.84

AVG 3.73

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Simulation Lab -
20A04301P

Sem: II- I

Course Faculty: Dr. CH. Amarnatha Sarma

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	1	4	22	9	8	3.43
2	Breadth of conceptual clarity	44	1	3	21	11	8	3.50
3	Evaluation Scheme	44	1	3	21	12	7	3.48
4	Involvement of Faculty	44	1	4	19	12	8	3.50
5	Overall effectiveness of the course	44	1	2	21	12	8	3.55
6	Preparedness of the faculty	44	1	3	21	13	6	3.45
7	Quality of Interaction	44	1	2	23	8	10	3.55
8	Quality of Rigor	44	1	2	22	9	10	3.57
9	Sequencing of the topics	44	1	2	21	10	10	3.59
10	Style of topic delivery	44	1	1	23	11	8	3.55
11	Time allotted for each topic	44	1	1	22	12	8	3.57
12	Value addition provided by the Course	44	1	2	23	10	8	3.50
13	Standards of Assessment system	44	1	1	22	12	8	3.57
14	Quality of teaching	44	1	1	23	9	10	3.59

AVG	3.53

K. Zeeshan
24/11/23.

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Electrical Engineering Lab - 20A02303P

Sem: II-I

Course Faculty: Mr. P. V. Ramkumar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	2	3	25	7	7	3.32
2	Breadth of conceptual clarity	44	2	2	22	13	5	3.39
3	Evaluation Scheme	44	2	3	22	11	6	3.36
4	Involvement of Faculty	44	2	3	21	13	5	3.36
5	Overall effectiveness of the course	44	1	4	24	9	6	3.34
6	Preparedness of the faculty	44	1	5	17	14	7	3.48
7	Quality of Interaction	44	1	5	22	9	7	3.36
8	Quality of Rigor	44	1	5	19	12	7	3.43
9	Sequencing of the topics	44	1	4	22	10	7	3.41
10	Style of topic delivery	44	2	3	19	14	6	3.43
11	Time allotted for each topic	44	2	5	20	8	9	3.39
12	Value addition provided by the Course	44	2	4	19	13	6	3.39
13	Standards of Assessment system	44	1	4	21	13	5	3.39
14	Quality of teaching	44	1	4	19	14	6	3.45

AVG 3.39

K. Jee 24/11/23

IQAC Co-Ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala, Bogole Mandal, Kavali, S.P.S.R. Nellore District, Andhra Pradesh - 524 142

P. V. Ramkumar

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Analog Circuits Lab - 20A04302P

Sem: II- I

Course Faculty: Mr. B. Madhu & Mrs. K Sreelakshmi

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	1	1	13	15	14	3.91
2	Breadth of conceptual clarity	44	0	2	13	14	15	3.95
3	Evaluation Scheme	44	0	1	13	18	12	3.93
4	Involvement of Faculty	44	0	0	16	13	15	3.98
5	Overall effectiveness of the course	44	0	2	12	17	13	3.93
6	Preparedness of the faculty	44	0	0	15	14	15	4.00
7	Quality of Interaction	44	0	2	13	17	12	3.89
8	Quality of Rigor	44	0	1	14	13	16	4.00
9	Sequencing of the topics	44	0	3	11	16	14	3.93
10	Style of topic delivery	44	0	1	13	14	16	4.02
11	Time allotted for each topic	44	0	1	14	14	15	3.98
12	Value addition provided by the Course	44	0	0	15	14	15	4.00
13	Standards of Assessment system	44	0	1	13	15	15	4.00
14	Quality of teaching	44	0	1	13	14	16	4.02

AVG	3.97

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell/
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Sreelakshmi

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Application Development with Python - 20A05305

Sem: II- I

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	2	12	8	22	4.14
2	Breadth of conceptual clarity	44	0	2	11	8	23	4.18
3	Evaluation Scheme	44	0	2	13	6	23	4.14
4	Involvement of Faculty	44	0	2	11	9	22	4.16
5	Overall effectiveness of the course	44	0	2	11	9	22	4.16
6	Preparedness of the faculty	44	0	2	11	8	23	4.18
7	Quality of Interaction	44	0	2	14	7	21	4.07
8	Quality of Rigor	44	0	2	11	10	21	4.14
9	Sequencing of the topics	44	0	3	10	8	23	4.16
10	Style of topic delivery	44	0	2	11	8	23	4.18
11	Time allotted for each topic	44	0	3	12	8	21	4.07
12	Value addition provided by the Course	44	0	2	11	9	22	4.16
13	Standards of Assessment system	44	0	3	10	8	23	4.16
14	Quality of teaching	44	0	2	11	9	22	4.16

AVG 4.15

K. 30/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142.

Prabhath Kumar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Universal Human Values - 20A52201

Sem: II- I

Course Faculty: Mr. M. Hemachandra

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	2	2	20	11	9	3.52
2	Breadth of conceptual clarity	44	1	4	16	16	7	3.55
3	Evaluation Scheme	44	2	1	19	14	8	3.57
4	Involvement of Faculty	44	0	4	21	11	8	3.52
5	Overall effectiveness of the course	44	2	3	19	11	9	3.50
6	Preparedness of the faculty	44	1	4	19	13	7	3.48
7	Quality of Interaction	44	1	2	22	9	10	3.57
8	Quality of Rigor	44	1	3	18	12	10	3.61
9	Sequencing of the topics	44	0	3	23	8	10	3.57
10	Style of topic delivery	44	0	4	19	12	9	3.59
11	Time allotted for each topic	44	1	2	22	9	10	3.57
12	Value addition provided by the Course	44	1	3	18	15	7	3.55
13	Standards of Assessment system	44	2	1	22	10	9	3.52
14	Quality of teaching	44	2	2	19	12	9	3.55

AVG	3.55

K. 384 24/11/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Hemachandra

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Soft Skills - SS

Sem: II-I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	1	19	11	13	3.82
2	Breadth of conceptual clarity	44	0	3	17	11	13	3.77
3	Evaluation Scheme	44	0	0	21	9	14	3.84
4	Involvement of Faculty	44	0	3	18	10	13	3.75
5	Overall effectiveness of the course	44	0	1	20	10	13	3.80
6	Preparedness of the faculty	44	0	2	19	10	13	3.77
7	Quality of Interaction	44	0	0	21	9	14	3.84
8	Quality of Rigor	44	0	2	19	10	13	3.77
9	Sequencing of the topics	44	0	1	19	10	14	3.84
10	Style of topic delivery	44	0	2	18	11	13	3.80
11	Time allotted for each topic	44	0	1	21	9	13	3.77
12	Value addition provided by the Course	44	0	1	18	12	13	3.84
13	Standards of Assessment system	44	0	1	21	10	12	3.75
14	Quality of teaching	44	0	1	19	10	14	3.84

AVG 3.80

K. Jeeva
24/11/23

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh
Principal

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Soft Skills - SS

Sem: II- I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Training was relevant to my needs	44	0	3	21	6	14	3.70
2	Content was well organized	44	1	1	20	9	13	3.73
3	Training met my Expectations	44	0	3	19	8	14	3.75
4	Doubts raised were appropriately clarified	44	0	0	21	10	13	3.82
5	Training was effective	44	0	4	16	10	14	3.77

AVG

3.75

K. Zeer
24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreedhar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA (V), BOGOLE (M)
KAVALI, S.P.S.R. NELLORE DIST.
ANDHRA PRADESH - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Sem: II- I

Date: 24-11-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54302	Complex Variables and Transforms	Mrs. K. Sujitha	46	3.36	
2	20A04301T	Signals and Systems	Mr. M. Kondaiah	46	3.05	
3	20A02303T	Electrical Engineering	Mrs. K. Saranya Reddy	46	3.73	
4	20A04302T	Analog Circuits	Dr. N. Krishna Chaitanya	46	4.37	
5	20A52301	Managerial Economics & Financial Analysis	Mr. B. Bhaskar Reddy	46	3.70	
6	20A04301P	Simulation Lab	Dr. CH. Amarnatha Sarma	46	3.59	
7	20A02303P	Electrical Engineering Lab	Dr. V. Raveendra Reddy	46	3.56	
8	20A04302P	Analog Circuits Lab	Mr. B. Madhu & Dr. N. Krishna Chaitanya	46	4.25	
9	20A05305	Application Development with Python	Mr. V. Srihari Naidu	46	3.29	
10	20A52201	Universal Human Values	Mr. M. Hemachandra	46	3.56	
11	SS	Soft Skills	Dr. Syed Mujahid	46	3.74	

K. Jee
24/11/23
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. C. Reddy
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Complex Variables and Transforms -
20A54302

Sem: II- I

Course Faculty: Mrs. K. Sujitha

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	1	8	18	9	10	3.41
2	Breadth of conceptual clarity	46	1	8	20	8	9	3.35
3	Evaluation Scheme	46	1	8	17	12	8	3.39
4	Involvement of Faculty	46	3	6	18	13	6	3.28
5	Overall effectiveness of the course	46	1	8	15	13	9	3.46
6	Preparedness of the faculty	46	1	8	17	12	8	3.39
7	Quality of Interaction	46	3	9	16	13	5	3.17
8	Quality of Rigor	46	1	9	16	12	8	3.37
9	Sequencing of the topics	46	1	8	17	13	7	3.37
10	Style of topic delivery	46	1	7	17	15	6	3.39
11	Time allotted for each topic	46	2	8	16	12	8	3.35
12	Value addition provided by the Course	46	2	6	16	17	5	3.37
13	Standards of Assessment system	46	2	7	16	14	7	3.37
14	Quality of teaching	46	1	8	16	14	7	3.39

AVG	3.36

K. Sujitha
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole Mandal,
Kavali, Sri P.S.R. Nellore, Dist.
Andhra Pradesh - 524 142.

P. Suresh
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Signals and Systems - 20A04301T

Sem: II- I

Course Faculty: Mr. M. Kondaiah

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	7	6	15	10	8	3.13
2	Breadth of conceptual clarity	46	6	6	18	10	6	3.09
3	Evaluation Scheme	46	7	7	17	9	6	3.00
4	Involvement of Faculty	46	7	6	17	10	6	3.04
5	Overall effectiveness of the course	46	8	7	16	9	6	2.96
6	Preparedness of the faculty	46	8	5	16	11	6	3.04
7	Quality of Interaction	46	8	5	14	15	4	3.04
8	Quality of Rigor	46	8	6	15	9	8	3.07
9	Sequencing of the topics	46	8	5	15	13	5	3.04
10	Style of topic delivery	46	8	6	14	14	4	3.00
11	Time allotted for each topic	46	7	7	18	9	5	2.96
12	Value addition provided by the Course	46	7	7	15	13	4	3.00
13	Standards of Assessment system	46	7	6	15	12	6	3.09
14	Quality of teaching	46	7	4	16	11	8	3.20

AVG 3.05

K. Jee
24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. Kondaiah

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Electrical Engineering -
20A02303T

Sem: II- I

Course Faculty: Mrs. K. Saranya Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	3	17	17	9	3.70
2	Breadth of conceptual clarity	46	0	4	18	13	11	3.67
3	Evaluation Scheme	46	0	5	17	15	9	3.61
4	Involvement of Faculty	46	0	2	19	15	10	3.72
5	Overall effectiveness of the course	46	0	2	19	16	9	3.70
6	Preparedness of the faculty	46	0	1	18	16	11	3.80
7	Quality of Interaction	46	0	2	20	14	10	3.70
8	Quality of Rigor	46	0	3	18	13	12	3.74
9	Sequencing of the topics	46	0	2	19	14	11	3.74
10	Style of topic delivery	46	0	3	17	14	12	3.76
11	Time allotted for each topic	46	0	4	18	12	12	3.70
12	Value addition provided by the Course	46	0	3	20	10	13	3.72
13	Standards of Assessment system	46	0	3	16	13	14	3.83
14	Quality of teaching	46	0	2	17	15	12	3.80

AVG 3.73

K. Saranya Reddy
24/11/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore District,
Andhra Pradesh - 524 142

P. Saranya Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Analog Circuits -
20A04302T

Sem: II-I

Course Faculty: Dr. N. Krishna Chaitanya

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	1	0	8	11	26	4.33
2	Breadth of conceptual clarity	46	0	1	7	13	25	4.35
3	Evaluation Scheme	46	0	1	7	14	24	4.33
4	Involvement of Faculty	46	0	1	7	13	25	4.35
5	Overall effectiveness of the course	46	0	1	7	10	28	4.41
6	Preparedness of the faculty	46	0	1	7	10	28	4.41
7	Quality of Interaction	46	0	1	7	12	26	4.37
8	Quality of Rigor	46	1	1	7	12	25	4.28
9	Sequencing of the topics	46	0	1	7	11	27	4.39
10	Style of topic delivery	46	0	1	7	11	27	4.39
11	Time allotted for each topic	46	0	1	7	11	27	4.39
12	Value addition provided by the Course	46	0	1	7	12	26	4.37
13	Standards of Assessment system	46	0	1	7	12	26	4.37
14	Quality of teaching	46	0	1	7	11	27	4.39

AVG

4.37

K. Bee
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Praneshy
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Managerial Economics & Financial Analysis - 20A52301

Sem: II-I

Course Faculty: Mr. B. Bhaskar Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	4	18	12	12	3.70
2	Breadth of conceptual clarity	46	0	5	16	13	12	3.70
3	Evaluation Scheme	46	1	3	17	12	13	3.72
4	Involvement of Faculty	46	1	4	16	9	16	3.76
5	Overall effectiveness of the course	46	1	3	17	13	12	3.70
6	Preparedness of the faculty	46	1	3	18	11	13	3.70
7	Quality of Interaction	46	1	2	18	13	12	3.72
8	Quality of Rigor	46	1	5	17	11	12	3.61
9	Sequencing of the topics	46	1	2	18	15	10	3.67
10	Style of topic delivery	46	1	4	15	15	11	3.67
11	Time allotted for each topic	46	0	4	20	11	11	3.63
12	Value addition provided by the Course	46	0	3	18	13	12	3.74
13	Standards of Assessment system	46	0	2	20	12	12	3.74
14	Quality of teaching	46	0	4	17	11	14	3.76

AVG 3.70

K. B. Reddy
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore District
Andhra Pradesh - 524 142

P. Venkatesh
Principal

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Simulation Lab -
20A04301P

Sem: II- I

Course Faculty: Dr. CH. Amarnatha Sarma

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	0	5	21	11	9	3.52
2	Breadth of conceptual clarity	46	0	3	21	15	7	3.57
3	Evaluation Scheme	46	0	4	22	12	8	3.52
4	Involvement of Faculty	46	0	3	20	17	6	3.57
5	Overall effectiveness of the course	46	0	4	21	13	8	3.54
6	Preparedness of the faculty	46	0	3	20	14	9	3.63
7	Quality of Interaction	46	1	7	14	16	8	3.50
8	Quality of Rigor	46	0	6	15	16	9	3.61
9	Sequencing of the topics	46	0	5	18	15	8	3.57
10	Style of topic delivery	46	0	3	19	16	8	3.63
11	Time allotted for each topic	46	0	2	20	16	8	3.65
12	Value addition provided by the Course	46	0	3	18	16	9	3.67
13	Standards of Assessment system	46	0	4	16	17	9	3.67
14	Quality of teaching	46	0	3	19	15	9	3.65

AVG 3.59

K. Jeeva 24/11/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

Ramireddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Electrical Engineering Lab - 20A02303P

Sem: II- I

Course Faculty: Dr. V. Raveendra Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	2	4	17	14	9	3.52
2	Breadth of conceptual clarity	46	1	5	18	13	9	3.52
3	Evaluation Scheme	46	0	5	19	13	9	3.57
4	Involvement of Faculty	46	1	6	16	14	9	3.52
5	Overall effectiveness of the course	46	0	6	17	11	12	3.63
6	Preparedness of the faculty	46	0	6	15	17	8	3.59
7	Quality of Interaction	46	2	6	15	13	10	3.50
8	Quality of Rigor	46	0	8	15	13	10	3.54
9	Sequencing of the topics	46	0	5	18	13	10	3.61
10	Style of topic delivery	46	2	6	13	15	10	3.54
11	Time allotted for each topic	46	0	8	16	12	10	3.52
12	Value addition provided by the Course	46	0	7	15	14	10	3.59
13	Standards of Assessment system	46	1	6	14	15	10	3.59
14	Quality of teaching	46	0	6	16	13	11	3.63

AVG	3.56

K. Jee
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala, Bogole Mandal,

Kavali, S.P.S.R. Nellore Dist,

Andhra Pradesh - 524 142

P. Ravendy

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Analog Circuits Lab - 20A04302P

Sem: II- I

Course Faculty: Mr. B. Madhu & Dr. N. Krishna Chaitanya

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	1	1	10	10	24	4.20
2	Breadth of conceptual clarity	46	0	2	11	7	26	4.24
3	Evaluation Scheme	46	0	1	11	11	23	4.22
4	Involvement of Faculty	46	1	1	10	8	26	4.24
5	Overall effectiveness of the course	46	0	1	11	9	25	4.26
6	Preparedness of the faculty	46	0	2	9	10	25	4.26
7	Quality of Interaction	46	0	1	10	9	26	4.30
8	Quality of Rigor	46	1	2	10	6	27	4.22
9	Sequencing of the topics	46	0	2	10	12	22	4.17
10	Style of topic delivery	46	0	1	11	9	25	4.26
11	Time allotted for each topic	46	1	1	9	10	25	4.24
12	Value addition provided by the Course	46	0	2	9	9	26	4.28
13	Standards of Assessment system	46	0	1	10	9	26	4.30
14	Quality of teaching	46	1	1	10	7	27	4.26

AVG	4.25

K. Zeer
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Application Development with Python - 20A05305

Sem: II-I

Course Faculty: Mr. V. Srihari Naidu

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	3	8	17	7	11	3.33
2	Breadth of conceptual clarity	46	4	6	17	11	8	3.28
3	Evaluation Scheme	46	4	6	16	10	10	3.35
4	Involvement of Faculty	46	6	4	17	11	8	3.24
5	Overall effectiveness of the course	46	4	9	12	11	10	3.30
6	Preparedness of the faculty	46	4	6	16	12	8	3.30
7	Quality of Interaction	46	5	8	13	11	9	3.24
8	Quality of Rigor	46	4	7	17	11	7	3.22
9	Sequencing of the topics	46	3	7	17	9	10	3.35
10	Style of topic delivery	46	4	7	16	11	8	3.26
11	Time allotted for each topic	46	3	7	17	11	8	3.30
12	Value addition provided by the Course	46	4	5	18	12	7	3.28
13	Standards of Assessment system	46	5	6	15	9	11	3.33
14	Quality of teaching	46	4	8	14	10	10	3.30

AVG 3.29

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.

Principal

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Universal Human Values - 20A52201

Sem: II- I

Course Faculty: Mr. M. Hemachandra

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	3	2	19	14	8	3.48
2	Breadth of conceptual clarity	46	2	3	17	16	8	3.54
3	Evaluation Scheme	46	3	2	17	15	9	3.54
4	Involvement of Faculty	46	2	3	17	15	9	3.57
5	Overall effectiveness of the course	46	1	3	20	12	10	3.59
6	Preparedness of the faculty	46	2	2	21	14	7	3.48
7	Quality of Interaction	46	3	1	20	12	10	3.54
8	Quality of Rigor	46	1	4	18	15	8	3.54
9	Sequencing of the topics	46	2	1	20	12	11	3.63
10	Style of topic delivery	46	2	2	18	15	9	3.59
11	Time allotted for each topic	46	2	2	19	13	10	3.59
12	Value addition provided by the Course	46	2	1	21	13	9	3.57
13	Standards of Assessment system	46	2	2	17	15	10	3.63
14	Quality of teaching	46	1	3	19	13	10	3.61

AVG 3.56

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. C. Sreedhar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Soft Skills - SS

Sem: II- I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	46	2	2	14	15	13	3.76
2	Breadth of conceptual clarity	46	0	5	14	16	11	3.72
3	Evaluation Scheme	46	0	6	13	16	11	3.70
4	Involvement of Faculty	46	2	5	12	16	11	3.63
5	Overall effectiveness of the course	46	1	5	12	18	10	3.67
6	Preparedness of the faculty	46	2	5	12	14	13	3.67
7	Quality of Interaction	46	1	6	10	16	13	3.74
8	Quality of Rigor	46	2	5	12	16	11	3.63
9	Sequencing of the topics	46	1	3	12	17	13	3.83
10	Style of topic delivery	46	2	3	14	14	13	3.72
11	Time allotted for each topic	46	1	4	13	14	14	3.78
12	Value addition provided by the Course	46	1	4	12	17	12	3.76
13	Standards of Assessment system	46	2	3	11	15	15	3.83
14	Quality of teaching	46	1	4	11	14	16	3.87

AVG 3.74

K. Jeyaraj
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Suresh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE--A

Course Name & Code: Soft Skills - SS

Sem: II-I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Training was relevant to my needs	46	3	4	18	11	10	3.46
2	Content was well organized	46	2	7	16	12	9	3.41
3	Training met my Expectations	46	3	7	17	8	11	3.37
4	Doubts raised were appropriately clarified	46	2	5	19	11	9	3.43
5	Training was effective	46	3	5	18	9	11	3.43

AVG 3.42

K. Jey
24/11/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. S. S. R. Nellore
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Sem: II- I

Date: 24-11-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54304	Discrete Mathematics & Graph Theory	Mrs. P. V. Madhavi	51	3.37	
2	20A04304T	Digital Electronics& Microprocessors	Mr. D. V. Sai Kishore	51	4.29	
3	20A05301T	Advanced Data Structures & Algorithms	Mr. P. Raveendra Reddy	51	3.26	
4	20A05302T	Object Oriented Programming Through Java	Mr. K. Ramesh	51	4.21	
5	20A05303	Computer Organization	Dr. Dileep Kumar	51	3.60	
6	20A04304P	Digital Electronics& Microprocessors Lab	Mr. D. V. Sai Kishore & Mr. V. Sreedhar	51	4.24	
7	20A05301P	Advanced Data Structures and Algorithms Lab	Mr. P. Raveendra Reddy	51	3.64	
8	20A05302P	Object Oriented Programming Through Java Lab	Mr. K. Ramesh & Mrs. A. Nandini	51	4.08	
9	20A05304	Web application Development	Mr. V. Sreehari Naidu	51	3.79	
10	20A52201	Universal Human Values	Mr. M. Hemachandra	51	3.72	
11	SS	Soft Skills	Dr. Syed Mujahid	51	3.86	

K. Zeesha
24/11/23

IQAC CO-ORDINATOR

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala, Bogole Mandal,
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreedhar
Principal

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Discrete Mathematics & Graph Theory -
20A54304

Sem: II- I

Course Faculty: Mrs. P. V. Madhavi

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	1	6	22	14	8	3.43
2	Breadth of conceptual clarity	51	0	9	21	14	7	3.37
3	Evaluation Scheme	51	0	6	21	12	12	3.59
4	Involvement of Faculty	51	1	6	24	13	7	3.37
5	Overall effectiveness of the course	51	2	8	19	14	8	3.35
6	Preparedness of the faculty	51	2	6	21	11	11	3.45
7	Quality of Interaction	51	0	9	19	18	5	3.37
8	Quality of Rigor	51	3	5	25	9	9	3.31
9	Sequencing of the topics	51	0	8	23	14	6	3.35
10	Style of topic delivery	51	1	10	20	13	7	3.29
11	Time allotted for each topic	51	2	8	22	14	5	3.24
12	Value addition provided by the Course	51	1	9	21	12	8	3.33
13	Standards of Assessment system	51	1	7	22	14	7	3.37
14	Quality of teaching	51	1	6	22	16	6	3.39

AVG 3.37

K. Zee
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. V. Madhavi

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Digital Electronics & Microprocessors - 20A04304T

Sem: II- I

Course Faculty: Mr. D. V. Sai Kishore

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	1	11	9	30	4.33
2	Breadth of conceptual clarity	51	0	2	11	10	28	4.25
3	Evaluation Scheme	51	0	3	8	10	30	4.31
4	Involvement of Faculty	51	0	2	11	11	27	4.24
5	Overall effectiveness of the course	51	0	2	9	11	29	4.31
6	Preparedness of the faculty	51	0	2	10	10	29	4.29
7	Quality of Interaction	51	0	3	8	11	29	4.29
8	Quality of Rigor	51	0	3	9	11	28	4.25
9	Sequencing of the topics	51	0	3	9	8	31	4.31
10	Style of topic delivery	51	0	2	9	12	28	4.29
11	Time allotted for each topic	51	0	2	9	11	29	4.31
12	Value addition provided by the Course	51	0	3	8	14	26	4.24
13	Standards of Assessment system	51	0	2	10	9	30	4.31
14	Quality of teaching	51	0	3	8	11	29	4.29

AVG	4.29

K. Jee
24/11/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Forney
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Advanced Data Structures & Algorithms -
20A05301T

Sem: II-I

Course Faculty: Mr. P. Raveendra Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	3	11	16	13	8	3.24
2	Breadth of conceptual clarity	51	4	12	14	14	7	3.16
3	Evaluation Scheme	51	5	11	13	15	7	3.16
4	Involvement of Faculty	51	4	10	15	14	8	3.24
5	Overall effectiveness of the course	51	4	9	14	14	10	3.33
6	Preparedness of the faculty	51	3	15	9	16	8	3.22
7	Quality of Interaction	51	4	9	12	14	12	3.41
8	Quality of Rigor	51	4	12	11	15	9	3.25
9	Sequencing of the topics	51	3	12	13	12	11	3.31
10	Style of topic delivery	51	5	9	14	15	8	3.24
11	Time allotted for each topic	51	4	11	14	12	10	3.25
12	Value addition provided by the Course	51	4	12	12	13	10	3.25
13	Standards of Assessment system	51	5	12	10	14	10	3.24
14	Quality of teaching	51	6	7	13	16	9	3.29

AVG	3.26

K. Jayaram 24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Raveendra Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Object Oriented Programming Through Java - 20A05302T

Sem: II- I

Course Faculty: Mr. K. Ramesh

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	1	12	10	28	4.27
2	Breadth of conceptual clarity	51	0	2	13	11	25	4.16
3	Evaluation Scheme	51	0	2	12	11	26	4.20
4	Involvement of Faculty	51	0	3	13	8	27	4.16
5	Overall effectiveness of the course	51	0	2	11	11	27	4.24
6	Preparedness of the faculty	51	0	2	10	13	26	4.24
7	Quality of Interaction	51	0	2	12	11	26	4.20
8	Quality of Rigor	51	1	2	11	11	26	4.16
9	Sequencing of the topics	51	0	2	11	11	27	4.24
10	Style of topic delivery	51	0	2	12	14	23	4.14
11	Time allotted for each topic	51	0	2	11	13	25	4.20
12	Value addition provided by the Course	51	0	1	12	11	27	4.25
13	Standards of Assessment system	51	0	2	10	11	28	4.27
14	Quality of teaching	51	0	2	11	11	27	4.24

AVG	4.21

K. Ramesh
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. S. S. R. Nellore
Principal

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Computer Organization - 20A05303

Sem: II- I

Course Faculty: Dr. Dileep Kumar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	1	5	20	13	12	3.59
2	Breadth of conceptual clarity	51	0	8	18	12	13	3.59
3	Evaluation Scheme	51	1	6	16	16	12	3.63
4	Involvement of Faculty	51	0	8	17	12	14	3.63
5	Overall effectiveness of the course	51	1	5	17	16	12	3.65
6	Preparedness of the faculty	51	1	6	19	13	12	3.57
7	Quality of Interaction	51	0	7	15	18	11	3.65
8	Quality of Rigor	51	1	7	18	14	11	3.53
9	Sequencing of the topics	51	1	8	13	17	12	3.61
10	Style of topic delivery	51	1	6	18	13	13	3.61
11	Time allotted for each topic	51	0	9	14	16	12	3.61
12	Value addition provided by the Course	51	2	5	20	12	12	3.53
13	Standards of Assessment system	51	0	7	16	14	14	3.69
14	Quality of teaching	51	1	7	18	13	12	3.55

AVG 3.60

K. Jeyaraj
24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist,

Andhra Pradesh 524 142

P. Venkatesh
PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Digital Electronics& Microprocessors Lab - 20A04304P

Sem: II- I

Course Faculty: Mr. D. V. Sai Kishore & Mr. V. Sreedhar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	0	13	11	27	4.27
2	Breadth of conceptual clarity	51	0	0	15	10	26	4.22
3	Evaluation Scheme	51	0	0	14	9	28	4.27
4	Involvement of Faculty	51	0	0	14	12	25	4.22
5	Overall effectiveness of the course	51	0	0	17	9	25	4.16
6	Preparedness of the faculty	51	0	0	14	8	29	4.29
7	Quality of Interaction	51	0	0	15	9	27	4.24
8	Quality of Rigor	51	0	0	15	11	25	4.20
9	Sequencing of the topics	51	0	0	15	9	27	4.24
10	Style of topic delivery	51	0	0	13	13	25	4.24
11	Time allotted for each topic	51	0	0	13	9	29	4.31
12	Value addition provided by the Course	51	0	0	14	11	26	4.24
13	Standards of Assessment system	51	0	0	14	11	26	4.24
14	Quality of teaching	51	0	0	14	12	25	4.22

AVG 4.24

K. 300 24/11/23.

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. Sreedhar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Advanced Data Structures and Algorithms Lab - 20A05301P

Sem: II- I

Course Faculty: Mr. P. Raveendra Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	1	3	22	13	12	3.63
2	Breadth of conceptual clarity	51	1	3	21	12	14	3.69
3	Evaluation Scheme	51	1	4	21	11	14	3.65
4	Involvement of Faculty	51	1	4	18	14	14	3.71
5	Overall effectiveness of the course	51	1	4	20	14	12	3.63
6	Preparedness of the faculty	51	1	4	20	12	14	3.67
7	Quality of Interaction	51	1	5	21	10	14	3.61
8	Quality of Rigor	51	1	5	18	15	12	3.63
9	Sequencing of the topics	51	2	4	21	12	12	3.55
10	Style of topic delivery	51	1	4	19	15	12	3.65
11	Time allotted for each topic	51	1	5	20	13	12	3.59
12	Value addition provided by the Course	51	1	3	20	16	11	3.65
13	Standards of Assessment system	51	1	3	19	16	12	3.69
14	Quality of teaching	51	1	3	20	14	13	3.69

AVG 3.64

K. Desai 24/11/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala, Bogole Mandal,
Kavali, S.P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

P. Raveendra Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Object Oriented Programming Through Java Lab - 20A05302P

Sem: II- I

Course Faculty: Mr. K. Ramesh & Mrs. A. Nandini

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	1	15	15	20	4.06
2	Breadth of conceptual clarity	51	0	1	16	12	22	4.08
3	Evaluation Scheme	51	0	2	15	14	20	4.02
4	Involvement of Faculty	51	0	1	19	12	19	3.96
5	Overall effectiveness of the course	51	0	1	15	15	20	4.06
6	Preparedness of the faculty	51	0	1	15	14	21	4.08
7	Quality of Interaction	51	0	1	15	14	21	4.08
8	Quality of Rigor	51	0	1	15	13	22	4.10
9	Sequencing of the topics	51	0	1	13	15	22	4.14
10	Style of topic delivery	51	0	1	15	12	23	4.12
11	Time allotted for each topic	51	0	1	14	14	22	4.12
12	Value addition provided by the Course	51	0	1	16	12	22	4.08
13	Standards of Assessment system	51	0	1	14	13	23	4.14
14	Quality of teaching	51	0	1	15	13	22	4.10

AVG 4.08

K. Ramesh
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. Nandini
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA,
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R, Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Web application Development - 20A05304

Sem: II- I

Course Faculty: Mr. V. Sreehari Naidu

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	5	18	10	18	3.80
2	Breadth of conceptual clarity	51	0	6	16	12	17	3.78
3	Evaluation Scheme	51	0	7	15	11	18	3.78
4	Involvement of Faculty	51	0	6	17	11	17	3.76
5	Overall effectiveness of the course	51	0	6	19	8	18	3.75
6	Preparedness of the faculty	51	0	5	18	9	19	3.82
7	Quality of Interaction	51	0	6	16	11	18	3.80
8	Quality of Rigor	51	0	4	19	9	19	3.84
9	Sequencing of the topics	51	0	6	17	11	17	3.76
10	Style of topic delivery	51	0	4	18	14	15	3.78
11	Time allotted for each topic	51	0	6	16	11	18	3.80
12	Value addition provided by the Course	51	0	5	16	12	18	3.84
13	Standards of Assessment system	51	0	6	19	9	17	3.73
14	Quality of teaching	51	0	4	18	12	17	3.82

AVG	3.79

K. B. S. 24/11/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Bogole Mandal,
Kavali, S.P.S.R. Nellore District,
Andhra Pradesh - 524 142

P. Sreehari
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Universal Human Values - 20A52201

Sem: II- I

Course Faculty: Mr. M. Hemachandra

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	1	4	17	15	14	3.73
2	Breadth of conceptual clarity	51	1	3	17	16	14	3.76
3	Evaluation Scheme	51	1	4	15	19	12	3.73
4	Involvement of Faculty	51	1	4	18	14	14	3.71
5	Overall effectiveness of the course	51	1	5	15	16	14	3.73
6	Preparedness of the faculty	51	1	4	16	13	17	3.80
7	Quality of Interaction	51	1	5	19	13	13	3.63
8	Quality of Rigor	51	1	5	17	13	15	3.71
9	Sequencing of the topics	51	1	5	17	15	13	3.67
10	Style of topic delivery	51	1	3	18	13	16	3.78
11	Time allotted for each topic	51	1	4	16	17	13	3.73
12	Value addition provided by the Course	51	1	5	18	12	15	3.69
13	Standards of Assessment system	51	1	5	17	15	13	3.67
14	Quality of teaching	51	1	3	18	13	16	3.78

AVG 3.72

K. Bee
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V. Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Principal
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Soft Skills - SS

Sem: II-I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	4	19	8	20	3.86
2	Breadth of conceptual clarity	51	1	4	17	10	19	3.82
3	Evaluation Scheme	51	0	5	17	8	21	3.88
4	Involvement of Faculty	51	0	4	16	12	19	3.90
5	Overall effectiveness of the course	51	0	4	18	9	20	3.88
6	Preparedness of the faculty	51	1	5	14	13	18	3.82
7	Quality of Interaction	51	0	4	17	9	21	3.92
8	Quality of Rigor	51	0	5	15	11	20	3.90
9	Sequencing of the topics	51	0	6	16	11	18	3.80
10	Style of topic delivery	51	1	4	15	13	18	3.84
11	Time allotted for each topic	51	0	6	17	10	18	3.78
12	Value addition provided by the Course	51	0	6	15	11	19	3.84
13	Standards of Assessment system	51	0	5	17	10	19	3.84
14	Quality of teaching	51	1	4	16	9	21	3.88

AVG 3.86

K. Bala
24/11/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Vi, Bogole Mandal,
Kavali, S.P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

P. Suresh
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA,
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Soft Skills - SS

Sem: II- I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Training was relevant to my needs	51	0	9	14	11	17	3.71
2	Content was well organized	51	1	5	17	11	17	3.75
3	Training met my Expectations	51	0	9	15	11	16	3.67
4	Doubts raised were appropriately clarified	51	0	6	16	10	19	3.82
5	Training was effective	51	2	4	18	9	18	3.73

AVG	3.73

K. Zee 24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. V. Reddy
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Sem: II- I

Date: 24-11-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54304	Discrete Mathematics & Graph Theory	Mrs. P. V. Madhavi	64	3.36	
2	20A04304T	Digital Electronics & Microprocessors	Mr. D. V. Sai Kishore	64	4.35	
3	20A05301T	Advanced Data Structures & Algorithms	Mr. P. Raveendra Reddy	64	2.90	
4	20A05302T	Object Oriented Programming Through Java	Mr. K. Ramesh	64	4.06	
5	20A05303	Computer Organization	Dr. Dileep Kumar	64	3.19	
6	20A04304P	Digital Electronics & Microprocessors Lab	Mr. D. V. Sai Kishore & Mr. V. Sreedhar	64	4.14	
7	20A05301P	Advanced Data Structures and Algorithms Lab	Mr. P. Raveendra Reddy	64	3.15	
8	20A05302P	Object Oriented Programming Through Java Lab	Mr. K. Ramesh & Mrs. A. Nandini	64	4.00	
9	20A05304	Web application Development	Mr. V. Sreehari Naidu	64	3.52	
10	20A52201	Universal Human Values	Mr. M. Hemachandra	64	3.85	
11	SS	Soft Skills	Dr. Syed Mujahid	64	3.64	

K. Jee
24/11/23

IQAC CO-ORDINATOR

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

Praveen Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Discrete Mathematics & Graph Theory -
20A54304

Sem: II- I

Course Faculty: Mrs. P. V. Madhavi

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	2	8	30	12	12	3.38
2	Breadth of conceptual clarity	64	1	10	31	11	11	3.33
3	Evaluation Scheme	64	1	8	31	13	11	3.39
4	Involvement of Faculty	64	2	9	26	17	10	3.38
5	Overall effectiveness of the course	64	1	9	27	16	11	3.42
6	Preparedness of the faculty	64	1	8	29	16	10	3.41
7	Quality of Interaction	64	1	9	30	12	12	3.39
8	Quality of Rigor	64	1	9	31	13	10	3.34
9	Sequencing of the topics	64	1	8	33	12	10	3.34
10	Style of topic delivery	64	1	8	34	12	9	3.31
11	Time allotted for each topic	64	1	10	30	14	9	3.31
12	Value addition provided by the Course	64	1	9	30	15	9	3.34
13	Standards of Assessment system	64	1	9	32	10	12	3.36
14	Quality of teaching	64	1	9	28	15	11	3.41

AVG	3.36

K. Zee 24/11/23

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. V. Madhavi

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Digital Electronics & Microprocessors - 20A04304T

Sem: II- I

Course Faculty: Mr. D. V. Sai Kishore

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	0	1	15	13	35	4.28
2	Breadth of conceptual clarity	64	0	1	15	10	38	4.33
3	Evaluation Scheme	64	1	0	14	10	39	4.34
4	Involvement of Faculty	64	0	1	16	11	36	4.28
5	Overall effectiveness of the course	64	1	1	12	11	39	4.34
6	Preparedness of the faculty	64	0	0	14	11	39	4.39
7	Quality of Interaction	64	0	1	13	10	40	4.39
8	Quality of Rigor	64	0	2	13	13	36	4.30
9	Sequencing of the topics	64	0	1	13	11	39	4.38
10	Style of topic delivery	64	0	1	14	8	41	4.39
11	Time allotted for each topic	64	0	2	11	14	37	4.34
12	Value addition provided by the Course	64	0	2	12	9	41	4.39
13	Standards of Assessment system	64	0	1	12	13	38	4.38
14	Quality of teaching	64	0	2	12	10	40	4.38

AVG 4.35

K. Jeyaraj
24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist
Andhra Pradesh - 524 142

[Signature]

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Advanced Data Structures & Algorithms -
20A05301T

Sem: II- I

Course Faculty: Mr. P. Raveendra Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	9	14	24	7	10	2.92
2	Breadth of conceptual clarity	64	9	17	22	9	7	2.81
3	Evaluation Scheme	64	11	15	22	9	7	2.78
4	Involvement of Faculty	64	7	13	21	15	8	3.06
5	Overall effectiveness of the course	64	7	15	24	10	8	2.95
6	Preparedness of the faculty	64	9	15	20	14	6	2.89
7	Quality of Interaction	64	7	12	24	11	10	3.08
8	Quality of Rigor	64	9	17	19	11	8	2.88
9	Sequencing of the topics	64	10	13	22	11	8	2.91
10	Style of topic delivery	64	11	15	20	11	7	2.81
11	Time allotted for each topic	64	9	18	21	8	8	2.81
12	Value addition provided by the Course	64	7	16	25	7	9	2.92
13	Standards of Assessment system	64	7	18	21	9	9	2.92
14	Quality of teaching	64	7	19	19	12	7	2.89

AVG 2.90

K. Jeeva
24/11/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. Raveendra

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavalu- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Object Oriented Programming Through Java - 20A05302T

Sem: II- I

Course Faculty: Mr. K. Ramesh

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	0	2	20	15	27	4.05
2	Breadth of conceptual clarity	64	0	3	19	16	26	4.02
3	Evaluation Scheme	64	1	3	19	14	27	3.98
4	Involvement of Faculty	64	0	4	18	14	28	4.03
5	Overall effectiveness of the course	64	0	4	18	17	25	3.98
6	Preparedness of the faculty	64	0	2	21	14	27	4.03
7	Quality of Interaction	64	0	4	19	14	27	4.00
8	Quality of Rigor	64	0	4	19	10	31	4.06
9	Sequencing of the topics	64	0	2	19	14	29	4.09
10	Style of topic delivery	64	0	3	16	14	31	4.14
11	Time allotted for each topic	64	1	2	17	12	32	4.13
12	Value addition provided by the Course	64	1	3	18	11	31	4.06
13	Standards of Assessment system	64	0	2	19	13	30	4.11
14	Quality of teaching	64	0	2	19	10	33	4.16

AVG 4.06

K. Ramesh 24/11/23 -

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavalu, Sri P.S.R. Nellore Dist
Andhra Pradesh - 524 142

P. V. S. S. S.

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Computer Organization - 20A05303

Sem: II- I

Course Faculty: Dr. Dileep Kumar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	2	18	21	14	9	3.16
2	Breadth of conceptual clarity	64	2	18	20	15	9	3.17
3	Evaluation Scheme	64	2	17	23	11	11	3.19
4	Involvement of Faculty	64	3	13	26	14	8	3.17
5	Overall effectiveness of the course	64	4	15	25	12	8	3.08
6	Preparedness of the faculty	64	3	13	26	16	6	3.14
7	Quality of Interaction	64	3	15	25	11	10	3.16
8	Quality of Rigor	64	3	16	23	13	9	3.14
9	Sequencing of the topics	64	2	18	21	10	13	3.22
10	Style of topic delivery	64	3	13	24	14	10	3.23
11	Time allotted for each topic	64	3	16	24	8	13	3.19
12	Value addition provided by the Course	64	2	14	24	13	11	3.27
13	Standards of Assessment system	64	2	16	24	8	14	3.25
14	Quality of teaching	64	2	13	26	11	12	3.28

AVG	3.19

K. Zee 24/11/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

Pourcedu

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Digital Electronics & Microprocessors Lab - 20A04304P

Sem: II- I

Course Faculty: Mr. D. V. Sai Kishore & Mr. V. Sreedhar

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	0	2	19	10	33	4.16
2	Breadth of conceptual clarity	64	0	1	20	11	32	4.16
3	Evaluation Scheme	64	0	4	16	11	33	4.14
4	Involvement of Faculty	64	0	2	19	10	33	4.16
5	Overall effectiveness of the course	64	0	3	18	10	33	4.14
6	Preparedness of the faculty	64	0	2	19	13	30	4.11
7	Quality of Interaction	64	0	2	19	10	33	4.16
8	Quality of Rigor	64	0	3	18	14	29	4.08
9	Sequencing of the topics	64	0	2	19	12	31	4.13
10	Style of topic delivery	64	0	3	17	12	32	4.14
11	Time allotted for each topic	64	0	2	19	8	35	4.19
12	Value addition provided by the Course	64	0	2	18	14	30	4.13
13	Standards of Assessment system	64	0	2	19	11	32	4.14
14	Quality of teaching	64	0	3	18	11	32	4.13

AVG	4.14

K. Zee 24/11/23

IQAC Co-Ordinator

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Bogole Mandal,
Kavali, S.P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

Principal

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Advanced Data Structures and Algorithms Lab - 20A05301P

Sem: II- I

Course Faculty: Mr. P. Raveendra Reddy

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	7	14	17	13	13	3.17
2	Breadth of conceptual clarity	64	7	14	19	11	13	3.14
3	Evaluation Scheme	64	7	13	18	12	14	3.20
4	Involvement of Faculty	64	7	13	22	10	12	3.11
5	Overall effectiveness of the course	64	7	12	20	10	15	3.22
6	Preparedness of the faculty	64	7	12	22	10	13	3.16
7	Quality of Interaction	64	7	12	20	12	13	3.19
8	Quality of Rigor	64	7	13	21	11	12	3.13
9	Sequencing of the topics	64	7	14	19	10	14	3.16
10	Style of topic delivery	64	7	12	22	13	10	3.11
11	Time allotted for each topic	64	7	13	20	12	12	3.14
12	Value addition provided by the Course	64	7	13	20	13	11	3.13
13	Standards of Assessment system	64	7	13	20	11	13	3.16
14	Quality of teaching	64	8	11	23	9	13	3.13

AVG 3.15

K. Jeyaraj 24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Raveendra Reddy
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Object Oriented Programming Through Java Lab - 20A05302P

Sem: II- I

Course Faculty: Mr. K. Ramesh & Mrs. A. Nandini

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	1	2	21	14	26	3.97
2	Breadth of conceptual clarity	64	1	2	22	13	26	3.95
3	Evaluation Scheme	64	1	4	20	14	25	3.91
4	Involvement of Faculty	64	0	1	23	14	26	4.02
5	Overall effectiveness of the course	64	1	2	21	14	26	3.97
6	Preparedness of the faculty	64	0	2	23	13	26	3.98
7	Quality of Interaction	64	0	2	21	13	28	4.05
8	Quality of Rigor	64	0	0	25	12	27	4.03
9	Sequencing of the topics	64	0	1	22	13	28	4.06
10	Style of topic delivery	64	0	3	22	12	27	3.98
11	Time allotted for each topic	64	0	2	22	12	28	4.03
12	Value addition provided by the Course	64	0	1	24	12	27	4.02
13	Standards of Assessment system	64	0	2	21	14	27	4.03
14	Quality of teaching	64	0	0	25	11	28	4.05

AVG 4.00

K. Ramesh
24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole M.
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Nandini

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Web application Development - 20A05304

Sem: II- I

Course Faculty: Mr. V. Sreehari Naidu

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	6	7	18	12	21	3.55
2	Breadth of conceptual clarity	64	6	7	19	11	21	3.53
3	Evaluation Scheme	64	6	8	19	11	20	3.48
4	Involvement of Faculty	64	6	8	19	10	21	3.50
5	Overall effectiveness of the course	64	6	7	19	11	21	3.53
6	Preparedness of the faculty	64	6	6	21	9	22	3.55
7	Quality of Interaction	64	6	7	20	8	23	3.55
8	Quality of Rigor	64	6	7	21	10	20	3.48
9	Sequencing of the topics	64	6	8	20	8	22	3.50
10	Style of topic delivery	64	6	7	20	10	21	3.52
11	Time allotted for each topic	64	6	6	21	9	22	3.55
12	Value addition provided by the Course	64	6	7	19	11	21	3.53
13	Standards of Assessment system	64	6	8	19	10	21	3.50
14	Quality of teaching	64	6	6	21	8	23	3.56

AVG	3.52

K. Zel
24/11/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Sreehari Naidu

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Universal Human Values - 20A52201

Sem: II- I

Course Faculty: Mr. M. Hemachandra

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	1	5	22	12	24	3.83
2	Breadth of conceptual clarity	64	1	5	21	15	22	3.81
3	Evaluation Scheme	64	1	5	21	13	24	3.84
4	Involvement of Faculty	64	0	7	19	15	23	3.84
5	Overall effectiveness of the course	64	1	7	18	13	25	3.84
6	Preparedness of the faculty	64	0	6	19	13	26	3.92
7	Quality of Interaction	64	0	7	20	14	23	3.83
8	Quality of Rigor	64	1	7	21	11	24	3.78
9	Sequencing of the topics	64	0	7	18	14	25	3.89
10	Style of topic delivery	64	0	7	20	13	24	3.84
11	Time allotted for each topic	64	0	7	20	13	24	3.84
12	Value addition provided by the Course	64	0	6	20	13	25	3.89
13	Standards of Assessment system	64	0	8	19	14	23	3.81
14	Quality of teaching	64	0	7	20	12	25	3.86

AVG 3.85

K. 302 24/11/23

IQAC Co-Ordinator

IOAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole Mandal,
Kavali, S.P.S.R. Nellore District,
Andhra Pradesh - 524 142

Poureddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Soft Skills - SS

Sem: II- I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	64	4	7	20	15	18	3.56
2	Breadth of conceptual clarity	64	3	8	20	14	19	3.59
3	Evaluation Scheme	64	3	6	21	16	18	3.63
4	Involvement of Faculty	64	3	7	19	16	19	3.64
5	Overall effectiveness of the course	64	3	6	20	15	20	3.67
6	Preparedness of the faculty	64	3	6	20	15	20	3.67
7	Quality of Interaction	64	3	5	22	15	19	3.66
8	Quality of Rigor	64	3	8	20	13	20	3.61
9	Sequencing of the topics	64	4	6	21	12	21	3.63
10	Style of topic delivery	64	3	8	20	13	20	3.61
11	Time allotted for each topic	64	3	6	20	14	21	3.69
12	Value addition provided by the Course	64	3	7	19	16	19	3.64
13	Standards of Assessment system	64	3	5	21	13	22	3.72
14	Quality of teaching	64	3	7	21	12	21	3.64

AVG 3.64

K. Jee 24/11/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Soft Skills - SS

Sem: II- I

Course Faculty: Dr. Syed Mujahid

Date: 24-11-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Training was relevant to my needs	64	4	8	24	11	17	3.45
2	Content was well organized	64	2	11	22	11	18	3.50
3	Training met my Expectations	64	3	10	22	10	19	3.50
4	Doubts raised were appropriately clarified	64	2	9	22	11	20	3.59
5	Training was effective	64	2	9	23	8	22	3.61

AVG 3.53

K. Zeeshan 24/11/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M),
Kavali, Sri P.S.R, Nellore Dist.,
Andhra Pradesh - 524 142

P. S. S. R. Nellore

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Sem: III- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A04501	Control Systems Engineering	Mrs. N. Bhargavi	50	4.15	
2	20A04502T	Digital Signal Processing	Mr. V. Suneel Reddy	50	4.19	
3	20A04503T	Microprocessors and Microcontrollers	Mrs. CH. Yamini	50	4.13	
4	20A04504a	Computer Architecture & Organization	Mrs. K. Lilly Grace Mary	50	4.12	
5	20A05505a	Java Programming	Mrs. .S. V. Moulika	50	4.03	
6	20A04502P	Digital Signal Processing Laboratory	Mr. M. Kondaiah	50	4.10	
7	20A04503P	Microprocessors and Microcontrollers Laboratory	Mrs. Ch. Yamini & Mrs. N. Bhargavi	50	4.07	
8	20A04506	PCB Design and Prototype development	Mr. V. Eswara Neela Rao	50	4.16	

K. Jeeva
13/12/23

IQAC CO-ORDINATOR
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Ramireddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Control Systems Engineering -
20A04501

Sem: III-I

Course Faculty: Mrs. N. Bhargavi

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	15	19	16	4.02
2	Breadth of conceptual clarity	50	0	1	8	15	26	4.32
3	Evaluation Scheme	50	0	4	11	17	18	3.98
4	Involvement of Faculty	50	0	4	6	14	26	4.24
5	Overall effectiveness of the course	50	0	0	14	17	19	4.10
6	Preparedness of the faculty	50	0	1	11	15	23	4.20
7	Quality of Interaction	50	0	2	11	14	23	4.16
8	Quality of Rigor	50	0	5	5	19	21	4.12
9	Sequencing of the topics	50	0	2	16	13	19	3.98
10	Style of topic delivery	50	0	1	9	18	22	4.22
11	Time allotted for each topic	50	0	1	12	12	25	4.22
12	Value addition provided by the Course	50	0	2	10	15	23	4.18
13	Standards of Assessment system	50	0	1	12	14	23	4.18
14	Quality of teaching	50	0	1	11	15	23	4.20

AVG 4.15

K. Jeyaraj
13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Digital Signal Processing - 20A04502T

Sem: III- I

Course Faculty: Mr. V. Suneel Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	1	2	11	10	26	4.16
2	Breadth of conceptual clarity	50	0	1	10	16	23	4.22
3	Evaluation Scheme	50	0	4	11	10	25	4.12
4	Involvement of Faculty	50	0	2	7	17	24	4.26
5	Overall effectiveness of the course	50	0	2	11	13	24	4.18
6	Preparedness of the faculty	50	0	2	7	19	22	4.22
7	Quality of Interaction	50	0	3	9	15	23	4.16
8	Quality of Rigor	50	0	1	9	20	20	4.18
9	Sequencing of the topics	50	0	1	15	12	22	4.10
10	Style of topic delivery	50	0	2	8	21	19	4.14
11	Time allotted for each topic	50	1	1	10	12	26	4.22
12	Value addition provided by the Course	50	0	3	7	14	26	4.26
13	Standards of Assessment system	50	0	2	9	15	24	4.22
14	Quality of teaching	50	1	2	7	16	24	4.20

AVG 4.19

K. Sree
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Suneel Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142,

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Microprocessors and Microcontrollers -
20A04503T

Sem: III- I

Course Faculty: Mrs. CH. Yamini

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	0	15	12	23	4.16
2	Breadth of conceptual clarity	50	0	0	11	22	17	4.12
3	Evaluation Scheme	50	0	1	13	12	24	4.18
4	Involvement of Faculty	50	0	2	10	18	20	4.12
5	Overall effectiveness of the course	50	0	1	15	12	22	4.10
6	Preparedness of the faculty	50	0	2	10	20	18	4.08
7	Quality of Interaction	50	1	3	13	5	28	4.12
8	Quality of Rigor	50	0	2	10	22	16	4.04
9	Sequencing of the topics	50	0	1	13	11	25	4.20
10	Style of topic delivery	50	0	3	10	16	21	4.10
11	Time allotted for each topic	50	0	1	15	8	26	4.18
12	Value addition provided by the Course	50	0	2	10	19	19	4.10
13	Standards of Assessment system	50	0	1	15	8	26	4.18
14	Quality of teaching	50	1	1	9	16	23	4.18

AVG 4.13

K. Zel 13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (M), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Prasad

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Computer Architecture & Organization -
20A04504a

Sem: III- I

Course Faculty: Mrs. K. Lilly Grace Mary

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	1	3	10	12	24	4.10
2	Breadth of conceptual clarity	50	0	4	10	14	22	4.08
3	Evaluation Scheme	50	0	2	9	15	24	4.22
4	Involvement of Faculty	50	0	4	11	15	20	4.02
5	Overall effectiveness of the course	50	1	3	7	15	24	4.16
6	Preparedness of the faculty	50	0	3	11	14	22	4.10
7	Quality of Interaction	50	0	3	9	13	25	4.20
8	Quality of Rigor	50	0	2	15	12	21	4.04
9	Sequencing of the topics	50	1	3	10	12	24	4.10
10	Style of topic delivery	50	0	3	11	13	23	4.12
11	Time allotted for each topic	50	0	3	10	16	21	4.10
12	Value addition provided by the Course	50	0	2	9	18	21	4.16
13	Standards of Assessment system	50	1	2	10	11	26	4.18
14	Quality of teaching	50	0	2	11	14	23	4.16

AVG 4.12

K. Jey
13/12/23
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. G. Reddy
PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Java Programming - 20A05505a

Sem: III- I

Course Faculty: Mrs. .S. V. Moulika

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	2	12	17	19	4.06
2	Breadth of conceptual clarity	50	0	3	9	22	16	4.02
3	Evaluation Scheme	50	0	3	11	19	17	4.00
4	Involvement of Faculty	50	0	3	11	20	16	3.98
5	Overall effectiveness of the course	50	0	4	12	14	20	4.00
6	Preparedness of the faculty	50	0	2	11	16	21	4.12
7	Quality of Interaction	50	0	4	12	15	19	3.98
8	Quality of Rigor	50	0	4	12	17	17	3.94
9	Sequencing of the topics	50	0	3	12	17	18	4.00
10	Style of topic delivery	50	0	2	12	17	19	4.06
11	Time allotted for each topic	50	0	3	11	13	23	4.12
12	Value addition provided by the Course	50	0	3	11	17	19	4.04
13	Standards of Assessment system	50	1	3	11	16	19	3.98
14	Quality of teaching	50	0	2	11	15	22	4.14

AVG 4.03

K. J. 13/12/23

IQAC Co-Ordinator

IQAC Co ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. S. V. Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Digital Signal Processing Laboratory -
20A04502P

Sem: III-I

Course Faculty: Mr. M. Kondaiah

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	2	15	12	21	4.04
2	Breadth of conceptual clarity	50	0	1	12	17	20	4.12
3	Evaluation Scheme	50	0	1	13	11	25	4.20
4	Involvement of Faculty	50	0	1	14	15	20	4.08
5	Overall effectiveness of the course	50	0	3	12	12	23	4.10
6	Preparedness of the faculty	50	0	1	11	16	22	4.18
7	Quality of Interaction	50	0	2	13	11	24	4.14
8	Quality of Rigor	50	0	3	11	16	20	4.06
9	Sequencing of the topics	50	0	3	11	12	24	4.14
10	Style of topic delivery	50	0	2	13	18	17	4.00
11	Time allotted for each topic	50	0	1	16	11	22	4.08
12	Value addition provided by the Course	50	0	2	9	20	19	4.12
13	Standards of Assessment system	50	0	1	15	13	21	4.08
14	Quality of teaching	50	0	1	11	20	18	4.10

AVG	4.10

K. Jeeva
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

R. Kondaiah

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142,

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Microprocessors and Microcontrollers Laboratory - 20A04503P

Sem: III-I

Course Faculty: Mrs. Ch. Yamini & Mrs. N. Bhargavi

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	1	2	15	9	23	4.02
2	Breadth of conceptual clarity	50	0	2	13	13	22	4.10
3	Evaluation Scheme	50	1	2	11	11	25	4.14
4	Involvement of Faculty	50	0	3	14	10	23	4.06
5	Overall effectiveness of the course	50	0	2	16	9	23	4.06
6	Preparedness of the faculty	50	1	2	11	15	21	4.06
7	Quality of Interaction	50	1	3	13	9	24	4.04
8	Quality of Rigor	50	1	3	10	15	21	4.04
9	Sequencing of the topics	50	1	1	14	14	20	4.02
10	Style of topic delivery	50	1	1	14	10	24	4.10
11	Time allotted for each topic	50	0	1	14	15	20	4.08
12	Value addition provided by the Course	50	0	3	13	12	22	4.06
13	Standards of Assessment system	50	1	2	15	10	22	4.00
14	Quality of teaching	50	0	2	12	12	24	4.16

AVG 4.07

K. Zeer 13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Pencadly

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: PCB Design and Prototype development - 20A04506 Sem: III- I

Course Faculty: Mr. V. Eswara Neela Rao

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	50	0	2	10	15	23	4.18
2	Breadth of conceptual clarity	50	0	3	7	19	21	4.16
3	Evaluation Scheme	50	0	1	10	16	23	4.22
4	Involvement of Faculty	50	0	1	12	16	21	4.14
5	Overall effectiveness of the course	50	0	1	13	14	22	4.14
6	Preparedness of the faculty	50	0	4	6	16	24	4.20
7	Quality of Interaction	50	0	3	10	13	24	4.16
8	Quality of Rigor	50	0	1	13	14	22	4.14
9	Sequencing of the topics	50	0	3	9	14	24	4.18
10	Style of topic delivery	50	0	3	11	14	22	4.10
11	Time allotted for each topic	50	0	3	11	17	19	4.04
12	Value addition provided by the Course	50	0	2	10	18	20	4.12
13	Standards of Assessment system	50	0	2	9	14	25	4.24
14	Quality of teaching	50	0	1	11	15	23	4.20

AVG 4.16

K. Zeer
13/12/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Chetty

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Sem: III- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A01501	Design of Reinforced Concrete Structures	Mr. K. Vinod Kumar	12	3.86	
2	20A01502T	Geotechnical Engineering	Ms. CH. Vinathi Raj	12	3.68	
3	20A01503	Building Materials and Construction	Mr. V. Amarnadh Reddy	12	3.55	
4	20A01504a	Structural Analysis – II	Mr. G. Bharadwaja Rao	12	3.45	
5	20A51501	Chemistry of Energy Materials	Mr. Y. Kiran Kumar	12	3.40	
6	20A01506	Computer Aided Drafting Laboratory	Mr. K. Jagadeesh	12	3.64	
7	20A01502P	Geotechnical Engineering Laboratory	Mr. G. Bharadwaja Rao	12	3.52	
8	20A01507	Building Planning and Drawing	Mr. K. Jagadeesh	12	3.85	
9	20A99201	Environmental Science	Mr. K. Vinod Kumar	12	3.60	

K. Jeeva
13/12/23

IQAC CO-ORDINATOR

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

P. Sreedhar

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Design of Reinforced Concrete Structures - 20A01501

Sem: III- I

Course Faculty: Mr. K. Vinod Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	4	3	4	3.83
2	Breadth of conceptual clarity	12	0	1	4	4	3	3.75
3	Evaluation Scheme	12	0	1	4	5	2	3.67
4	Involvement of Faculty	12	0	1	4	3	4	3.83
5	Overall effectiveness of the course	12	0	2	1	5	4	3.92
6	Preparedness of the faculty	12	0	1	3	4	4	3.92
7	Quality of Interaction	12	0	0	5	3	4	3.92
8	Quality of Rigor	12	0	2	1	5	4	3.92
9	Sequencing of the topics	12	0	0	4	5	3	3.92
10	Style of topic delivery	12	0	1	3	5	3	3.83
11	Time allotted for each topic	12	0	0	5	4	3	3.83
12	Value addition provided by the Course	12	0	3	1	5	3	3.67
13	Standards of Assessment system	12	0	0	4	4	4	4.00
14	Quality of teaching	12	0	1	3	3	5	4.00

AVG 3.86

K. Vinod Kumar
13/12/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S. R. Nellore

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Geotechnical Engineering - 20A01502T

Sem: III-I

Course Faculty: Ms. CH. Vinathi Raj

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	4	4	3	3.75
2	Breadth of conceptual clarity	12	0	0	3	7	2	3.92
3	Evaluation Scheme	12	0	0	5	5	2	3.75
4	Involvement of Faculty	12	0	1	2	7	2	3.83
5	Overall effectiveness of the course	12	0	1	6	4	1	3.42
6	Preparedness of the faculty	12	0	2	4	5	1	3.42
7	Quality of Interaction	12	0	1	5	5	1	3.50
8	Quality of Rigor	12	0	1	3	7	1	3.67
9	Sequencing of the topics	12	0	0	4	5	3	3.92
10	Style of topic delivery	12	0	1	4	7	0	3.50
11	Time allotted for each topic	12	0	1	4	6	1	3.58
12	Value addition provided by the Course	12	0	2	3	4	3	3.67
13	Standards of Assessment system	12	0	1	4	4	3	3.75
14	Quality of teaching	12	0	0	3	8	1	3.83

AVG 3.68

K. Jeeva
13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

[Signature]

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Building Materials and Construction -
20A01503

Sem: III- I

Course Faculty: Mr. V. Amarnadh Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	2	5	2	3	3.50
2	Breadth of conceptual clarity	12	0	0	7	2	3	3.67
3	Evaluation Scheme	12	0	2	5	4	1	3.33
4	Involvement of Faculty	12	0	1	6	2	3	3.58
5	Overall effectiveness of the course	12	0	1	5	3	3	3.67
6	Preparedness of the faculty	12	0	1	6	3	2	3.50
7	Quality of Interaction	12	0	2	4	4	2	3.50
8	Quality of Rigor	12	0	1	4	7	0	3.50
9	Sequencing of the topics	12	0	2	4	2	4	3.67
10	Style of topic delivery	12	0	0	7	4	1	3.50
11	Time allotted for each topic	12	0	2	5	2	3	3.50
12	Value addition provided by the Course	12	0	0	6	3	3	3.75
13	Standards of Assessment system	12	0	1	5	4	2	3.58
14	Quality of teaching	12	0	0	7	4	1	3.50

AVG 3.55

K. Zel
13/12/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. V. Reddy

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Structural Analysis – II -
20A01504a

Sem: III-I

Course Faculty: Mr. G. Bharadwaja Rao

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	2	4	5	1	3.42
2	Breadth of conceptual clarity	12	0	1	6	3	2	3.50
3	Evaluation Scheme	12	0	2	4	5	1	3.42
4	Involvement of Faculty	12	0	2	4	3	3	3.58
5	Overall effectiveness of the course	12	0	2	4	4	2	3.50
6	Preparedness of the faculty	12	0	3	3	3	3	3.50
7	Quality of Interaction	12	0	2	3	6	1	3.50
8	Quality of Rigor	12	0	4	2	4	2	3.33
9	Sequencing of the topics	12	0	2	5	3	2	3.42
10	Style of topic delivery	12	0	2	4	6	0	3.33
11	Time allotted for each topic	12	0	2	4	5	1	3.42
12	Value addition provided by the Course	12	0	2	4	5	1	3.42
13	Standards of Assessment system	12	0	2	3	4	3	3.67
14	Quality of teaching	12	0	2	5	4	1	3.33

AVG 3.45

K. Zel
13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M),
Kavali, Sri P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

Pourady

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Chemistry of Energy Materials - 20A51501

Sem: III- I

Course Faculty: Mr. Y. Kiran Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	7	3	1	3.33
2	Breadth of conceptual clarity	12	0	1	6	4	1	3.42
3	Evaluation Scheme	12	1	0	6	3	2	3.42
4	Involvement of Faculty	12	0	1	7	2	2	3.42
5	Overall effectiveness of the course	12	0	1	5	5	1	3.50
6	Preparedness of the faculty	12	0	2	3	5	2	3.58
7	Quality of Interaction	12	1	0	6	5	0	3.25
8	Quality of Rigor	12	0	1	6	3	2	3.50
9	Sequencing of the topics	12	0	1	6	4	1	3.42
10	Style of topic delivery	12	0	3	4	3	2	3.33
11	Time allotted for each topic	12	1	1	5	5	0	3.17
12	Value addition provided by the Course	12	1	0	7	2	2	3.33
13	Standards of Assessment system	12	0	2	5	5	0	3.25
14	Quality of teaching	12	0	0	6	3	3	3.75

AVG	3.40

K. Jeeva
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Computer Aided Drafting Laboratory -
20A01506

Sem: III- I

Course Faculty: Mr. K. Jagadeesh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	6	4	1	3.42
2	Breadth of conceptual clarity	12	0	1	4	6	1	3.58
3	Evaluation Scheme	12	0	0	4	6	2	3.83
4	Involvement of Faculty	12	0	1	2	6	3	3.92
5	Overall effectiveness of the course	12	0	1	3	6	2	3.75
6	Preparedness of the faculty	12	0	1	5	4	2	3.58
7	Quality of Interaction	12	0	2	5	2	3	3.50
8	Quality of Rigor	12	0	1	5	4	2	3.58
9	Sequencing of the topics	12	0	1	4	5	2	3.67
10	Style of topic delivery	12	0	1	4	7	0	3.50
11	Time allotted for each topic	12	0	1	5	4	2	3.58
12	Value addition provided by the Course	12	0	0	6	3	3	3.75
13	Standards of Assessment system	12	0	2	4	3	3	3.58
14	Quality of teaching	12	0	0	6	4	2	3.67

AVG 3.64

K. Jagadeesh
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (M), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

Ramireddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Geotechnical Engineering Laboratory - 20A01502P

Sem: III-I

Course Faculty: Mr. G. Bharadwaja Rao

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	2	3	5	2	3.58
2	Breadth of conceptual clarity	12	0	2	2	6	2	3.67
3	Evaluation Scheme	12	0	3	2	4	3	3.58
4	Involvement of Faculty	12	0	2	4	4	2	3.50
5	Overall effectiveness of the course	12	0	2	5	3	2	3.42
6	Preparedness of the faculty	12	0	1	5	4	2	3.58
7	Quality of Interaction	12	0	2	3	5	2	3.58
8	Quality of Rigor	12	0	3	3	4	2	3.42
9	Sequencing of the topics	12	0	2	5	4	1	3.33
10	Style of topic delivery	12	0	1	4	5	2	3.67
11	Time allotted for each topic	12	0	2	2	7	1	3.58
12	Value addition provided by the Course	12	0	2	2	7	1	3.58
13	Standards of Assessment system	12	0	3	3	5	1	3.33
14	Quality of teaching	12	0	2	3	6	1	3.50

AVG	3.52

K. Jeyaraj
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

G. Bharadwaja Rao

PRINCIPAL

Principal A1.

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Building Planning and Drawing - 20A01507

Sem: III-I

Course Faculty: Mr. K. Jagadeesh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	2	3	1	6	3.92
2	Breadth of conceptual clarity	12	0	2	4	1	5	3.75
3	Evaluation Scheme	12	0	1	3	1	7	4.17
4	Involvement of Faculty	12	0	0	6	1	5	3.92
5	Overall effectiveness of the course	12	0	3	3	0	6	3.75
6	Preparedness of the faculty	12	0	1	6	1	4	3.67
7	Quality of Interaction	12	0	1	3	1	7	4.17
8	Quality of Rigor	12	0	1	5	2	4	3.75
9	Sequencing of the topics	12	0	3	2	2	5	3.75
10	Style of topic delivery	12	0	0	7	1	4	3.75
11	Time allotted for each topic	12	0	2	4	2	4	3.67
12	Value addition provided by the Course	12	0	0	6	1	5	3.92
13	Standards of Assessment system	12	0	3	3	1	5	3.67
14	Quality of teaching	12	0	0	5	1	6	4.08

AVG	3.85

K. Zeer
13/12/23

(IQAC Co-Ordinator)

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Environmental Science - 20A99201

Sem: III-I

Course Faculty: Mr. K. Vinod Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	4	3	4	3.83
2	Breadth of conceptual clarity	12	0	2	4	3	3	3.58
3	Evaluation Scheme	12	0	0	5	4	3	3.83
4	Involvement of Faculty	12	0	2	3	5	2	3.58
5	Overall effectiveness of the course	12	0	1	3	4	4	3.92
6	Preparedness of the faculty	12	0	3	4	4	1	3.25
7	Quality of Interaction	12	0	1	5	4	2	3.58
8	Quality of Rigor	12	0	1	6	4	1	3.42
9	Sequencing of the topics	12	0	1	5	5	1	3.50
10	Style of topic delivery	12	0	2	3	4	3	3.67
11	Time allotted for each topic	12	0	0	4	6	2	3.83
12	Value addition provided by the Course	12	0	2	5	4	1	3.33
13	Standards of Assessment system	12	0	2	4	5	1	3.42
14	Quality of teaching	12	0	2	4	3	3	3.58

AVG	3.60

K. Jee
13/12/23

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Sem: III- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A04501	Control Systems Engineering	Mrs. N. Bhargavi	44	3.93	
2	20A04502T	Digital Signal Processing	Mr. V. Suneel Reddy	44	3.94	
3	20A04503T	Microprocessors and Microcontrollers	Mrs. CH. Yamini	44	3.37	
4	20A04504a	Computer Architecture & Organization	Mrs. K. Lilly Grace Mary	44	3.81	
5	20A05505a	Java Programming	Mrs. S. V. Moulika	44	3.38	
6	20A04502P	Digital Signal Processing Laboratory	Mr. M. Kondaiah	44	3.94	
7	20A04503P	Microprocessors and Microcontrollers Laboratory	Mrs. Ch. Yamini & Mrs. N. Bhargavi	44	3.49	
8	20A04506	PCB Design and Prototype development	Mr. V. Eswara Neela Rao	44	3.82	

K. Jee
13/12/23.

IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole M
Kavali, S.P.S.R. Nellore Dist,
Andhra Pradesh - 524 142.

Perreddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Control Systems Engineering -
20A04501

Sem: III- I

Course Faculty: Mrs. N. Bhargavi

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	2	14	13	15	3.93
2	Breadth of conceptual clarity	44	0	2	15	8	19	4.00
3	Evaluation Scheme	44	1	1	19	8	15	3.80
4	Involvement of Faculty	44	0	2	17	6	19	3.95
5	Overall effectiveness of the course	44	0	3	16	9	16	3.86
6	Preparedness of the faculty	44	0	2	18	8	16	3.86
7	Quality of Interaction	44	0	2	17	7	18	3.93
8	Quality of Rigor	44	0	3	16	5	20	3.95
9	Sequencing of the topics	44	0	1	16	6	21	4.07
10	Style of topic delivery	44	0	2	19	9	14	3.80
11	Time allotted for each topic	44	0	2	16	5	21	4.02
12	Value addition provided by the Course	44	0	3	15	10	16	3.89
13	Standards of Assessment system	44	0	2	17	6	19	3.95
14	Quality of teaching	44	0	2	15	8	19	4.00

AVG 3.93

K. Jeeva 13/12/23

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Digital Signal Processing - 20A04502T

Sem: III- I

Course Faculty: Mr. V. Suneel Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	2	19	7	16	3.84
2	Breadth of conceptual clarity	44	0	3	19	3	19	3.86
3	Evaluation Scheme	44	1	2	17	6	18	3.86
4	Involvement of Faculty	44	0	3	17	2	22	3.98
5	Overall effectiveness of the course	44	1	3	13	10	17	3.89
6	Preparedness of the faculty	44	0	1	18	5	20	4.00
7	Quality of Interaction	44	1	1	19	6	17	3.84
8	Quality of Rigor	44	0	3	16	4	21	3.98
9	Sequencing of the topics	44	0	3	16	6	19	3.93
10	Style of topic delivery	44	0	2	17	5	20	3.98
11	Time allotted for each topic	44	0	3	16	8	17	3.89
12	Value addition provided by the Course	44	0	1	16	4	23	4.11
13	Standards of Assessment system	44	0	1	17	9	17	3.95
14	Quality of teaching	44	1	2	16	3	22	3.98

AVG 3.94

K. Jeyaraj
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Suneel Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA-524142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Microprocessors and Microcontrollers -
20A04503T

Sem: III- I

Course Faculty: Mrs. CH. Yamini

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	5	1	18	11	9	3.41
2	Breadth of conceptual clarity	44	4	4	16	8	12	3.45
3	Evaluation Scheme	44	5	4	15	10	10	3.36
4	Involvement of Faculty	44	3	6	18	5	12	3.39
5	Overall effectiveness of the course	44	5	4	16	9	10	3.34
6	Preparedness of the faculty	44	5	2	17	7	13	3.48
7	Quality of Interaction	44	5	5	14	9	11	3.36
8	Quality of Rigor	44	6	5	13	9	11	3.32
9	Sequencing of the topics	44	5	5	16	7	11	3.32
10	Style of topic delivery	44	5	4	18	7	10	3.30
11	Time allotted for each topic	44	5	5	16	9	9	3.27
12	Value addition provided by the Course	44	5	3	16	7	13	3.45
13	Standards of Assessment system	44	7	2	17	7	11	3.30
14	Quality of teaching	44	7	2	15	7	13	3.39

AVG	3.37

K. Zea
13/12/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Computer Architecture & Organization -
20A04504a

Sem: III- I

Course Faculty: Mrs. K. Lilly Grace Mary

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	1	1	18	6	18	3.89
2	Breadth of conceptual clarity	44	0	3	17	7	17	3.86
3	Evaluation Scheme	44	1	1	18	7	17	3.86
4	Involvement of Faculty	44	0	3	17	7	17	3.86
5	Overall effectiveness of the course	44	1	1	20	7	15	3.77
6	Preparedness of the faculty	44	0	5	17	6	16	3.75
7	Quality of Interaction	44	1	1	20	7	15	3.77
8	Quality of Rigor	44	0	3	19	5	17	3.82
9	Sequencing of the topics	44	1	3	17	6	17	3.80
10	Style of topic delivery	44	0	4	20	5	15	3.70
11	Time allotted for each topic	44	1	1	19	7	16	3.82
12	Value addition provided by the Course	44	0	3	18	7	16	3.82
13	Standards of Assessment system	44	1	0	20	6	17	3.86
14	Quality of teaching	44	1	2	20	5	16	3.75

AVG	3.81

K. Jeeva
13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala V. Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreedhar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Java Programming - 20A05505a

Sem: III- I

Course Faculty: Mrs. .S. V. Moulika

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	2	10	13	10	9	3.32
2	Breadth of conceptual clarity	44	2	10	13	6	13	3.41
3	Evaluation Scheme	44	2	8	15	10	9	3.36
4	Involvement of Faculty	44	4	7	14	6	13	3.39
5	Overall effectiveness of the course	44	4	8	15	6	11	3.27
6	Preparedness of the faculty	44	2	10	11	7	14	3.48
7	Quality of Interaction	44	2	9	14	8	11	3.39
8	Quality of Rigor	44	3	8	15	5	13	3.39
9	Sequencing of the topics	44	5	6	13	9	11	3.34
10	Style of topic delivery	44	3	10	12	6	13	3.36
11	Time allotted for each topic	44	3	6	18	7	10	3.34
12	Value addition provided by the Course	44	3	9	13	6	13	3.39
13	Standards of Assessment system	44	3	5	15	9	12	3.50
14	Quality of teaching	44	4	6	13	10	11	3.41

AVG 3.38

K. Jeeva 13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. V. Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Digital Signal Processing Laboratory - 20A04502P

Sem: III-I

Course Faculty: Mr. M. Kondaiah

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	2	16	11	15	3.89
2	Breadth of conceptual clarity	44	0	4	13	11	16	3.89
3	Evaluation Scheme	44	0	1	17	11	15	3.91
4	Involvement of Faculty	44	0	3	15	9	17	3.91
5	Overall effectiveness of the course	44	0	2	16	11	15	3.89
6	Preparedness of the faculty	44	0	3	14	8	19	3.98
7	Quality of Interaction	44	0	1	16	12	15	3.93
8	Quality of Rigor	44	0	4	14	6	20	3.95
9	Sequencing of the topics	44	0	3	16	8	17	3.89
10	Style of topic delivery	44	0	4	14	8	18	3.91
11	Time allotted for each topic	44	0	2	14	11	17	3.98
12	Value addition provided by the Course	44	0	3	13	8	20	4.02
13	Standards of Assessment system	44	0	2	14	11	17	3.98
14	Quality of teaching	44	0	3	13	9	19	4.00

AVG	3.94

K. Jeeva 13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala V, Bogole M,
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142.

P. Kondaiah

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Microprocessors and Microcontrollers Laboratory - 20A04503P

Sem: III- I

Course Faculty: Mrs. Ch. Yamini & Mrs. N. Bhargavi

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	4	3	15	8	14	3.57
2	Breadth of conceptual clarity	44	4	5	13	7	15	3.55
3	Evaluation Scheme	44	4	5	14	8	13	3.48
4	Involvement of Faculty	44	5	3	15	5	16	3.55
5	Overall effectiveness of the course	44	4	3	16	5	16	3.59
6	Preparedness of the faculty	44	6	1	18	3	16	3.50
7	Quality of Interaction	44	6	4	14	6	14	3.41
8	Quality of Rigor	44	5	4	17	3	15	3.43
9	Sequencing of the topics	44	5	4	15	5	15	3.48
10	Style of topic delivery	44	6	3	15	3	17	3.50
11	Time allotted for each topic	44	4	5	16	8	11	3.39
12	Value addition provided by the Course	44	3	5	16	5	15	3.55
13	Standards of Assessment system	44	5	6	14	5	14	3.39
14	Quality of teaching	44	5	5	14	3	17	3.50

AVG 3.49

K. Jeeva
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Chandra

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: PCB Design and Prototype development - 20A04506 Sem: III- I

Course Faculty: Mr. V. Eswara Neela Rao

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	44	0	4	16	6	18	3.86
2	Breadth of conceptual clarity	44	0	5	16	5	18	3.82
3	Evaluation Scheme	44	0	4	17	6	17	3.82
4	Involvement of Faculty	44	0	5	16	4	19	3.84
5	Overall effectiveness of the course	44	0	5	17	6	16	3.75
6	Preparedness of the faculty	44	0	5	16	4	19	3.84
7	Quality of Interaction	44	0	5	18	4	17	3.75
8	Quality of Rigor	44	0	5	16	4	19	3.84
9	Sequencing of the topics	44	0	5	16	4	19	3.84
10	Style of topic delivery	44	0	4	17	3	20	3.89
11	Time allotted for each topic	44	0	6	16	5	17	3.75
12	Value addition provided by the Course	44	0	4	18	3	19	3.84
13	Standards of Assessment system	44	0	5	16	5	18	3.82
14	Quality of teaching	44	0	6	15	2	21	3.86

AVG 3.82

K. Jeeva
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (VI), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist
Andhra Pradesh - 524 142

P. Gurusamy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Sem: III-I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05504c	Big Data Technologies	Mr. V. Sreenadh	54	3.76	
2	20A05602T	Machine Learning	Mr. M. V. Prabhath Kumar	54	4.23	
3	20A30501T	Mining Massive Data Sets	Mr. K. V. Prasada Reddy	54	4.06	
4	20A05501T	Computer Networks	Mrs. J. Madhuri	54	4.37	
5	20A51501	Chemistry of Energy Materials	Mr. Y. Kiran Kumar	54	3.66	
6	20A30501P	Mining Massive Data Sets Laboratory	Mr. K. V. Prasada Reddy & Mr. M. V. Prabhath Kumar	54	4.01	
7	20A05602P	Machine Learning Laboratory	Mr. M. V. Prabhath Kumar & Mrs. J. Madhuri	54	4.18	
8	20A30503	Web Application Design	Mr. V. Srihari Naidu	54	3.31	

K. Zeeshan
13/12/23.
IQAC CO-ORDINATOR
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R., Nellore Dist.
Andhra Pradesh - 524 142

Ramireddy
PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Big Data Technologies -
20A05504c

Sem: III- I

Course Faculty: Mr. V. Sreenadh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	5	21	15	13	3.67
2	Breadth of conceptual clarity	54	0	7	17	17	13	3.67
3	Evaluation Scheme	54	0	6	15	16	17	3.81
4	Involvement of Faculty	54	0	4	21	13	16	3.76
5	Overall effectiveness of the course	54	1	5	17	18	13	3.69
6	Preparedness of the faculty	54	0	5	18	15	16	3.78
7	Quality of Interaction	54	0	7	13	17	17	3.81
8	Quality of Rigor	54	0	5	20	17	12	3.67
9	Sequencing of the topics	54	1	3	17	17	16	3.81
10	Style of topic delivery	54	1	3	17	19	14	3.78
11	Time allotted for each topic	54	1	3	19	17	14	3.74
12	Value addition provided by the Course	54	0	6	14	18	16	3.81
13	Standards of Assessment system	54	1	2	16	20	15	3.85
14	Quality of teaching	54	1	3	18	18	14	3.76

AVG 3.76

K. Jeeva
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Bogole Mandal
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreenadh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Machine Learning - 20A05602T

Sem: III- I

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	0	11	17	26	4.28
2	Breadth of conceptual clarity	54	0	0	10	18	26	4.30
3	Evaluation Scheme	54	0	2	11	18	23	4.15
4	Involvement of Faculty	54	0	0	11	20	23	4.22
5	Overall effectiveness of the course	54	0	3	7	19	25	4.22
6	Preparedness of the faculty	54	0	0	8	19	27	4.35
7	Quality of Interaction	54	0	2	10	21	21	4.13
8	Quality of Rigor	54	0	0	17	16	21	4.07
9	Sequencing of the topics	54	0	1	8	24	21	4.20
10	Style of topic delivery	54	0	1	9	20	24	4.24
11	Time allotted for each topic	54	0	2	8	19	25	4.24
12	Value addition provided by the Course	54	0	0	9	21	24	4.28
13	Standards of Assessment system	54	0	1	10	18	25	4.24
14	Quality of teaching	54	0	0	8	21	25	4.31

AVG 4.23

K. Zele 13/12/23

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Ramireddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Mining Massive Data Sets -
20A30501T

Sem: III- I

Course Faculty: Mr. K. V. Prasada Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	2	2	14	20	16	3.85
2	Breadth of conceptual clarity	54	1	3	17	12	21	3.91
3	Evaluation Scheme	54	0	2	12	19	21	4.09
4	Involvement of Faculty	54	1	2	10	19	22	4.09
5	Overall effectiveness of the course	54	0	2	11	15	26	4.20
6	Preparedness of the faculty	54	1	2	10	18	23	4.11
7	Quality of Interaction	54	0	2	13	20	19	4.04
8	Quality of Rigor	54	1	2	16	15	20	3.94
9	Sequencing of the topics	54	0	2	12	16	24	4.15
10	Style of topic delivery	54	1	2	14	16	21	4.00
11	Time allotted for each topic	54	0	3	11	21	19	4.04
12	Value addition provided by the Course	54	1	1	13	15	24	4.11
13	Standards of Assessment system	54	0	3	10	19	22	4.11
14	Quality of teaching	54	1	3	10	13	27	4.15

AVG 4.06

K. V. Prasada Reddy
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

P. Venkatesh Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Computer Networks -
20A05501T

Sem: III- I

Course Faculty: Mrs. J. Madhuri

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	0	11	15	28	4.31
2	Breadth of conceptual clarity	54	0	1	10	12	31	4.35
3	Evaluation Scheme	54	0	0	12	14	28	4.30
4	Involvement of Faculty	54	0	0	7	17	30	4.43
5	Overall effectiveness of the course	54	0	1	8	16	29	4.35
6	Preparedness of the faculty	54	0	1	6	12	35	4.50
7	Quality of Interaction	54	0	0	8	17	29	4.39
8	Quality of Rigor	54	0	2	12	10	30	4.26
9	Sequencing of the topics	54	0	0	9	19	26	4.31
10	Style of topic delivery	54	0	0	8	12	34	4.48
11	Time allotted for each topic	54	0	1	10	15	28	4.30
12	Value addition provided by the Course	54	0	1	9	17	27	4.30
13	Standards of Assessment system	54	0	0	9	16	29	4.37
14	Quality of teaching	54	0	0	6	14	34	4.52

AVG 4.37

K. Jeeva 13/12/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Chemistry of Energy Materials - 20A51501

Sem: III-I

Course Faculty: Mr. Y. Kiran Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	2	5	18	16	13	3.61
2	Breadth of conceptual clarity	54	3	5	15	17	14	3.63
3	Evaluation Scheme	54	1	4	20	9	20	3.80
4	Involvement of Faculty	54	2	6	14	20	12	3.63
5	Overall effectiveness of the course	54	2	4	23	11	14	3.57
6	Preparedness of the faculty	54	4	3	16	18	13	3.61
7	Quality of Interaction	54	2	7	14	12	19	3.72
8	Quality of Rigor	54	2	5	18	13	16	3.67
9	Sequencing of the topics	54	2	5	16	14	17	3.72
10	Style of topic delivery	54	2	8	16	14	14	3.56
11	Time allotted for each topic	54	1	6	16	10	21	3.81
12	Value addition provided by the Course	54	3	3	21	11	16	3.63
13	Standards of Assessment system	54	1	7	15	12	19	3.76
14	Quality of teaching	54	4	9	11	12	18	3.57

AVG 3.66

K. Jeeva
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Perneedy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE,
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Mining Massive Data Sets Laboratory -
20A30501P

Sem: III-I

Course Faculty: Mr. K. V. Prasada Reddy & Mr. M. V. Prabhath Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	2	18	14	20	3.96
2	Breadth of conceptual clarity	54	0	5	12	17	20	3.96
3	Evaluation Scheme	54	1	2	13	15	23	4.06
4	Involvement of Faculty	54	0	3	11	14	26	4.17
5	Overall effectiveness of the course	54	1	2	12	16	23	4.07
6	Preparedness of the faculty	54	0	5	13	16	20	3.94
7	Quality of Interaction	54	0	2	16	13	23	4.06
8	Quality of Rigor	54	1	3	17	10	23	3.94
9	Sequencing of the topics	54	0	3	13	15	23	4.07
10	Style of topic delivery	54	2	2	13	17	20	3.94
11	Time allotted for each topic	54	0	4	14	12	24	4.04
12	Value addition provided by the Course	54	1	2	17	12	22	3.96
13	Standards of Assessment system	54	0	5	16	11	22	3.93
14	Quality of teaching	54	0	4	13	15	22	4.02

AVG 4.01

K. Jeeva
13/12/23

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Machine Learning Laboratory - 20A05602P

Sem: III-I

Course Faculty: Mr. M. V. Prabhath Kumar & Mrs. J. Madhuri

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	0	0	14	12	28	4.26
2	Breadth of conceptual clarity	54	0	4	11	15	24	4.09
3	Evaluation Scheme	54	0	1	14	13	26	4.19
4	Involvement of Faculty	54	0	1	12	20	21	4.13
5	Overall effectiveness of the course	54	0	1	12	12	29	4.28
6	Preparedness of the faculty	54	0	2	10	19	23	4.17
7	Quality of Interaction	54	0	1	10	13	30	4.33
8	Quality of Rigor	54	0	2	15	15	22	4.06
9	Sequencing of the topics	54	0	3	10	13	28	4.22
10	Style of topic delivery	54	0	3	9	19	23	4.15
11	Time allotted for each topic	54	0	3	12	11	28	4.19
12	Value addition provided by the Course	54	0	4	12	13	25	4.09
13	Standards of Assessment system	54	0	2	13	13	26	4.17
14	Quality of teaching	54	0	2	10	14	28	4.26

AVG 4.18

K. Jeeva 13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Ramireddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Web Application Design - 20A30503

Sem: III-I

Course Faculty: Mr. V. Srihari Naidu

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	54	5	14	13	8	14	3.22
2	Breadth of conceptual clarity	54	5	11	11	13	14	3.37
3	Evaluation Scheme	54	5	10	14	12	13	3.33
4	Involvement of Faculty	54	5	8	17	10	14	3.37
5	Overall effectiveness of the course	54	6	11	12	13	12	3.26
6	Preparedness of the faculty	54	7	7	15	10	15	3.35
7	Quality of Interaction	54	6	11	10	12	15	3.35
8	Quality of Rigor	54	7	11	13	11	12	3.19
9	Sequencing of the topics	54	6	8	16	11	13	3.31
10	Style of topic delivery	54	6	9	14	12	13	3.31
11	Time allotted for each topic	54	5	12	14	10	13	3.26
12	Value addition provided by the Course	54	7	8	15	10	14	3.30
13	Standards of Assessment system	54	7	7	13	16	11	3.31
14	Quality of teaching	54	4	12	12	12	14	3.37

AVG 3.31

K. Jeeva
13/12/23

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Sem: III- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05501T	Computer Networks	Mr. D. Ashok	51	4.28	
2	20A05502T	Artificial Intelligence	Ms. B. Sushma Yamini	51	3.45	
3	20A05503	Formal Languages and Automata Theory	Mr. SK. Badulla	51	3.98	
4	20A05504c	Big Data Technologies	Mr. V. Sreenadh	51	4.17	
5	20A54501	Optimization Techniques	Dr. SK. Masthan	51	4.47	
6	20A05501P	Computer Networks Laboratory	Mr. D. Ashok & Mr. V. Srihari Naidu	51	4.15	
7	20A05502P	Artificial Intelligence Laboratory	Ms. B. Sushma Yamini & Mr. V. Sreenadh	51	3.81	
8	20A05506	Advanced Web Application Development	Mrs. A. Nandini	51	4.38	
9	20A99201	Environmental Science	Mr. Y. Kiran Kumar	51	3.87	

K. Zeer
13/12/23.

IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Computer Networks -
20A05501T

Sem: III- I

Course Faculty: Mr. D. Ashok

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	1	12	4	34	4.39
2	Breadth of conceptual clarity	51	0	3	10	13	25	4.18
3	Evaluation Scheme	51	1	2	12	5	31	4.24
4	Involvement of Faculty	51	0	1	11	8	31	4.35
5	Overall effectiveness of the course	51	0	2	10	11	28	4.27
6	Preparedness of the faculty	51	0	2	12	8	29	4.25
7	Quality of Interaction	51	0	2	11	9	29	4.27
8	Quality of Rigor	51	0	2	12	11	26	4.20
9	Sequencing of the topics	51	0	2	10	8	31	4.33
10	Style of topic delivery	51	0	3	11	8	29	4.24
11	Time allotted for each topic	51	0	4	9	9	29	4.24
12	Value addition provided by the Course	51	0	2	10	7	32	4.35
13	Standards of Assessment system	51	0	2	11	7	31	4.31
14	Quality of teaching	51	0	2	10	8	31	4.33

AVG	4.28

K. Zee
13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

forreddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Artificial Intelligence - 20A05502T

Sem: III- I

Course Faculty: Ms. B. Sushma Yamini

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	8	2	15	11	15	3.45
2	Breadth of conceptual clarity	51	6	6	15	11	13	3.37
3	Evaluation Scheme	51	6	5	15	10	15	3.45
4	Involvement of Faculty	51	7	4	16	11	13	3.37
5	Overall effectiveness of the course	51	7	3	15	13	13	3.43
6	Preparedness of the faculty	51	6	7	12	12	14	3.41
7	Quality of Interaction	51	6	5	13	11	16	3.51
8	Quality of Rigor	51	8	4	14	12	13	3.35
9	Sequencing of the topics	51	7	3	15	12	14	3.45
10	Style of topic delivery	51	4	8	13	13	13	3.45
11	Time allotted for each topic	51	5	6	13	10	17	3.55
12	Value addition provided by the Course	51	4	7	13	12	15	3.53
13	Standards of Assessment system	51	6	5	14	11	15	3.47
14	Quality of teaching	51	8	4	13	9	17	3.45

AVG 3.45

K. J. S. 13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sushma

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Formal Languages and Automata Theory -
20A05503

Sem: III- I

Course Faculty: Mr. SK. Badulla

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	2	18	8	23	4.02
2	Breadth of conceptual clarity	51	0	4	17	9	21	3.92
3	Evaluation Scheme	51	0	4	16	8	23	3.98
4	Involvement of Faculty	51	0	3	18	8	22	3.96
5	Overall effectiveness of the course	51	0	4	17	6	24	3.98
6	Preparedness of the faculty	51	0	4	16	9	22	3.96
7	Quality of Interaction	51	0	5	15	6	25	4.00
8	Quality of Rigor	51	0	4	17	14	16	3.82
9	Sequencing of the topics	51	0	3	16	8	24	4.04
10	Style of topic delivery	51	0	2	18	10	21	3.98
11	Time allotted for each topic	51	0	3	16	11	21	3.98
12	Value addition provided by the Course	51	0	1	17	11	22	4.06
13	Standards of Assessment system	51	0	2	16	7	26	4.12
14	Quality of teaching	51	1	3	14	12	21	3.96

AVG	3.98

K. B. S.
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R, Nellore Dist.
Andhra Pradesh 524 142

P. S. S.
13/12/23.

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogolu Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Big Data Technologies -
20A05504c

Sem: III- I

Course Faculty: Mr. V. Sreenadh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	2	14	9	26	4.16
2	Breadth of conceptual clarity	51	0	1	16	9	25	4.14
3	Evaluation Scheme	51	0	4	12	9	26	4.12
4	Involvement of Faculty	51	0	2	17	10	22	4.02
5	Overall effectiveness of the course	51	0	1	16	8	26	4.16
6	Preparedness of the faculty	51	0	2	15	9	25	4.12
7	Quality of Interaction	51	0	2	15	7	27	4.16
8	Quality of Rigor	51	0	3	14	7	27	4.14
9	Sequencing of the topics	51	0	3	12	9	27	4.18
10	Style of topic delivery	51	0	2	12	9	28	4.24
11	Time allotted for each topic	51	0	3	12	7	29	4.22
12	Value addition provided by the Course	51	0	3	11	9	28	4.22
13	Standards of Assessment system	51	1	2	11	6	31	4.25
14	Quality of teaching	51	0	2	11	9	29	4.27

AVG 4.17

K. Jeeva
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala, Bogolu Mandal,
Kavali, S.P.S.R. Nellore Dist,
Andhra Pradesh - 524 142

P. Sreenadh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Optimization Techniques - 20A54501

Sem: III- I

Course Faculty: Dr. SK. Masthan

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	1	8	3	39	4.57
2	Breadth of conceptual clarity	51	0	3	6	5	37	4.49
3	Evaluation Scheme	51	0	3	8	5	35	4.41
4	Involvement of Faculty	51	0	1	8	7	35	4.49
5	Overall effectiveness of the course	51	0	2	8	5	36	4.47
6	Preparedness of the faculty	51	0	2	7	6	36	4.49
7	Quality of Interaction	51	0	5	6	5	35	4.37
8	Quality of Rigor	51	0	1	9	5	36	4.49
9	Sequencing of the topics	51	0	1	10	3	37	4.49
10	Style of topic delivery	51	0	2	7	6	36	4.49
11	Time allotted for each topic	51	0	1	9	3	38	4.53
12	Value addition provided by the Course	51	0	3	8	8	32	4.35
13	Standards of Assessment system	51	0	3	7	3	38	4.49
14	Quality of teaching	51	0	1	9	4	37	4.51

AVG	4.47

K. Jeyaraj
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Computer Networks Laboratory -
20A05501P

Sem: III- I

Course Faculty: Mr. D. Ashok & Mr. V. Srihari Naidu

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	1	13	13	24	4.18
2	Breadth of conceptual clarity	51	0	2	12	13	24	4.16
3	Evaluation Scheme	51	0	1	14	12	24	4.16
4	Involvement of Faculty	51	0	2	15	11	23	4.08
5	Overall effectiveness of the course	51	0	2	14	12	23	4.10
6	Preparedness of the faculty	51	0	2	14	13	22	4.08
7	Quality of Interaction	51	0	2	14	12	23	4.10
8	Quality of Rigor	51	0	2	13	10	26	4.18
9	Sequencing of the topics	51	0	2	10	13	26	4.24
10	Style of topic delivery	51	0	1	12	16	22	4.16
11	Time allotted for each topic	51	0	2	12	10	27	4.22
12	Value addition provided by the Course	51	0	3	11	13	24	4.14
13	Standards of Assessment system	51	0	2	12	12	25	4.18
14	Quality of teaching	51	0	2	13	12	24	4.14

AVG 4.15

K. Jeyaraj
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh - 524 142

P. S. Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Artificial Intelligence Laboratory - 20A05502P

Sem: III- I

Course Faculty: Ms. B. Sushma Yamini & Mr. V. Sreenadh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	2	6	12	9	22	3.84
2	Breadth of conceptual clarity	51	1	7	11	14	18	3.80
3	Evaluation Scheme	51	2	7	13	8	21	3.76
4	Involvement of Faculty	51	1	5	14	10	21	3.88
5	Overall effectiveness of the course	51	3	6	13	9	20	3.73
6	Preparedness of the faculty	51	2	5	12	13	19	3.82
7	Quality of Interaction	51	2	8	12	9	20	3.73
8	Quality of Rigor	51	1	4	16	12	18	3.82
9	Sequencing of the topics	51	2	7	11	11	20	3.78
10	Style of topic delivery	51	1	7	12	12	19	3.80
11	Time allotted for each topic	51	1	7	12	12	19	3.80
12	Value addition provided by the Course	51	1	6	15	8	21	3.82
13	Standards of Assessment system	51	1	8	11	11	20	3.80
14	Quality of teaching	51	1	7	10	13	20	3.86

AVG 3.81

K. Jeyaraj
13/12/23.
IQAC Coordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Advanced Web Application Development - 20A05506 Sem: III- I

Course Faculty: Mrs. A. Nandini

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	1	0	11	6	33	4.37
2	Breadth of conceptual clarity	51	1	0	11	5	34	4.39
3	Evaluation Scheme	51	1	0	11	7	32	4.35
4	Involvement of Faculty	51	0	1	12	6	32	4.35
5	Overall effectiveness of the course	51	0	2	10	4	35	4.41
6	Preparedness of the faculty	51	0	1	11	8	31	4.35
7	Quality of Interaction	51	1	0	11	4	35	4.41
8	Quality of Rigor	51	1	1	10	5	34	4.37
9	Sequencing of the topics	51	0	1	12	7	31	4.33
10	Style of topic delivery	51	0	1	12	5	33	4.37
11	Time allotted for each topic	51	0	2	10	6	33	4.37
12	Value addition provided by the Course	51	0	1	11	4	35	4.43
13	Standards of Assessment system	51	1	1	11	8	30	4.27
14	Quality of teaching	51	0	1	11	1	38	4.49

AVG	4.38

K. Zeel
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreedhar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Environmental Science - 20A99201

Sem: III- I

Course Faculty: Mr. Y. Kiran Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	2	18	10	21	3.98
2	Breadth of conceptual clarity	51	0	4	16	16	15	3.82
3	Evaluation Scheme	51	1	5	14	14	17	3.80
4	Involvement of Faculty	51	0	4	15	20	12	3.78
5	Overall effectiveness of the course	51	0	5	15	14	17	3.84
6	Preparedness of the faculty	51	0	2	16	17	16	3.92
7	Quality of Interaction	51	0	4	15	14	18	3.90
8	Quality of Rigor	51	1	5	12	17	16	3.82
9	Sequencing of the topics	51	0	2	18	13	18	3.92
10	Style of topic delivery	51	0	5	13	17	16	3.86
11	Time allotted for each topic	51	1	2	15	14	19	3.94
12	Value addition provided by the Course	51	2	4	13	17	15	3.76
13	Standards of Assessment system	51	0	4	17	14	16	3.82
14	Quality of teaching	51	0	5	13	12	21	3.96

AVG	3.87

K. Jeeva
13/12/23.

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Sem: III- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05501T	Computer Networks	Mr. D. Ashok	53	4.42	
2	20A05502T	Artificial Intelligence	Ms. B. Sushma Yamini	53	3.66	
3	20A05503	Formal Languages and Automata Theory	Mr. SK. Badulla	53	3.84	
4	20A05504c	Big Data Technologies	Mr. V. Sreenadh	53	4.22	
5	20A54501	Optimization Techniques	Dr. SK. Masthan	53	4.46	
6	20A05501P	Computer Networks Laboratory	Mr. D. Ashok	53	4.45	
7	20A05502P	Artificial Intelligence Laboratory	Ms. B. Sushma Yamini & Mr. V. Sreenadh	53	3.96	
8	20A05506	Advanced Web Application Development	Mrs. A. Nandini	53	4.30	
9	20A99201	Environmental Science	Mr. Y. Kiran Kumar	53	3.95	

K. Zeel
13/12/23.

IQAC CO-ORDINATOR

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.G.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreenadh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Computer Networks -
20A05501T

Sem: III- I

Course Faculty: Mr. D. Ashok

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	0	1	12	7	33	4.36
2	Breadth of conceptual clarity	53	0	3	9	4	37	4.42
3	Evaluation Scheme	53	0	0	10	6	37	4.51
4	Involvement of Faculty	53	0	2	9	6	36	4.43
5	Overall effectiveness of the course	53	0	1	11	6	35	4.42
6	Preparedness of the faculty	53	0	2	8	8	35	4.43
7	Quality of Interaction	53	1	0	9	5	38	4.49
8	Quality of Rigor	53	1	2	12	5	33	4.26
9	Sequencing of the topics	53	0	3	11	4	35	4.34
10	Style of topic delivery	53	0	2	9	6	36	4.43
11	Time allotted for each topic	53	0	2	9	8	34	4.40
12	Value addition provided by the Course	53	0	3	9	5	36	4.40
13	Standards of Assessment system	53	0	1	10	7	35	4.43
14	Quality of teaching	53	0	1	8	5	39	4.55

AVG	4.42

K. Jeeva
13/12/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Sreedhar

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Artificial Intelligence - 20A05502T

Sem: III- I

Course Faculty: Ms. B. Sushma Yamini

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	5	6	11	15	16	3.58
2	Breadth of conceptual clarity	53	5	6	14	11	17	3.55
3	Evaluation Scheme	53	5	8	10	10	20	3.60
4	Involvement of Faculty	53	5	6	12	9	21	3.66
5	Overall effectiveness of the course	53	5	7	10	11	20	3.64
6	Preparedness of the faculty	53	5	6	11	9	22	3.70
7	Quality of Interaction	53	5	7	10	9	22	3.68
8	Quality of Rigor	53	5	6	13	10	19	3.60
9	Sequencing of the topics	53	5	4	12	10	22	3.75
10	Style of topic delivery	53	5	5	12	11	20	3.68
11	Time allotted for each topic	53	5	7	10	11	20	3.64
12	Value addition provided by the Course	53	5	7	9	17	15	3.57
13	Standards of Assessment system	53	5	5	9	12	22	3.77
14	Quality of teaching	53	5	6	8	10	24	3.79

AVG 3.66

K. Zee
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

R. Sushma
13/12/23.

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Formal Languages and Automata Theory -
20A05503

Sem: III- I

Course Faculty: Mr. SK. Badulla

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	0	4	20	11	18	3.81
2	Breadth of conceptual clarity	53	1	4	20	10	18	3.75
3	Evaluation Scheme	53	0	3	22	8	20	3.85
4	Involvement of Faculty	53	0	2	20	12	19	3.91
5	Overall effectiveness of the course	53	1	2	20	11	19	3.85
6	Preparedness of the faculty	53	1	3	19	11	19	3.83
7	Quality of Interaction	53	0	5	17	10	21	3.89
8	Quality of Rigor	53	0	7	19	6	21	3.77
9	Sequencing of the topics	53	1	2	19	12	19	3.87
10	Style of topic delivery	53	2	4	17	10	20	3.79
11	Time allotted for each topic	53	1	5	17	13	17	3.75
12	Value addition provided by the Course	53	1	3	17	11	21	3.91
13	Standards of Assessment system	53	1	4	15	13	20	3.89
14	Quality of teaching	53	2	4	16	10	21	3.83

AVG 3.84

K. Zele
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Sreedhar

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Big Data Technologies -
20A05504c

Sem: III- I

Course Faculty: Mr. V. Sreenadh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	0	2	13	14	24	4.13
2	Breadth of conceptual clarity	53	0	1	13	16	23	4.15
3	Evaluation Scheme	53	0	1	12	17	23	4.17
4	Involvement of Faculty	53	0	1	12	12	28	4.26
5	Overall effectiveness of the course	53	0	3	11	12	27	4.19
6	Preparedness of the faculty	53	0	2	12	14	25	4.17
7	Quality of Interaction	53	0	2	8	15	28	4.30
8	Quality of Rigor	53	0	2	13	14	24	4.13
9	Sequencing of the topics	53	0	2	9	12	30	4.32
10	Style of topic delivery	53	0	1	12	14	26	4.23
11	Time allotted for each topic	53	0	2	9	14	28	4.28
12	Value addition provided by the Course	53	0	1	13	12	27	4.23
13	Standards of Assessment system	53	0	2	11	11	29	4.26
14	Quality of teaching	53	0	1	11	12	29	4.30

AVG 4.22

K. Jeeva 13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M),
Kavali, S.P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142.

P. Sreenadh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Optimization Techniques - 20A54501

Sem: III- I

Course Faculty: Dr. SK. Masthan

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	1	0	10	2	40	4.51
2	Breadth of conceptual clarity	53	1	1	9	1	41	4.51
3	Evaluation Scheme	53	1	2	8	4	38	4.43
4	Involvement of Faculty	53	2	0	9	4	38	4.43
5	Overall effectiveness of the course	53	1	1	9	6	36	4.42
6	Preparedness of the faculty	53	1	0	10	3	39	4.49
7	Quality of Interaction	53	1	2	9	3	38	4.42
8	Quality of Rigor	53	1	0	10	6	36	4.43
9	Sequencing of the topics	53	1	1	8	5	38	4.47
10	Style of topic delivery	53	1	2	8	4	38	4.43
11	Time allotted for each topic	53	1	0	9	7	36	4.45
12	Value addition provided by the Course	53	1	0	8	5	39	4.53
13	Standards of Assessment system	53	1	0	11	3	38	4.45
14	Quality of teaching	53	1	1	9	1	41	4.51

AVG 4.46

K. Jeeva
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Computer Networks Laboratory -
20A05501P

Sem: III- I

Course Faculty: Mr. D. Ashok

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	0	2	7	9	35	4.45
2	Breadth of conceptual clarity	53	0	3	5	10	35	4.45
3	Evaluation Scheme	53	0	2	7	8	36	4.47
4	Involvement of Faculty	53	0	4	7	8	34	4.36
5	Overall effectiveness of the course	53	0	2	7	7	37	4.49
6	Preparedness of the faculty	53	0	2	8	8	35	4.43
7	Quality of Interaction	53	0	2	9	7	35	4.42
8	Quality of Rigor	53	0	1	11	7	34	4.40
9	Sequencing of the topics	53	0	1	8	6	38	4.53
10	Style of topic delivery	53	0	4	5	8	36	4.43
11	Time allotted for each topic	53	0	3	7	7	36	4.43
12	Value addition provided by the Course	53	0	2	7	9	35	4.45
13	Standards of Assessment system	53	0	2	7	8	36	4.47
14	Quality of teaching	53	0	3	5	9	36	4.47

AVG	4.45

K. Zee
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (vi), Bogole (P)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. V. Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Artificial Intelligence Laboratory - 20A05502P

Sem: III- I

Course Faculty: Ms. B. Sushma Yamini & Mr. V. Sreenadh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	3	3	10	14	23	3.96
2	Breadth of conceptual clarity	53	3	5	10	9	26	3.94
3	Evaluation Scheme	53	3	3	10	11	26	4.02
4	Involvement of Faculty	53	3	5	9	11	25	3.94
5	Overall effectiveness of the course	53	3	3	10	13	24	3.98
6	Preparedness of the faculty	53	3	5	9	13	23	3.91
7	Quality of Interaction	53	3	4	12	13	21	3.85
8	Quality of Rigor	53	3	4	11	11	24	3.92
9	Sequencing of the topics	53	3	3	11	13	23	3.94
10	Style of topic delivery	53	2	6	9	13	23	3.92
11	Time allotted for each topic	53	2	2	12	13	24	4.04
12	Value addition provided by the Course	53	2	4	10	12	25	4.02
13	Standards of Assessment system	53	2	2	14	14	21	3.94
14	Quality of teaching	53	2	5	11	7	28	4.02

AVG	3.96

K. Zele
13/12/23

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreenadh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Advanced Web Application Development - 20A05506 Sem: III- I

Course Faculty: Mrs. A. Nandini

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	2	0	10	6	35	4.36
2	Breadth of conceptual clarity	53	2	0	12	7	32	4.26
3	Evaluation Scheme	53	2	1	9	9	32	4.28
4	Involvement of Faculty	53	1	2	10	8	32	4.28
5	Overall effectiveness of the course	53	1	3	9	6	34	4.30
6	Preparedness of the faculty	53	1	2	9	11	30	4.26
7	Quality of Interaction	53	1	1	11	6	34	4.34
8	Quality of Rigor	53	1	2	11	8	31	4.25
9	Sequencing of the topics	53	1	1	10	9	32	4.32
10	Style of topic delivery	53	1	1	9	11	31	4.32
11	Time allotted for each topic	53	1	2	9	7	34	4.34
12	Value addition provided by the Course	53	1	2	8	10	32	4.32
13	Standards of Assessment system	53	1	2	11	6	33	4.28
14	Quality of teaching	53	1	2	7	11	32	4.34

AVG 4.30

K. Zee
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Choudhary

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Environmental Science - 20A99201

Sem: III- I

Course Faculty: Mr. Y. Kiran Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	53	2	2	12	15	22	4.00
2	Breadth of conceptual clarity	53	2	3	12	16	20	3.92
3	Evaluation Scheme	53	2	4	11	15	21	3.92
4	Involvement of Faculty	53	2	5	12	8	26	3.96
5	Overall effectiveness of the course	53	4	4	11	10	24	3.87
6	Preparedness of the faculty	53	2	3	15	9	24	3.94
7	Quality of Interaction	53	2	2	16	11	22	3.92
8	Quality of Rigor	53	2	1	17	10	23	3.96
9	Sequencing of the topics	53	2	2	14	10	25	4.02
10	Style of topic delivery	53	2	1	16	9	25	4.02
11	Time allotted for each topic	53	2	3	15	11	22	3.91
12	Value addition provided by the Course	53	3	1	14	10	25	4.00
13	Standards of Assessment system	53	3	3	11	14	22	3.92
14	Quality of teaching	53	3	3	11	11	25	3.98

AVG	3.95

K. Bee 13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Sem: IV- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A01701c	Ground Improvement Techniques	Mr. G. Bharadwaja Rao	23	4.07	
2	20A01702c	Industrial Waste and Wastewater Management	Mr. V. Amarnath Reddy	23	3.95	
3	20A01703a	Remote Sensing & GIS	Dr. B. Satya Narayana Reddy	23	4.23	
4	20A51702	Chemistry of Nano Materials & Applications	Mr. M. Venkata Subbaiah	23	4.01	
5	20A27705	Waste and Effluent Management	Dr. B. Satya Narayana Reddy	23	4.28	
6	20A52701b	Management Science	Mr. K. Rama Mohan Reddy	23	3.76	
7	20A01707	Estimation Costing & Valuation	Mr. G. Bharadwaja Rao	23	4.07	

K. Zee
13/12/23
IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Ground Improvement Techniques -
20A01701c

Sem: IV- I

Course Faculty: Mr. G. Bharadwaja Rao

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	10	1	12	4.09
2	Breadth of conceptual clarity	23	0	0	8	5	10	4.09
3	Evaluation Scheme	23	0	0	9	2	12	4.13
4	Involvement of Faculty	23	0	1	7	3	12	4.13
5	Overall effectiveness of the course	23	0	1	8	2	12	4.09
6	Preparedness of the faculty	23	0	2	6	3	12	4.09
7	Quality of Interaction	23	0	1	8	3	11	4.04
8	Quality of Rigor	23	0	3	6	6	8	3.83
9	Sequencing of the topics	23	0	1	7	1	14	4.22
10	Style of topic delivery	23	0	1	8	4	10	4.00
11	Time allotted for each topic	23	0	2	7	3	11	4.00
12	Value addition provided by the Course	23	0	0	8	4	11	4.13
13	Standards of Assessment system	23	0	1	7	6	9	4.00
14	Quality of teaching	23	0	1	7	2	13	4.17

AVG 4.07

K. B. S.
13/12/23

IOAC Co-Ordinator
IOAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Industrial Waste and Wastewater Management - 20A01702c

Sem: IV- I

Course Faculty: Mr. V. Amarnath Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	1	1	6	3	12	4.04
2	Breadth of conceptual clarity	23	0	2	6	6	9	3.96
3	Evaluation Scheme	23	0	2	7	4	10	3.96
4	Involvement of Faculty	23	1	1	6	6	9	3.91
5	Overall effectiveness of the course	23	0	2	7	3	11	4.00
6	Preparedness of the faculty	23	0	2	7	4	10	3.96
7	Quality of Interaction	23	0	2	9	0	12	3.96
8	Quality of Rigor	23	0	2	6	7	8	3.91
9	Sequencing of the topics	23	1	1	7	3	11	3.96
10	Style of topic delivery	23	0	2	8	2	11	3.96
11	Time allotted for each topic	23	0	2	6	5	10	4.00
12	Value addition provided by the Course	23	1	1	9	3	9	3.78
13	Standards of Assessment system	23	0	2	7	4	10	3.96
14	Quality of teaching	23	0	2	7	4	10	3.96

AVG 3.95

K. Jeeva
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. V. Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Remote Sensing & GIS -
20A01703a

Sem: IV-I

Course Faculty: Dr. B. Satya Narayana Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	7	2	14	4.30
2	Breadth of conceptual clarity	23	0	0	7	5	11	4.17
3	Evaluation Scheme	23	0	0	7	4	12	4.22
4	Involvement of Faculty	23	0	1	6	3	13	4.22
5	Overall effectiveness of the course	23	0	1	6	2	14	4.26
6	Preparedness of the faculty	23	0	1	6	3	13	4.22
7	Quality of Interaction	23	0	0	9	2	12	4.13
8	Quality of Rigor	23	0	1	6	4	12	4.17
9	Sequencing of the topics	23	0	0	7	3	13	4.26
10	Style of topic delivery	23	0	0	7	3	13	4.26
11	Time allotted for each topic	23	0	0	7	2	14	4.30
12	Value addition provided by the Course	23	0	0	7	2	14	4.30
13	Standards of Assessment system	23	0	1	6	4	12	4.17
14	Quality of teaching	23	0	0	7	3	13	4.26

AVG 4.23

K. 306 13/12/23.

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

for ueddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Chemistry of Nano Materials & Applications - 20A51702

Sem: IV-I

Course Faculty: Mr. M. Venkata Subbaiah

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	10	2	11	4.04
2	Breadth of conceptual clarity	23	0	1	8	4	10	4.00
3	Evaluation Scheme	23	0	1	9	3	10	3.96
4	Involvement of Faculty	23	0	1	8	5	9	3.96
5	Overall effectiveness of the course	23	0	2	7	2	12	4.04
6	Preparedness of the faculty	23	0	1	10	1	11	3.96
7	Quality of Interaction	23	0	0	9	2	12	4.13
8	Quality of Rigor	23	0	2	7	4	10	3.96
9	Sequencing of the topics	23	0	2	7	3	11	4.00
10	Style of topic delivery	23	0	1	9	2	11	4.00
11	Time allotted for each topic	23	0	1	9	1	12	4.04
12	Value addition provided by the Course	23	0	2	7	4	10	3.96
13	Standards of Assessment system	23	0	1	8	5	9	3.96
14	Quality of teaching	23	0	1	8	2	12	4.09

AVG 4.01

K. Jeeva 13/12/23.

ICQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Bogole (M)
Kavali, S.P.S.R. Nellore Dist,
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA-524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Waste and Effluent Management - 20A27705

Sem: IV- I

Course Faculty: Dr. B. Satya Narayana Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	7	1	15	4.35
2	Breadth of conceptual clarity	23	0	0	7	4	12	4.22
3	Evaluation Scheme	23	0	1	6	1	15	4.30
4	Involvement of Faculty	23	0	0	7	3	13	4.26
5	Overall effectiveness of the course	23	0	0	7	2	14	4.30
6	Preparedness of the faculty	23	0	0	7	2	14	4.30
7	Quality of Interaction	23	0	0	7	0	16	4.39
8	Quality of Rigor	23	0	1	6	5	11	4.13
9	Sequencing of the topics	23	0	1	6	3	13	4.22
10	Style of topic delivery	23	0	2	5	2	14	4.22
11	Time allotted for each topic	23	0	0	7	3	13	4.26
12	Value addition provided by the Course	23	0	0	7	3	13	4.26
13	Standards of Assessment system	23	0	0	7	0	16	4.39
14	Quality of teaching	23	0	0	7	1	15	4.35

AVG 4.28

K. Jee
13/12/23.
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogolo (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Management Science -
20A52701b

Sem: IV- I

Course Faculty: Mr. K. Rama Mohan Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	1	11	3	8	3.78
2	Breadth of conceptual clarity	23	0	1	10	7	5	3.70
3	Evaluation Scheme	23	0	1	10	6	6	3.74
4	Involvement of Faculty	23	0	1	11	5	6	3.70
5	Overall effectiveness of the course	23	0	2	10	4	7	3.70
6	Preparedness of the faculty	23	0	1	10	6	6	3.74
7	Quality of Interaction	23	0	2	8	4	9	3.87
8	Quality of Rigor	23	0	3	6	8	6	3.74
9	Sequencing of the topics	23	0	2	8	7	6	3.74
10	Style of topic delivery	23	0	2	7	6	8	3.87
11	Time allotted for each topic	23	0	2	9	6	6	3.70
12	Value addition provided by the Course	23	0	1	8	9	5	3.78
13	Standards of Assessment system	23	0	3	8	6	6	3.65
14	Quality of teaching	23	0	2	7	4	10	3.96

AVG	3.76

K. Rama Mohan Reddy
13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Rama Mohan Reddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA, 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Estimation Costing & Valuation - 20A01707

Sem: IV- I

Course Faculty: Mr. G. Bharadwaja Rao

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	8	4	11	4.13
2	Breadth of conceptual clarity	23	0	1	7	6	9	4.00
3	Evaluation Scheme	23	0	0	8	3	12	4.17
4	Involvement of Faculty	23	0	2	6	2	13	4.13
5	Overall effectiveness of the course	23	0	0	8	4	11	4.13
6	Preparedness of the faculty	23	0	1	7	3	12	4.13
7	Quality of Interaction	23	0	2	6	7	8	3.91
8	Quality of Rigor	23	0	1	7	5	10	4.04
9	Sequencing of the topics	23	0	2	6	5	10	4.00
10	Style of topic delivery	23	0	1	7	5	10	4.04
11	Time allotted for each topic	23	0	2	6	3	12	4.09
12	Value addition provided by the Course	23	0	2	6	4	11	4.04
13	Standards of Assessment system	23	0	0	8	5	10	4.09
14	Quality of teaching	23	0	0	8	5	10	4.09

AVG 4.07

K. Jeyaraj
13/12/23.

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

G. Bharadwaja Rao

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Sem: IV- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A02702a	Electrical Distribution System & Automation	Mr. P. V. Ramkumar	23	4.26	
2	20A02701a	Power System Operation and Control	Mr. S. Ezra	23	4.27	
3	20A02703a	Programmable Logic Controllers	Dr. V. Raveendra Reddy	23	4.53	
4	20A51702	Chemistry of Nano Materials & Applications	Mr. M. Venkata Subbaiah	23	4.38	
5	20A27705	Waste and Effluent Management	Dr. B. Satya Narayana Reddy	23	4.41	
6	20A52701b	Management Science	Mr. K. Rama Mohan Reddy	23	4.38	
7	20A02706	Energy Conservation and Audit	Mr. S. Ezra	23	4.33	

K. Zeel 13/12/23.

IQAC CO-ORDINATOR

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Principal

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Electrical Distribution System & Automation -
20A02702a

Sem: IV- I

Course Faculty: Mr. P. V. Ramkumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	4	6	13	4.39
2	Breadth of conceptual clarity	23	0	0	6	11	6	4.00
3	Evaluation Scheme	23	0	0	5	8	10	4.22
4	Involvement of Faculty	23	0	0	3	9	11	4.35
5	Overall effectiveness of the course	23	0	0	6	7	10	4.17
6	Preparedness of the faculty	23	0	0	4	8	11	4.30
7	Quality of Interaction	23	0	0	3	11	9	4.26
8	Quality of Rigor	23	0	0	4	9	10	4.26
9	Sequencing of the topics	23	0	0	5	7	11	4.26
10	Style of topic delivery	23	0	0	2	10	11	4.39
11	Time allotted for each topic	23	0	0	3	9	11	4.35
12	Value addition provided by the Course	23	0	0	5	7	11	4.26
13	Standards of Assessment system	23	1	2	3	6	11	4.04
14	Quality of teaching	23	0	0	4	7	12	4.35

AVG 4.26

K. Jeyaraj
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh
Principal

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Power System Operation and Control - 20A02701a

Sem: IV- I

Course Faculty: Mr. S. Ezra

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	1	1	8	13	4.43
2	Breadth of conceptual clarity	23	1	0	4	3	15	4.35
3	Evaluation Scheme	23	1	1	2	11	8	4.04
4	Involvement of Faculty	23	1	1	1	3	17	4.48
5	Overall effectiveness of the course	23	1	0	4	7	11	4.17
6	Preparedness of the faculty	23	1	1	3	3	15	4.30
7	Quality of Interaction	23	1	0	2	8	12	4.30
8	Quality of Rigor	23	1	0	4	10	8	4.04
9	Sequencing of the topics	23	1	1	2	4	15	4.35
10	Style of topic delivery	23	1	1	1	6	14	4.35
11	Time allotted for each topic	23	1	0	2	13	7	4.09
12	Value addition provided by the Course	23	1	0	3	7	12	4.26
13	Standards of Assessment system	23	1	0	3	10	9	4.13
14	Quality of teaching	23	1	1	2	1	18	4.48

AVG 4.27

K. Ezra
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (VI), Bogole Mandal,
Kavali, S.P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142.

Principal

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA (VI), BOGOLE MANDAL,
KAVALI, S.P.S.R. NELLORE DIST.,
ANDHRA PRADESH - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Programmable Logic Controllers -
20A02703a

Sem: IV- I

Course Faculty: Dr. V. Raveendra Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	4	3	16	4.52
2	Breadth of conceptual clarity	23	0	0	1	7	15	4.61
3	Evaluation Scheme	23	0	0	3	5	15	4.52
4	Involvement of Faculty	23	0	0	2	5	16	4.61
5	Overall effectiveness of the course	23	0	0	4	6	13	4.39
6	Preparedness of the faculty	23	0	0	2	6	15	4.57
7	Quality of Interaction	23	0	0	1	9	13	4.52
8	Quality of Rigor	23	0	0	2	8	13	4.48
9	Sequencing of the topics	23	0	0	3	6	14	4.48
10	Style of topic delivery	23	0	0	2	10	11	4.39
11	Time allotted for each topic	23	0	0	1	4	18	4.74
12	Value addition provided by the Course	23	0	0	2	8	13	4.48
13	Standards of Assessment system	23	0	0	2	9	12	4.43
14	Quality of teaching	23	0	0	2	4	17	4.65

AVG 4.53

K. Zel
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Raveendra

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Chemistry of Nano Materials & Applications - 20A51702

Sem: IV-I

Course Faculty: Mr. M. Venkata Subbaiah

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	4	4	15	4.48
2	Breadth of conceptual clarity	23	0	0	2	11	10	4.35
3	Evaluation Scheme	23	0	0	3	10	10	4.30
4	Involvement of Faculty	23	0	0	3	9	11	4.35
5	Overall effectiveness of the course	23	0	0	3	7	13	4.43
6	Preparedness of the faculty	23	0	0	4	10	9	4.22
7	Quality of Interaction	23	0	0	2	8	13	4.48
8	Quality of Rigor	23	0	0	3	9	11	4.35
9	Sequencing of the topics	23	0	0	4	7	12	4.35
10	Style of topic delivery	23	0	0	3	7	13	4.43
11	Time allotted for each topic	23	0	0	4	7	12	4.35
12	Value addition provided by the Course	23	0	0	3	7	13	4.43
13	Standards of Assessment system	23	0	0	2	11	10	4.35
14	Quality of teaching	23	0	0	2	8	13	4.48

AVG 4.38

K. Zeer 13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh - 524 142

Principal

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Waste and Effluent Management - 20A27705

Sem: IV- I

Course Faculty: Dr. B. Satya Narayana Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	4	11	8	4.17
2	Breadth of conceptual clarity	23	0	0	2	10	11	4.39
3	Evaluation Scheme	23	0	0	5	7	11	4.26
4	Involvement of Faculty	23	0	0	3	8	12	4.39
5	Overall effectiveness of the course	23	0	0	2	8	13	4.48
6	Preparedness of the faculty	23	0	0	3	7	13	4.43
7	Quality of Interaction	23	0	0	1	9	13	4.52
8	Quality of Rigor	23	0	0	3	12	8	4.22
9	Sequencing of the topics	23	0	0	2	9	12	4.43
10	Style of topic delivery	23	0	0	4	7	12	4.35
11	Time allotted for each topic	23	0	0	2	6	15	4.57
12	Value addition provided by the Course	23	0	0	3	10	10	4.30
13	Standards of Assessment system	23	0	0	1	8	14	4.57
14	Quality of teaching	23	0	0	1	7	15	4.61

AVG 4.41

K. Jeeva 13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell/
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142,

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Management Science -
20A52701b

Sem: IV- I

Course Faculty: Mr. K. Rama Mohan Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	0	0	2	8	13	4.48
2	Breadth of conceptual clarity	23	0	0	4	8	11	4.30
3	Evaluation Scheme	23	0	0	4	10	9	4.22
4	Involvement of Faculty	23	0	0	3	4	16	4.57
5	Overall effectiveness of the course	23	0	0	5	4	14	4.39
6	Preparedness of the faculty	23	0	0	3	9	11	4.35
7	Quality of Interaction	23	0	0	3	9	11	4.35
8	Quality of Rigor	23	0	0	4	9	10	4.26
9	Sequencing of the topics	23	0	0	4	10	9	4.22
10	Style of topic delivery	23	0	0	3	9	11	4.35
11	Time allotted for each topic	23	0	0	2	8	13	4.48
12	Value addition provided by the Course	23	0	0	5	6	12	4.30
13	Standards of Assessment system	23	0	0	3	6	14	4.48
14	Quality of teaching	23	0	0	2	6	15	4.57

AVG 4.38

K. Jeeva
13/12/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala(V), Bogole(MA)
Kavali, S.P.S.R. Nellore Dist,
Andhra Pradesh - 524 142

Principal
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Energy Conservation and Audit - 20A02706

Sem: IV- I

Course Faculty: Mr. S. Ezra

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	23	1	0	2	7	13	4.35
2	Breadth of conceptual clarity	23	1	0	3	6	13	4.30
3	Evaluation Scheme	23	1	0	3	5	14	4.35
4	Involvement of Faculty	23	1	0	1	11	10	4.26
5	Overall effectiveness of the course	23	1	0	4	6	12	4.22
6	Preparedness of the faculty	23	1	0	2	5	15	4.43
7	Quality of Interaction	23	1	0	2	7	13	4.35
8	Quality of Rigor	23	1	0	2	9	11	4.26
9	Sequencing of the topics	23	1	0	2	8	12	4.30
10	Style of topic delivery	23	1	0	1	7	14	4.43
11	Time allotted for each topic	23	1	0	2	9	11	4.26
12	Value addition provided by the Course	23	1	0	3	6	13	4.30
13	Standards of Assessment system	23	1	0	3	5	14	4.35
14	Quality of teaching	23	1	0	1	6	15	4.48

AVG 4.33

K. Jeeva
13/12/23.

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Sem: IV- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A04701b	Introduction to Internet of Things	Dr. CH. Amarnatha Sarma	33	3.98	
2	20A04702c	Radar Engineering	Mrs. K. Sreelakshmi	33	4.16	
3	20A04703c	Cellular and Mobile Communications	Mr. B. Madhu	33	4.43	
4	20A52701b	Management Sciences	Mrs. K.V.S. Gayathri	33	4.34	
5	20A54702	Numerical Methods for Engineers	Dr. Obulesh	33	4.20	
6	20A01706	Health Safety & Environmental management	Mr. A. V. Ramamurthy	33	4.12	
7	20A04707	Industrial IOT & Automation	Dr. CH. Amarnatha Sarma	33	4.02	

K. Jeeva
13/12/23.

IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA, S.P.S.R. NELLORE - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Introduction to Internet of Things -
20A04701b

Sem: IV- I

Course Faculty: Dr. CH. Amarnatha Sarma

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	1	8	20	4	3.82
2	Breadth of conceptual clarity	33	0	1	9	13	10	3.97
3	Evaluation Scheme	33	0	1	10	16	6	3.82
4	Involvement of Faculty	33	0	1	7	16	9	4.00
5	Overall effectiveness of the course	33	0	1	9	13	10	3.97
6	Preparedness of the faculty	33	0	1	7	10	15	4.18
7	Quality of Interaction	33	0	1	10	10	12	4.00
8	Quality of Rigor	33	0	1	8	14	10	4.00
9	Sequencing of the topics	33	0	1	9	16	7	3.88
10	Style of topic delivery	33	0	1	7	14	11	4.06
11	Time allotted for each topic	33	0	1	8	16	8	3.94
12	Value addition provided by the Course	33	0	1	7	13	12	4.09
13	Standards of Assessment system	33	0	1	9	16	7	3.88
14	Quality of teaching	33	0	1	6	14	12	4.12

AVG 3.98

K. Zee
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

[Signature]

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Radar Engineering - 20A04702c

Sem: IV- I

Course Faculty: Mrs. K. Sreelakshmi

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	0	8	14	11	4.09
2	Breadth of conceptual clarity	33	0	0	7	10	16	4.27
3	Evaluation Scheme	33	0	0	8	15	10	4.06
4	Involvement of Faculty	33	0	0	6	13	14	4.24
5	Overall effectiveness of the course	33	0	0	9	13	11	4.06
6	Preparedness of the faculty	33	0	0	7	11	15	4.24
7	Quality of Interaction	33	0	1	6	14	12	4.12
8	Quality of Rigor	33	0	0	8	11	14	4.18
9	Sequencing of the topics	33	0	0	8	18	7	3.97
10	Style of topic delivery	33	0	1	4	15	13	4.21
11	Time allotted for each topic	33	0	1	9	14	9	3.94
12	Value addition provided by the Course	33	0	0	6	11	16	4.30
13	Standards of Assessment system	33	0	0	6	15	12	4.18
14	Quality of teaching	33	0	0	6	10	17	4.33

AVG 4.16

K. Sree
13/12/23.

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Sree
13/12/23.

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Cellular and Mobile Communications -
20A04703c

Sem: IV- I

Course Faculty: Mr. B. Madhu

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	0	4	8	21	4.52
2	Breadth of conceptual clarity	33	0	0	4	6	23	4.58
3	Evaluation Scheme	33	0	0	4	12	17	4.39
4	Involvement of Faculty	33	0	0	5	7	21	4.48
5	Overall effectiveness of the course	33	0	0	5	10	18	4.39
6	Preparedness of the faculty	33	0	0	4	13	16	4.36
7	Quality of Interaction	33	0	0	4	13	16	4.36
8	Quality of Rigor	33	0	0	6	10	17	4.33
9	Sequencing of the topics	33	0	0	4	9	20	4.48
10	Style of topic delivery	33	0	0	6	9	18	4.36
11	Time allotted for each topic	33	0	0	5	9	19	4.42
12	Value addition provided by the Course	33	0	0	5	8	20	4.45
13	Standards of Assessment system	33	0	0	5	12	16	4.33
14	Quality of teaching	33	0	0	5	7	21	4.48

AVG 4.43

K. Zeel
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala VI, Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

for ready

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Management Sciences -
20A52701b

Sem: IV- I

Course Faculty: Mrs. K.V.S. Gayathri

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	0	5	12	16	4.33
2	Breadth of conceptual clarity	33	0	0	6	7	20	4.42
3	Evaluation Scheme	33	0	0	4	12	17	4.39
4	Involvement of Faculty	33	0	0	6	11	16	4.30
5	Overall effectiveness of the course	33	0	0	5	13	15	4.30
6	Preparedness of the faculty	33	0	0	7	10	16	4.27
7	Quality of Interaction	33	0	0	4	13	16	4.36
8	Quality of Rigor	33	0	0	7	11	15	4.24
9	Sequencing of the topics	33	0	0	5	11	17	4.36
10	Style of topic delivery	33	0	0	5	9	19	4.42
11	Time allotted for each topic	33	0	0	7	11	15	4.24
12	Value addition provided by the Course	33	0	0	5	11	17	4.36
13	Standards of Assessment system	33	0	0	7	10	16	4.27
14	Quality of teaching	33	0	0	5	7	21	4.48

AVG 4.34

K. Jee
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Veneedy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA, BOGOLE
KAVALI, SRI P.S.R. NELLORE DIST.
ANDHRA PRADESH - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Numerical Methods for Engineers - 20A54702

Sem: IV- I

Course Faculty: Dr. Obulesh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	0	6	18	9	4.09
2	Breadth of conceptual clarity	33	0	0	5	14	14	4.27
3	Evaluation Scheme	33	0	0	7	18	8	4.03
4	Involvement of Faculty	33	0	0	8	13	12	4.12
5	Overall effectiveness of the course	33	0	0	6	17	10	4.12
6	Preparedness of the faculty	33	0	0	7	12	14	4.21
7	Quality of Interaction	33	0	0	7	14	12	4.15
8	Quality of Rigor	33	0	0	7	11	15	4.24
9	Sequencing of the topics	33	0	0	5	15	13	4.24
10	Style of topic delivery	33	0	0	7	11	15	4.24
11	Time allotted for each topic	33	0	0	5	15	13	4.24
12	Value addition provided by the Course	33	0	0	6	13	14	4.24
13	Standards of Assessment system	33	0	0	7	16	10	4.09
14	Quality of teaching	33	0	0	5	8	20	4.45

AVG 4.20

K. Jeeva
13/12/23

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

P. G. Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Health Safety & Environmental management - 20A01706

Sem: IV- I

Course Faculty: Mr. A. V. Ramamurthy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	1	5	15	12	4.15
2	Breadth of conceptual clarity	33	0	1	6	14	12	4.12
3	Evaluation Scheme	33	0	1	5	18	9	4.06
4	Involvement of Faculty	33	0	1	7	13	12	4.09
5	Overall effectiveness of the course	33	0	1	7	16	9	4.00
6	Preparedness of the faculty	33	0	1	6	14	12	4.12
7	Quality of Interaction	33	0	1	5	16	11	4.12
8	Quality of Rigor	33	0	1	5	13	14	4.21
9	Sequencing of the topics	33	0	1	5	14	13	4.18
10	Style of topic delivery	33	0	1	7	13	12	4.09
11	Time allotted for each topic	33	0	1	4	20	8	4.06
12	Value addition provided by the Course	33	0	1	8	10	14	4.12
13	Standards of Assessment system	33	0	1	5	17	10	4.09
14	Quality of teaching	33	0	1	7	7	18	4.27

AVG 4.12

K. Zeer 13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA, BOGOLE, KAVALI-524142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- A

Course Name & Code: Industrial IOT & Automation - 20A04707

Sem: IV- I

Course Faculty: Dr. CH. Amarnatha Sarma

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	1	7	18	7	3.94
2	Breadth of conceptual clarity	33	0	1	7	13	12	4.09
3	Evaluation Scheme	33	0	2	6	15	10	4.00
4	Involvement of Faculty	33	0	1	8	12	12	4.06
5	Overall effectiveness of the course	33	0	1	7	16	9	4.00
6	Preparedness of the faculty	33	0	1	8	13	11	4.03
7	Quality of Interaction	33	0	1	8	14	10	4.00
8	Quality of Rigor	33	0	1	7	19	6	3.91
9	Sequencing of the topics	33	0	1	7	16	9	4.00
10	Style of topic delivery	33	0	1	8	13	11	4.03
11	Time allotted for each topic	33	0	1	7	14	11	4.06
12	Value addition provided by the Course	33	0	1	8	13	11	4.03
13	Standards of Assessment system	33	0	1	7	17	8	3.97
14	Quality of teaching	33	0	1	7	13	12	4.09

AVG	4.02

K. Jeeva
13/12/23.
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Bogole MP
Bogole, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Sreedhar
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Sem: IV- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A04701b	Introduction to Internet of Things	Dr. CH. Amarnatha Sarma	40	4.33	
2	20A04702c	Radar Engineering	Mrs. K. Sreelakshmi	40	4.49	
3	20A04703c	Cellular and Mobile Communications	Mr. B. Madhu	40	4.66	
4	20A52701b	Management Sciences	Mrs. K.V.S. Gayathri	40	4.59	
5	20A54702	Numerical Methods for Engineers	Mrs. G. Madhavi	40	4.47	
6	20A01706	Health Safety & Environmental management	Mr. A. V. Ramamurthy	40	4.37	
7	20A04707	Industrial IOT & Automation	Dr. CH. Amarnatha Sarma	40	4.42	

K. Jeyaraj
13/12/23

IQAC CO-ORDINATOR

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Introduction to Internet of Things -
20A04701b

Sem: IV- I

Course Faculty: Dr. CH. Amarnatha Sarma

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	1	6	11	22	4.35
2	Breadth of conceptual clarity	40	0	3	3	17	17	4.20
3	Evaluation Scheme	40	0	1	4	14	21	4.38
4	Involvement of Faculty	40	0	1	4	14	21	4.38
5	Overall effectiveness of the course	40	0	2	3	14	21	4.35
6	Preparedness of the faculty	40	0	1	4	18	17	4.28
7	Quality of Interaction	40	0	0	6	12	22	4.40
8	Quality of Rigor	40	0	3	3	15	19	4.25
9	Sequencing of the topics	40	0	1	4	20	15	4.23
10	Style of topic delivery	40	0	2	5	10	23	4.35
11	Time allotted for each topic	40	0	2	3	16	19	4.30
12	Value addition provided by the Course	40	1	2	3	11	23	4.33
13	Standards of Assessment system	40	0	4	2	10	24	4.35
14	Quality of teaching	40	1	1	4	7	27	4.45

AVG 4.33

K. Jeyaraj 13/12/23.

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

R. Suresh

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Radar Engineering - 20A04702c

Sem: IV- I

Course Faculty: Mrs. K. Sreelakshmi

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	1	5	7	27	4.50
2	Breadth of conceptual clarity	40	0	0	4	13	23	4.48
3	Evaluation Scheme	40	0	2	3	11	24	4.43
4	Involvement of Faculty	40	0	1	3	8	28	4.58
5	Overall effectiveness of the course	40	0	2	3	10	25	4.45
6	Preparedness of the faculty	40	0	0	4	12	24	4.50
7	Quality of Interaction	40	0	2	3	7	28	4.53
8	Quality of Rigor	40	0	0	4	12	24	4.50
9	Sequencing of the topics	40	0	1	5	12	22	4.38
10	Style of topic delivery	40	0	1	4	8	27	4.53
11	Time allotted for each topic	40	0	2	3	9	26	4.48
12	Value addition provided by the Course	40	0	0	4	11	25	4.53
13	Standards of Assessment system	40	0	0	5	9	26	4.53
14	Quality of teaching	40	0	0	5	8	27	4.55

AVG 4.49

K. Sreelakshmi
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

K. Sreelakshmi

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Cellular and Mobile Communications - 20A04703c

Sem: IV- I

Course Faculty: Mr. B. Madhu

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	0	3	6	31	4.70
2	Breadth of conceptual clarity	40	0	0	4	4	32	4.70
3	Evaluation Scheme	40	0	0	3	9	28	4.63
4	Involvement of Faculty	40	0	0	4	4	32	4.70
5	Overall effectiveness of the course	40	0	0	3	10	27	4.60
6	Preparedness of the faculty	40	0	0	4	6	30	4.65
7	Quality of Interaction	40	0	1	2	7	30	4.65
8	Quality of Rigor	40	0	0	4	6	30	4.65
9	Sequencing of the topics	40	0	1	3	7	29	4.60
10	Style of topic delivery	40	0	1	3	4	32	4.68
11	Time allotted for each topic	40	0	0	3	7	30	4.68
12	Value addition provided by the Course	40	0	0	4	7	29	4.63
13	Standards of Assessment system	40	0	1	3	8	28	4.58
14	Quality of teaching	40	0	0	4	2	34	4.75

AVG	4.66

K. Jeyaraj
13/12/23

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA, BOGOLE, S.P.S.R. NELLORE, A.P. 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Management Sciences -
20A52701b

Sem: IV- I

Course Faculty: Mrs. K.V.S. Gayathri

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	0	3	10	27	4.60
2	Breadth of conceptual clarity	40	0	0	3	12	25	4.55
3	Evaluation Scheme	40	0	0	4	9	27	4.58
4	Involvement of Faculty	40	0	0	4	8	28	4.60
5	Overall effectiveness of the course	40	0	1	2	8	29	4.63
6	Preparedness of the faculty	40	0	0	3	13	24	4.53
7	Quality of Interaction	40	0	0	3	8	29	4.65
8	Quality of Rigor	40	0	1	2	10	27	4.58
9	Sequencing of the topics	40	0	1	4	10	25	4.48
10	Style of topic delivery	40	0	0	4	8	28	4.60
11	Time allotted for each topic	40	0	1	2	8	29	4.63
12	Value addition provided by the Course	40	0	0	3	9	28	4.63
13	Standards of Assessment system	40	0	1	3	8	28	4.58
14	Quality of teaching	40	0	0	3	6	31	4.70

AVG 4.59

K. 302 13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. 10/12/23

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Numerical Methods for Engineers - 20A54702

Sem: IV- I

Course Faculty: Mrs. G. Madhavi

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	2	3	10	25	4.45
2	Breadth of conceptual clarity	40	0	1	3	14	22	4.43
3	Evaluation Scheme	40	0	1	4	13	22	4.40
4	Involvement of Faculty	40	0	1	3	14	22	4.43
5	Overall effectiveness of the course	40	0	1	4	13	22	4.40
6	Preparedness of the faculty	40	0	2	1	14	23	4.45
7	Quality of Interaction	40	0	1	2	12	25	4.53
8	Quality of Rigor	40	0	2	1	13	24	4.48
9	Sequencing of the topics	40	0	0	3	11	26	4.58
10	Style of topic delivery	40	0	1	2	14	23	4.48
11	Time allotted for each topic	40	0	1	2	14	23	4.48
12	Value addition provided by the Course	40	0	1	3	12	24	4.48
13	Standards of Assessment system	40	0	0	3	15	22	4.48
14	Quality of teaching	40	0	1	2	9	28	4.60

AVG 4.47

K. Jee
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

R. Sreedhar

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Health Safety & Environmental management - 20A01706

Sem: IV- I

Course Faculty: Mr. A. V. Ramamurthy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	2	4	10	24	4.40
2	Breadth of conceptual clarity	40	0	3	4	14	19	4.23
3	Evaluation Scheme	40	0	0	5	17	18	4.33
4	Involvement of Faculty	40	0	0	5	14	21	4.40
5	Overall effectiveness of the course	40	0	2	2	16	20	4.35
6	Preparedness of the faculty	40	0	2	3	15	20	4.33
7	Quality of Interaction	40	0	0	4	13	23	4.48
8	Quality of Rigor	40	0	0	6	14	20	4.35
9	Sequencing of the topics	40	0	1	4	14	21	4.38
10	Style of topic delivery	40	0	2	4	13	21	4.33
11	Time allotted for each topic	40	0	2	3	15	20	4.33
12	Value addition provided by the Course	40	0	1	5	12	22	4.38
13	Standards of Assessment system	40	0	2	2	13	23	4.43
14	Quality of teaching	40	0	1	3	13	23	4.45

AVG	4.37

K. S. S. 13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S. S.

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE- B

Course Name & Code: Industrial IOT & Automation - 20A04707

Sem: IV- I

Course Faculty: Dr. CH. Amarnatha Sarma

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	2	2	15	21	4.38
2	Breadth of conceptual clarity	40	0	1	2	20	17	4.33
3	Evaluation Scheme	40	0	1	3	19	17	4.30
4	Involvement of Faculty	40	0	1	2	15	22	4.45
5	Overall effectiveness of the course	40	0	2	1	17	20	4.38
6	Preparedness of the faculty	40	0	2	2	15	21	4.38
7	Quality of Interaction	40	0	1	2	10	27	4.58
8	Quality of Rigor	40	0	1	2	11	26	4.55
9	Sequencing of the topics	40	0	1	1	14	24	4.53
10	Style of topic delivery	40	0	1	3	17	19	4.35
11	Time allotted for each topic	40	0	1	3	12	24	4.48
12	Value addition provided by the Course	40	0	1	3	15	21	4.40
13	Standards of Assessment system	40	0	2	2	15	21	4.38
14	Quality of teaching	40	1	1	2	11	25	4.45

AVG 4.42

K. Zee
13/12/23
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Principal
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Sem: IV- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05701a	Cloud Computing	Mr. V. Pavan Kumar	48	4.02	
2	20A05703a	Full Stack Development	Mrs. A. Nandini	48	4.01	
3	20A05702b	Cryptography & Network Security	Mr. J. Venkatesh	48	3.98	
4	20A51702	Chemistry of Nano Materials & Applications	Mr. M. Venkata Subbaiah	48	4.03	
5	20A01705	Health Safety & Environmental Management	Mr. A. V. Ramamurthy	48	3.98	
6	20A52701b	Management Science	Dr. I. Malyadri Reddy	48	3.51	
7	20A05706	Mobile Application Development	Mr. SK. Badulla & Mr. V. Pavan Kumar	48	4.03	

K. Zeel
13/12/23

IQAC CO-ORDINATOR
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Cloud Computing -
20A05701a

Sem: IV- I

Course Faculty: Mr. V. Pavan Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	1	17	10	20	4.02
2	Breadth of conceptual clarity	48	0	1	13	14	20	4.10
3	Evaluation Scheme	48	0	2	16	11	19	3.98
4	Involvement of Faculty	48	0	0	16	13	19	4.06
5	Overall effectiveness of the course	48	0	1	14	15	18	4.04
6	Preparedness of the faculty	48	0	0	18	11	19	4.02
7	Quality of Interaction	48	0	1	15	13	19	4.04
8	Quality of Rigor	48	1	4	14	11	18	3.85
9	Sequencing of the topics	48	0	2	16	13	17	3.94
10	Style of topic delivery	48	0	1	16	8	23	4.10
11	Time allotted for each topic	48	0	2	13	11	22	4.10
12	Value addition provided by the Course	48	0	1	17	12	18	3.98
13	Standards of Assessment system	48	1	0	20	10	17	3.88
14	Quality of teaching	48	0	0	13	12	23	4.21

AVG	4.02

K. Ja
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Full Stack Development - 20A05703a

Sem: IV- I

Course Faculty: Mrs. A. Nandini

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	1	18	10	19	3.98
2	Breadth of conceptual clarity	48	0	2	15	9	22	4.06
3	Evaluation Scheme	48	0	2	17	11	18	3.94
4	Involvement of Faculty	48	0	4	12	11	21	4.02
5	Overall effectiveness of the course	48	0	1	18	11	18	3.96
6	Preparedness of the faculty	48	0	1	17	10	20	4.02
7	Quality of Interaction	48	0	1	16	11	20	4.04
8	Quality of Rigor	48	2	2	17	5	22	3.90
9	Sequencing of the topics	48	0	1	17	11	19	4.00
10	Style of topic delivery	48	0	1	17	9	21	4.04
11	Time allotted for each topic	48	0	2	16	11	19	3.98
12	Value addition provided by the Course	48	0	2	14	11	21	4.06
13	Standards of Assessment system	48	0	2	16	10	20	4.00
14	Quality of teaching	48	0	2	13	9	24	4.15

AVG 4.01

K. Jeyaraj 13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S. R. Nellore

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Cryptography & Network Security -
20A05702b

Sem: IV- I

Course Faculty: Mr. J. Venkatesh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	2	17	7	22	4.02
2	Breadth of conceptual clarity	48	0	3	13	13	19	4.00
3	Evaluation Scheme	48	0	4	14	10	20	3.96
4	Involvement of Faculty	48	0	4	13	13	18	3.94
5	Overall effectiveness of the course	48	0	3	17	6	22	3.98
6	Preparedness of the faculty	48	0	3	13	15	17	3.96
7	Quality of Interaction	48	0	4	13	10	21	4.00
8	Quality of Rigor	48	0	4	12	14	18	3.96
9	Sequencing of the topics	48	0	2	18	11	17	3.90
10	Style of topic delivery	48	0	2	13	13	20	4.06
11	Time allotted for each topic	48	0	2	15	14	17	3.96
12	Value addition provided by the Course	48	0	2	15	13	18	3.98
13	Standards of Assessment system	48	0	2	15	14	17	3.96
14	Quality of teaching	48	0	2	13	11	22	4.10

AVG 3.98

K. Jee 13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

for ready

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Chemistry of Nano Materials & Applications - 20A51702

Sem: IV- I

Course Faculty: Mr. M. Venkata Subbaiah

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	0	18	11	19	4.02
2	Breadth of conceptual clarity	48	0	1	17	8	22	4.06
3	Evaluation Scheme	48	0	2	16	12	18	3.96
4	Involvement of Faculty	48	0	2	16	8	22	4.04
5	Overall effectiveness of the course	48	0	2	14	11	21	4.06
6	Preparedness of the faculty	48	0	2	16	11	19	3.98
7	Quality of Interaction	48	0	2	14	10	22	4.08
8	Quality of Rigor	48	0	4	16	10	18	3.88
9	Sequencing of the topics	48	0	2	14	14	18	4.00
10	Style of topic delivery	48	0	0	18	9	21	4.06
11	Time allotted for each topic	48	0	1	16	12	19	4.02
12	Value addition provided by the Course	48	0	0	18	11	19	4.02
13	Standards of Assessment system	48	0	1	16	12	19	4.02
14	Quality of teaching	48	0	0	17	7	24	4.15

AVG 4.03

K. Bala
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Health Safety & Environmental Management - 20A01705

Sem: IV- I

Course Faculty: Mr. A. V. Ramamurthy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	1	16	14	17	3.98
2	Breadth of conceptual clarity	48	0	2	16	12	18	3.96
3	Evaluation Scheme	48	0	1	16	13	18	4.00
4	Involvement of Faculty	48	0	1	16	11	20	4.04
5	Overall effectiveness of the course	48	0	1	15	14	18	4.02
6	Preparedness of the faculty	48	0	1	17	15	15	3.92
7	Quality of Interaction	48	0	0	17	11	20	4.06
8	Quality of Rigor	48	0	2	18	12	16	3.88
9	Sequencing of the topics	48	0	1	19	8	20	3.98
10	Style of topic delivery	48	0	1	18	10	19	3.98
11	Time allotted for each topic	48	0	1	18	12	17	3.94
12	Value addition provided by the Course	48	0	1	18	11	18	3.96
13	Standards of Assessment system	48	0	2	15	14	17	3.96
14	Quality of teaching	48	0	1	17	9	21	4.04

AVG 3.98

K. Jee 13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Ramireddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Management Science -
20A52701b

Sem: IV- I

Course Faculty: Dr. I. Malyadri Reddy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	2	10	12	11	13	3.48
2	Breadth of conceptual clarity	48	3	8	11	14	12	3.50
3	Evaluation Scheme	48	2	8	13	12	13	3.54
4	Involvement of Faculty	48	4	7	12	11	14	3.50
5	Overall effectiveness of the course	48	1	11	14	12	10	3.40
6	Preparedness of the faculty	48	4	6	16	8	14	3.46
7	Quality of Interaction	48	1	9	10	13	15	3.67
8	Quality of Rigor	48	3	9	13	10	13	3.44
9	Sequencing of the topics	48	3	8	14	7	16	3.52
10	Style of topic delivery	48	4	7	16	10	11	3.35
11	Time allotted for each topic	48	2	7	18	6	15	3.52
12	Value addition provided by the Course	48	3	9	13	6	17	3.52
13	Standards of Assessment system	48	1	7	16	9	15	3.63
14	Quality of teaching	48	3	6	14	10	15	3.58

AVG 3.51

K. Jeeva
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. V. Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- B

Course Name & Code: Mobile Application Development - 20A05706

Sem: IV- I

Course Faculty: Mr. SK. Badulla & Mr. V. Pavan Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	48	0	2	14	11	21	4.06
2	Breadth of conceptual clarity	48	0	2	16	9	21	4.02
3	Evaluation Scheme	48	0	2	15	9	22	4.06
4	Involvement of Faculty	48	0	2	15	8	23	4.08
5	Overall effectiveness of the course	48	0	1	15	12	20	4.06
6	Preparedness of the faculty	48	0	2	15	10	21	4.04
7	Quality of Interaction	48	0	2	17	6	23	4.04
8	Quality of Rigor	48	0	2	17	9	20	3.98
9	Sequencing of the topics	48	0	1	17	9	21	4.04
10	Style of topic delivery	48	1	1	18	7	21	3.96
11	Time allotted for each topic	48	0	1	18	10	19	3.98
12	Value addition provided by the Course	48	1	2	16	8	21	3.96
13	Standards of Assessment system	48	0	0	18	8	22	4.08
14	Quality of teaching	48	0	2	16	7	23	4.06

AVG 4.03

K. Jeeva
13/12/23
IOAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA,
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Sem: IV- I

Date: 13-12-2023

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05701a	Cloud Computing	Mr. V. Pavan Kumar	49	3.81	
2	20A05703a	Full Stack Development	Mrs. A. Nandini	49	3.74	
3	20A05702b	Cryptography & Network Security	Mr. J. Venkatesh	49	3.85	
4	20A51702	Chemistry of Nano Materials & Applications	Mr. M. Venkata Subbaiah	49	3.73	
5	20A01705	Health Safety & Environmental Management	Mr. A. V. Ramamurthy	49	3.59	
6	20A52701b	Management Science	Mr. B. Srikanth	49	3.80	
7	20A05706	Mobile Application Development	Mr. SK. Badulla & Mr. V. Pavan Kumar	49	3.80	

K. Jeeva
13/12/23

IQAC CO-ORDINATOR
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S. S. S.

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Cloud Computing -
20A05701a

Sem: IV- I

Course Faculty: Mr. V. Pavan Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	2	24	12	11	3.65
2	Breadth of conceptual clarity	49	0	1	19	18	11	3.80
3	Evaluation Scheme	49	0	4	19	12	14	3.73
4	Involvement of Faculty	49	0	0	18	20	11	3.86
5	Overall effectiveness of the course	49	0	3	18	17	11	3.73
6	Preparedness of the faculty	49	0	0	19	17	13	3.88
7	Quality of Interaction	49	0	2	19	15	13	3.80
8	Quality of Rigor	49	0	3	19	13	14	3.78
9	Sequencing of the topics	49	0	1	21	15	12	3.78
10	Style of topic delivery	49	0	0	18	16	15	3.94
11	Time allotted for each topic	49	0	0	22	14	13	3.82
12	Value addition provided by the Course	49	0	1	20	14	14	3.84
13	Standards of Assessment system	49	0	0	21	17	11	3.80
14	Quality of teaching	49	0	0	16	20	13	3.94

AVG 3.81

K. Zeenat
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Full Stack Development - 20A05703a

Sem: IV- I

Course Faculty: Mrs. A. Nandini

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	1	19	19	10	3.78
2	Breadth of conceptual clarity	49	0	2	19	19	9	3.71
3	Evaluation Scheme	49	0	4	19	15	11	3.67
4	Involvement of Faculty	49	0	3	17	14	15	3.84
5	Overall effectiveness of the course	49	0	1	21	15	12	3.78
6	Preparedness of the faculty	49	1	2	19	18	9	3.65
7	Quality of Interaction	49	0	3	20	14	12	3.71
8	Quality of Rigor	49	0	1	21	17	10	3.73
9	Sequencing of the topics	49	0	3	16	20	10	3.76
10	Style of topic delivery	49	0	0	23	15	11	3.76
11	Time allotted for each topic	49	0	4	17	19	9	3.67
12	Value addition provided by the Course	49	0	0	23	15	11	3.76
13	Standards of Assessment system	49	0	2	18	18	11	3.78
14	Quality of teaching	49	0	0	20	17	12	3.84

AVG 3.74

K. Zele
13/12/23.
IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. S. S. R. Nellore
PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Cryptography & Network Security -
20A05702b

Sem: IV- I

Course Faculty: Mr. J. Venkatesh

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	0	22	11	16	3.88
2	Breadth of conceptual clarity	49	0	4	17	13	15	3.80
3	Evaluation Scheme	49	0	2	16	18	13	3.86
4	Involvement of Faculty	49	0	2	18	15	14	3.84
5	Overall effectiveness of the course	49	0	1	18	18	12	3.84
6	Preparedness of the faculty	49	0	2	17	16	14	3.86
7	Quality of Interaction	49	0	0	22	14	13	3.82
8	Quality of Rigor	49	0	3	19	14	13	3.76
9	Sequencing of the topics	49	0	0	19	17	13	3.88
10	Style of topic delivery	49	0	1	14	18	16	4.00
11	Time allotted for each topic	49	0	1	19	14	15	3.88
12	Value addition provided by the Course	49	0	1	19	18	11	3.80
13	Standards of Assessment system	49	0	3	16	16	14	3.84
14	Quality of teaching	49	0	0	19	14	16	3.94

AVG 3.85

K. Jeeva
13/12/23
IQAC Co-Ordinator
Internal Quality Assurance Co-Ordinator
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-6, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Chemistry of Nano Materials & Applications - 20A51702

Sem: IV- I

Course Faculty: Mr. M. Venkata Subbalah

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	0	21	18	10	3.78
2	Breadth of conceptual clarity	49	0	1	21	18	9	3.71
3	Evaluation Scheme	49	0	2	20	18	9	3.69
4	Involvement of Faculty	49	0	1	18	20	10	3.80
5	Overall effectiveness of the course	49	0	5	18	17	9	3.61
6	Preparedness of the faculty	49	0	3	17	19	10	3.73
7	Quality of Interaction	49	0	3	21	14	11	3.67
8	Quality of Rigor	49	0	4	17	19	9	3.67
9	Sequencing of the topics	49	0	3	17	16	13	3.80
10	Style of topic delivery	49	1	2	18	17	11	3.71
11	Time allotted for each topic	49	0	1	21	16	11	3.76
12	Value addition provided by the Course	49	0	1	20	18	10	3.76
13	Standards of Assessment system	49	0	2	20	17	10	3.71
14	Quality of teaching	49	0	1	16	20	12	3.88

AVG 3.73

K. Jeeva
13/12/23

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 10, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Praveen

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Health Safety & Environmental Management - 20A01705

Sem: IV- I

Course Faculty: Mr. A. V. Ramamurthy

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	3	23	12	11	3.63
2	Breadth of conceptual clarity	49	0	3	22	14	10	3.63
3	Evaluation Scheme	49	0	5	23	12	9	3.51
4	Involvement of Faculty	49	0	2	23	16	8	3.61
5	Overall effectiveness of the course	49	0	3	22	17	7	3.57
6	Preparedness of the faculty	49	0	3	24	12	10	3.59
7	Quality of Interaction	49	0	4	22	14	9	3.57
8	Quality of Rigor	49	0	3	23	14	9	3.59
9	Sequencing of the topics	49	0	4	22	13	10	3.59
10	Style of topic delivery	49	0	4	22	13	10	3.59
11	Time allotted for each topic	49	0	5	20	16	8	3.55
12	Value addition provided by the Course	49	0	4	20	14	11	3.65
13	Standards of Assessment system	49	0	4	22	15	8	3.55
14	Quality of teaching	49	0	3	23	14	9	3.59

AVG 3.59

K. Zeel
13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. Venkatesh

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Management Science -
20A52701b

Sem: IV- I

Course Faculty: Mr. B. Srikanth

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	2	19	12	16	3.86
2	Breadth of conceptual clarity	49	1	3	19	11	15	3.73
3	Evaluation Scheme	49	1	1	18	14	15	3.84
4	Involvement of Faculty	49	1	1	22	8	17	3.80
5	Overall effectiveness of the course	49	1	2	16	16	14	3.82
6	Preparedness of the faculty	49	1	2	22	9	15	3.71
7	Quality of Interaction	49	1	2	18	15	13	3.76
8	Quality of Rigor	49	1	2	19	11	16	3.80
9	Sequencing of the topics	49	2	1	14	18	14	3.84
10	Style of topic delivery	49	1	3	18	11	16	3.78
11	Time allotted for each topic	49	1	2	14	18	14	3.86
12	Value addition provided by the Course	49	1	5	18	7	18	3.73
13	Standards of Assessment system	49	1	0	19	14	15	3.86
14	Quality of teaching	49	1	3	14	13	18	3.90

AVG 3.80

K. Jee
13/12/23.

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Srinivasulu
Principal

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE- A

Course Name & Code: Mobile Application Development - 20A05706

Sem: IV- I

Course Faculty: Mr. SK. Badulla & Mr. V. Pavan Kumar

Date: 13-12-2023

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	49	0	3	18	13	15	3.82
2	Breadth of conceptual clarity	49	0	1	20	14	14	3.84
3	Evaluation Scheme	49	0	0	22	12	15	3.86
4	Involvement of Faculty	49	0	1	20	15	13	3.82
5	Overall effectiveness of the course	49	0	4	16	19	10	3.71
6	Preparedness of the faculty	49	0	3	19	13	14	3.78
7	Quality of Interaction	49	0	3	19	16	11	3.71
8	Quality of Rigor	49	0	4	17	14	14	3.78
9	Sequencing of the topics	49	0	4	20	12	13	3.69
10	Style of topic delivery	49	0	2	19	16	12	3.78
11	Time allotted for each topic	49	0	1	20	13	15	3.86
12	Value addition provided by the Course	49	0	1	21	14	13	3.80
13	Standards of Assessment system	49	0	1	19	15	14	3.86
14	Quality of teaching	49	0	2	18	14	15	3.86

AVG 3.80

K. Joe 13/12/23.

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA, BOGOLE MANDAL,
KAVALI-524 142, S.P.S.R. NELLORE, A.P.

P. G. Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Sem: I- II

Date: 08-07-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00101T	Engineering Physics	Mr. R. Mallikarjuna Sharma	60	2.82	
2	23ABS00201	Differential Equation & Vector Calculus	Dr. M. Obulesu	60	4.21	
3	23AES02101T	Basic Electrical and Electronics Engineering	Dr. P. V. N. Reddy	60	4.08	
4	23AES02101T	Basic Electrical and Electronics Engineering	Mr. A. Bhasker	60	4.03	
5	23AES03101	Engineering Graphics	Mr. B. Radha Krishnaiah	60	4.22	
6	23AES05201T	Data Structure	Mr. V. Pavan Kumar	60	4.18	
7	23AES05102	IT Workshop	Mr. SK. Badulla	60	4.26	
8	23ABS00101P	Engineering Physics Laboratory	Mr. R. Mallikarjuna Sharma	60	3.24	
9	23AES02101P	Electrical and Electronics Engineering Laboratory	Mr. A. Bhasker	60	3.98	
10	23AES05201P	Data Structure Laboratory	Mr. K. Ramesh & Mrs. A. Nandini	60	4.01	

IQAC CO-ORDINATOR

Dr. Jagadeesh Kasi

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

Dr. P V N Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Engineering Physics -
23ABS00101T

Sem: I- II

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	14	10	19	9	8	2.78
2	Breadth of conceptual clarity	60	15	9	19	7	10	2.80
3	Evaluation Scheme	60	14	13	16	8	9	2.75
4	Involvement of Faculty	60	15	9	18	7	11	2.83
5	Overall effectiveness of the course	60	13	12	18	9	8	2.78
6	Preparedness of the faculty	60	14	9	20	5	12	2.87
7	Quality of Interaction	60	15	10	17	7	11	2.82
8	Quality of Rigor	60	12	10	21	7	10	2.88
9	Sequencing of the topics	60	13	11	20	6	10	2.82
10	Style of topic delivery	60	12	11	21	5	11	2.87
11	Time allotted for each topic	60	13	12	18	7	10	2.82
12	Value addition provided by the Course	60	12	10	22	6	10	2.87
13	Standards of Assessment system	60	14	10	21	6	9	2.77
14	Quality of teaching	60	13	9	21	6	11	2.88

AVG 2.82

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Differential Equation & Vector Calculus - 23ABS00201 Sem: I- II

Course Faculty: Dr. M. Obulesu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	2	3	11	10	34	4.18
2	Breadth of conceptual clarity	60	2	3	12	11	32	4.13
3	Evaluation Scheme	60	2	2	11	11	34	4.22
4	Involvement of Faculty	60	2	3	10	11	34	4.20
5	Overall effectiveness of the course	60	2	2	13	9	34	4.18
6	Preparedness of the faculty	60	2	3	10	10	35	4.22
7	Quality of Interaction	60	2	2	12	9	35	4.22
8	Quality of Rigor	60	2	3	10	8	37	4.25
9	Sequencing of the topics	60	2	2	11	9	36	4.25
10	Style of topic delivery	60	2	3	10	10	35	4.22
11	Time allotted for each topic	60	2	2	11	8	37	4.27
12	Value addition provided by the Course	60	2	3	11	10	34	4.18
13	Standards of Assessment system	60	2	2	11	13	32	4.18
14	Quality of teaching	60	2	3	11	10	34	4.18

AVG 4.21

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I- II

Course Faculty: Dr. P. V. N. Reddy

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	1	6	12	8	33	4.10
2	Breadth of conceptual clarity	60	1	5	13	8	33	4.12
3	Evaluation Scheme	60	1	4	15	7	33	4.12
4	Involvement of Faculty	60	1	6	13	7	33	4.08
5	Overall effectiveness of the course	60	2	7	11	7	33	4.03
6	Preparedness of the faculty	60	1	6	13	7	33	4.08
7	Quality of Interaction	60	2	7	10	9	32	4.03
8	Quality of Rigor	60	2	6	10	9	33	4.08
9	Sequencing of the topics	60	2	6	11	8	33	4.07
10	Style of topic delivery	60	2	4	13	8	33	4.10
11	Time allotted for each topic	60	2	4	12	9	33	4.12
12	Value addition provided by the Course	60	2	4	12	10	32	4.10
13	Standards of Assessment system	60	3	5	10	9	33	4.07
14	Quality of teaching	60	3	5	10	8	34	4.08

AVG 4.08

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I- II

Course Faculty: Mr. A. Bhasker

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	6	2	11	9	32	3.98
2	Breadth of conceptual clarity	60	4	4	10	10	32	4.03
3	Evaluation Scheme	60	5	4	9	9	33	4.02
4	Involvement of Faculty	60	6	2	10	10	32	4.00
5	Overall effectiveness of the course	60	5	2	12	8	33	4.03
6	Preparedness of the faculty	60	6	2	10	9	33	4.02
7	Quality of Interaction	60	4	3	11	10	32	4.05
8	Quality of Rigor	60	4	2	12	8	34	4.10
9	Sequencing of the topics	60	4	3	12	9	32	4.03
10	Style of topic delivery	60	5	3	10	10	32	4.02
11	Time allotted for each topic	60	4	3	12	10	31	4.02
12	Value addition provided by the Course	60	5	3	11	8	33	4.02
13	Standards of Assessment system	60	6	3	10	9	32	3.97
14	Quality of teaching	60	4	3	11	9	33	4.07

AVG	4.03

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Ramireddy

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Engineering Graphics - 23AES03101

Sem: I- II

Course Faculty: Mr. B. Radha Krishnalah

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	0	4	13	10	33	4.20
2	Breadth of conceptual clarity	60	0	5	9	13	33	4.23
3	Evaluation Scheme	60	0	4	12	11	33	4.22
4	Involvement of Faculty	60	0	4	11	12	33	4.23
5	Overall effectiveness of the course	60	0	3	12	10	35	4.28
6	Preparedness of the faculty	60	0	6	10	12	32	4.17
7	Quality of Interaction	60	1	4	10	10	35	4.23
8	Quality of Rigor	60	0	5	10	13	32	4.20
9	Sequencing of the topics	60	0	5	11	10	34	4.22
10	Style of topic delivery	60	0	6	9	11	34	4.22
11	Time allotted for each topic	60	1	4	10	11	34	4.22
12	Value addition provided by the Course	60	0	4	12	13	31	4.18
13	Standards of Assessment system	60	0	4	11	10	35	4.27
14	Quality of teaching	60	0	4	11	12	33	4.23

AVG 4.22


IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Data Structure -
23AES05201T

Sem: I- II

Course Faculty: Mr. V. Pavan Kumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	1	0	17	11	31	4.18
2	Breadth of conceptual clarity	60	1	1	17	13	28	4.10
3	Evaluation Scheme	60	2	1	14	14	29	4.12
4	Involvement of Faculty	60	1	1	15	13	30	4.17
5	Overall effectiveness of the course	60	1	2	14	11	32	4.18
6	Preparedness of the faculty	60	1	3	13	14	29	4.12
7	Quality of Interaction	60	2	1	13	11	33	4.20
8	Quality of Rigor	60	2	1	12	14	31	4.18
9	Sequencing of the topics	60	1	2	13	12	32	4.20
10	Style of topic delivery	60	1	1	13	12	33	4.25
11	Time allotted for each topic	60	1	1	14	11	33	4.23
12	Value addition provided by the Course	60	1	1	13	15	30	4.20
13	Standards of Assessment system	60	1	1	15	13	30	4.17
14	Quality of teaching	60	1	1	14	12	32	4.22

AVG 4.18

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: IT Workshop - 23AES05102

Sem: I- II

Course Faculty: Mr. SK. Badulla

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	1	1	15	8	35	4.25
2	Breadth of conceptual clarity	60	1	1	13	12	33	4.25
3	Evaluation Scheme	60	1	3	13	7	36	4.23
4	Involvement of Faculty	60	1	2	14	10	33	4.20
5	Overall effectiveness of the course	60	1	1	13	9	36	4.30
6	Preparedness of the faculty	60	1	1	14	10	34	4.25
7	Quality of Interaction	60	1	1	16	7	35	4.23
8	Quality of Rigor	60	1	1	13	9	36	4.30
9	Sequencing of the topics	60	1	1	12	9	37	4.33
10	Style of topic delivery	60	1	1	16	8	34	4.22
11	Time allotted for each topic	60	1	1	13	11	34	4.27
12	Value addition provided by the Course	60	1	2	14	6	37	4.27
13	Standards of Assessment system	60	2	1	13	9	35	4.23
14	Quality of teaching	60	2	1	13	8	36	4.25

AVG	4.26

IQAC Co-ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Engineering Physics Laboratory - 23ABS00101P

Sem: I- II

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	9	9	17	12	13	3.18
2	Breadth of conceptual clarity	60	8	9	16	12	15	3.28
3	Evaluation Scheme	60	8	9	15	12	16	3.32
4	Involvement of Faculty	60	9	7	19	10	15	3.25
5	Overall effectiveness of the course	60	8	10	14	15	13	3.25
6	Preparedness of the faculty	60	8	8	17	14	13	3.27
7	Quality of Interaction	60	7	9	17	15	12	3.27
8	Quality of Rigor	60	8	9	16	14	13	3.25
9	Sequencing of the topics	60	9	8	16	15	12	3.22
10	Style of topic delivery	60	9	8	18	13	12	3.18
11	Time allotted for each topic	60	9	7	17	15	12	3.23
12	Value addition provided by the Course	60	8	9	17	14	12	3.22
13	Standards of Assessment system	60	8	8	18	13	13	3.25
14	Quality of teaching	60	7	9	20	11	13	3.23

AVG 3.24

IQAC Co-ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Electrical and Electronics Engineering Laboratory - 23A Sem: I- II

Course Faculty: Mr. A. Bhasker

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	4	4	12	9	31	3.98
2	Breadth of conceptual clarity	60	3	6	12	7	32	3.98
3	Evaluation Scheme	60	3	5	14	8	30	3.95
4	Involvement of Faculty	60	3	5	13	7	32	4.00
5	Overall effectiveness of the course	60	4	4	14	7	31	3.95
6	Preparedness of the faculty	60	3	5	11	9	32	4.03
7	Quality of Interaction	60	3	6	11	9	31	3.98
8	Quality of Rigor	60	3	7	10	8	32	3.98
9	Sequencing of the topics	60	5	4	11	10	30	3.93
10	Style of topic delivery	60	3	7	10	8	32	3.98
11	Time allotted for each topic	60	4	5	11	9	31	3.97
12	Value addition provided by the Course	60	3	6	12	9	30	3.95
13	Standards of Assessment system	60	5	3	13	8	31	3.95
14	Quality of teaching	60	5	3	12	7	33	4.00

AVG 3.98

IQAC Co-ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Data Structure Laboratory - 23AES05201P

Sem: I- II

Course Faculty: Mr. K. Ramesh & Mrs. A. Nandini

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	60	2	6	12	10	30	4.00
2	Breadth of conceptual clarity	60	2	6	12	9	31	4.02
3	Evaluation Scheme	60	2	6	12	12	28	3.97
4	Involvement of Faculty	60	2	5	13	8	32	4.05
5	Overall effectiveness of the course	60	2	4	15	9	30	4.02
6	Preparedness of the faculty	60	2	6	11	12	29	4.00
7	Quality of Interaction	60	2	7	10	11	30	4.00
8	Quality of Rigor	60	3	4	12	12	29	4.00
9	Sequencing of the topics	60	3	4	11	12	30	4.03
10	Style of topic delivery	60	3	6	10	12	29	3.97
11	Time allotted for each topic	60	2	7	10	9	32	4.03
12	Value addition provided by the Course	60	3	5	11	10	31	4.02
13	Standards of Assessment system	60	3	6	10	11	30	3.98
14	Quality of teaching	60	3	5	11	9	32	4.03

AVG 4.01

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Sem: I- II

Date: 08-07-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00101T	Engineering Physics	Mrs. S. Shabana	52	4.39	
2	23ABS00201	Differential Equation & Vector Calculus	Dr. SK. Masthan	52	4.58	
3	23AES02101T	Basic Electrical and Electronics Engineering	Dr. P. V. N. Reddy	52	4.48	
4	23AES02101T	Basic Electrical and Electronics Engineering	Mr. A. Bhasker	52	3.90	
5	23AES03101	Engineering Graphics	Mr. B. Radha Krishnaiah	52	4.52	
6	23AES05201T	Data Structure	Mr. V. Pavan Kumar	52	4.50	
7	23AES05102	IT Workshop	Mr. D. Ashok	52	4.52	
8	23ABS00101P	Engineering Physics Laboratory	Mrs. S. Shabana	52	4.51	
9	23AES02101P	Electrical and Electronics Engineering Laboratory	Mr. A. Bhasker	52	3.95	
10	23AES05201P	Data Structure Laboratory	Mr. K. Ramesh & Mrs. A. Nandini	52	4.57	


IQAC CO-ORDINATOR
Dr. Jagadeesh Kasi
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
Dr. P V N Reddy
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Engineering Physics -
23ABS00101T

Sem: I- II

Course Faculty: Mrs. S. Shabana

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	1	9	9	33	4.42
2	Breadth of conceptual clarity	52	0	1	7	13	31	4.42
3	Evaluation Scheme	52	0	2	10	8	32	4.35
4	Involvement of Faculty	52	0	1	8	8	35	4.48
5	Overall effectiveness of the course	52	0	1	10	11	30	4.35
6	Preparedness of the faculty	52	0	1	9	10	32	4.40
7	Quality of Interaction	52	0	1	9	10	32	4.40
8	Quality of Rigor	52	0	1	9	11	31	4.38
9	Sequencing of the topics	52	0	1	9	13	29	4.35
10	Style of topic delivery	52	0	1	9	12	30	4.37
11	Time allotted for each topic	52	0	1	8	10	33	4.44
12	Value addition provided by the Course	52	0	1	10	9	32	4.38
13	Standards of Assessment system	52	2	1	8	10	31	4.29
14	Quality of teaching	52	0	1	8	10	33	4.44

AVG 4.39

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Differential Equation & Vector Calculus - 23ABS00201 Sem: I-II

Course Faculty: Dr. SK. Masthan

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	0	8	7	37	4.56
2	Breadth of conceptual clarity	52	0	1	7	5	39	4.58
3	Evaluation Scheme	52	0	0	8	8	36	4.54
4	Involvement of Faculty	52	0	0	7	4	41	4.65
5	Overall effectiveness of the course	52	0	0	8	10	34	4.50
6	Preparedness of the faculty	52	0	0	7	5	40	4.63
7	Quality of Interaction	52	0	1	7	9	35	4.50
8	Quality of Rigor	52	0	0	9	4	39	4.58
9	Sequencing of the topics	52	0	1	8	7	36	4.50
10	Style of topic delivery	52	0	0	7	3	42	4.67
11	Time allotted for each topic	52	1	1	7	8	35	4.44
12	Value addition provided by the Course	52	0	0	6	5	41	4.67
13	Standards of Assessment system	52	0	0	8	7	37	4.56
14	Quality of teaching	52	0	0	6	5	41	4.67

AVG	4.58

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I-II

Course Faculty: Dr. P. V. N. Reddy

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	1	7	8	36	4.52
2	Breadth of conceptual clarity	52	0	0	7	9	36	4.56
3	Evaluation Scheme	52	0	1	8	11	32	4.42
4	Involvement of Faculty	52	0	0	9	10	33	4.46
5	Overall effectiveness of the course	52	0	1	9	9	33	4.42
6	Preparedness of the faculty	52	0	0	7	13	32	4.48
7	Quality of Interaction	52	0	2	6	8	36	4.50
8	Quality of Rigor	52	0	1	8	9	34	4.46
9	Sequencing of the topics	52	0	1	7	11	33	4.46
10	Style of topic delivery	52	0	0	7	11	34	4.52
11	Time allotted for each topic	52	0	2	6	9	35	4.48
12	Value addition provided by the Course	52	0	0	9	13	30	4.40
13	Standards of Assessment system	52	0	1	7	7	37	4.54
14	Quality of teaching	52	0	0	7	9	36	4.56

AVG	4.48

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I- II

Course Faculty: Mr. A. Bhasker

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	8	1	8	7	28	3.88
2	Breadth of conceptual clarity	52	8	0	8	8	28	3.92
3	Evaluation Scheme	52	8	1	6	10	27	3.90
4	Involvement of Faculty	52	8	0	7	10	27	3.92
5	Overall effectiveness of the course	52	8	1	7	9	27	3.88
6	Preparedness of the faculty	52	8	0	8	7	29	3.94
7	Quality of Interaction	52	8	1	8	8	27	3.87
8	Quality of Rigor	52	8	0	8	10	26	3.88
9	Sequencing of the topics	52	8	1	6	10	27	3.90
10	Style of topic delivery	52	8	1	7	7	29	3.92
11	Time allotted for each topic	52	8	1	7	7	29	3.92
12	Value addition provided by the Course	52	8	1	8	11	24	3.81
13	Standards of Assessment system	52	8	1	6	7	30	3.96
14	Quality of teaching	52	8	1	7	7	29	3.92

AVG 3.90

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Engineering Graphics - 23AES03101

Sem: I-II

Course Faculty: Mr. B. Radha Krishnalah

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	1	8	8	35	4.48
2	Breadth of conceptual clarity	52	0	1	7	7	37	4.54
3	Evaluation Scheme	52	0	1	8	7	36	4.50
4	Involvement of Faculty	52	0	1	6	7	38	4.58
5	Overall effectiveness of the course	52	0	1	6	10	35	4.52
6	Preparedness of the faculty	52	0	1	8	8	35	4.48
7	Quality of Interaction	52	0	1	6	9	36	4.54
8	Quality of Rigor	52	0	1	8	9	34	4.46
9	Sequencing of the topics	52	0	1	7	9	35	4.50
10	Style of topic delivery	52	0	1	8	7	36	4.50
11	Time allotted for each topic	52	0	1	6	6	39	4.60
12	Value addition provided by the Course	52	0	1	7	9	35	4.50
13	Standards of Assessment system	52	0	1	7	9	35	4.50
14	Quality of teaching	52	0	1	6	5	40	4.62

AVG	4.52

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Data Structure -
23AES05201T

Sem: I- II

Course Faculty: Mr. V. Pavan Kumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	0	9	10	33	4.46
2	Breadth of conceptual clarity	52	0	0	8	11	33	4.48
3	Evaluation Scheme	52	0	0	10	4	38	4.54
4	Involvement of Faculty	52	0	1	7	11	33	4.46
5	Overall effectiveness of the course	52	0	0	8	10	34	4.50
6	Preparedness of the faculty	52	0	0	8	9	35	4.52
7	Quality of Interaction	52	0	0	8	6	38	4.58
8	Quality of Rigor	52	0	0	8	12	32	4.46
9	Sequencing of the topics	52	0	1	7	8	36	4.52
10	Style of topic delivery	52	1	0	6	9	36	4.52
11	Time allotted for each topic	52	0	1	9	6	36	4.48
12	Value addition provided by the Course	52	0	0	7	12	33	4.50
13	Standards of Assessment system	52	1	0	9	9	33	4.40
14	Quality of teaching	52	0	0	8	8	36	4.54

AVG	4.50

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: IT Workshop - 23AES05102

Sem: I-II

Course Faculty: Mr. D. Ashok

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	0	9	7	36	4.52
2	Breadth of conceptual clarity	52	0	1	7	9	35	4.50
3	Evaluation Scheme	52	0	0	8	8	36	4.54
4	Involvement of Faculty	52	0	1	7	11	33	4.46
5	Overall effectiveness of the course	52	0	0	8	7	37	4.56
6	Preparedness of the faculty	52	0	2	6	8	36	4.50
7	Quality of Interaction	52	0	1	7	9	35	4.50
8	Quality of Rigor	52	0	2	6	9	35	4.48
9	Sequencing of the topics	52	0	1	7	5	39	4.58
10	Style of topic delivery	52	0	2	6	8	36	4.50
11	Time allotted for each topic	52	0	1	7	7	37	4.54
12	Value addition provided by the Course	52	0	1	7	8	36	4.52
13	Standards of Assessment system	52	0	1	6	5	40	4.62
14	Quality of teaching	52	0	1	7	8	36	4.52

AVG 4.52

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M),
Kavali, Sri P.S.R. Nellore Dist.,
Andhra Pradesh - 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Engineering Physics Laboratory - 23ABS00101P

Sem: I- II

Course Faculty: Mrs. S. Shabana

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	1	8	6	37	4.52
2	Breadth of conceptual clarity	52	0	0	8	9	35	4.52
3	Evaluation Scheme	52	0	1	9	6	36	4.48
4	Involvement of Faculty	52	0	0	8	7	37	4.56
5	Overall effectiveness of the course	52	0	1	7	11	33	4.46
6	Preparedness of the faculty	52	0	1	8	7	36	4.50
7	Quality of Interaction	52	0	2	7	5	38	4.52
8	Quality of Rigor	52	0	0	7	8	37	4.58
9	Sequencing of the topics	52	0	2	7	10	33	4.42
10	Style of topic delivery	52	0	1	7	5	39	4.58
11	Time allotted for each topic	52	1	1	8	6	36	4.44
12	Value addition provided by the Course	52	0	0	7	8	37	4.58
13	Standards of Assessment system	52	0	2	9	5	36	4.44
14	Quality of teaching	52	0	1	6	7	38	4.58

AVG 4.51

IQAC Co-ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Electrical and Electronics Engineering Laboratory - 23AES02101P

Sem: I-II

Course Faculty: Mr. A. Bhasker

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	8	1	6	9	28	3.92
2	Breadth of conceptual clarity	52	8	0	7	8	29	3.96
3	Evaluation Scheme	52	8	1	7	9	27	3.88
4	Involvement of Faculty	52	8	0	8	7	29	3.94
5	Overall effectiveness of the course	52	8	1	6	6	31	3.98
6	Preparedness of the faculty	52	8	0	7	10	27	3.92
7	Quality of Interaction	52	7	2	6	6	31	4.00
8	Quality of Rigor	52	8	0	7	12	25	3.88
9	Sequencing of the topics	52	8	1	5	8	30	3.98
10	Style of topic delivery	52	8	0	7	11	26	3.90
11	Time allotted for each topic	52	8	1	5	7	31	4.00
12	Value addition provided by the Course	52	8	0	7	10	27	3.92
13	Standards of Assessment system	52	8	1	6	7	30	3.96
14	Quality of teaching	52	8	0	6	8	30	4.00

AVG 3.95

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Data Structure Laboratory - 23AES05201P

Sem: I- II

Course Faculty: Mr. K. Ramesh & Mrs. A. Nandini

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	0	7	6	39	4.62
2	Breadth of conceptual clarity	52	0	0	8	6	38	4.58
3	Evaluation Scheme	52	0	0	7	10	35	4.54
4	Involvement of Faculty	52	0	0	8	6	38	4.58
5	Overall effectiveness of the course	52	0	0	7	11	34	4.52
6	Preparedness of the faculty	52	0	0	8	8	36	4.54
7	Quality of Interaction	52	0	0	7	10	35	4.54
8	Quality of Rigor	52	0	0	7	7	38	4.60
9	Sequencing of the topics	52	0	0	7	10	35	4.54
10	Style of topic delivery	52	0	0	8	6	38	4.58
11	Time allotted for each topic	52	0	0	6	9	37	4.60
12	Value addition provided by the Course	52	0	0	7	8	37	4.58
13	Standards of Assessment system	52	0	0	7	7	38	4.60
14	Quality of teaching	52	0	0	8	4	40	4.62

AVG 4.57

IQAC Co-ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Sem: I- II

Date: 08-07-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00103T	Communicative English	Ms. K. Krishnaveni	57	4.44	
2	23ABS00201	Differential Equations & Vector Calculus	Dr. K. Lakshmi	57	4.41	
3	23ABS00104T	Chemistry	Mr. V V Suresh Babu	57	4.65	
4	23AES01101	Civil and Mechanical Engineering	Mrs. K. Manjusha	57	4.43	
5	23AES01101	Civil and Mechanical Engineering	Ms. Ch. Vinathiraj	57	4.18	
6	23AES05201T	Data Structures	Mr. M V Prabhath Kumar	57	4.62	
7	23ABS00103P	Communicative English Laboratory	Ms. K. Krishnaveni	57	4.55	
8	23ABS00104P	Chemistry Laboratory	Mr. V V Suresh Babu	57	4.65	
9	23AES03101	Engineering Workshop	Mr. A. Anil	57	4.17	
10	23AES05201P	Data Structure Laboratory	Mr. M V Prabhath Kumar & Mr. Sreehari Naidu	57	4.73	

IQAC CO-ORDINATOR

Dr. Jagadeesh Kasi

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M),
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

Dr. P V N Reddy

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Communicative English -
23ABS00103T

Sem: I- II

Course Faculty: Ms. K. Krishnaveni

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	0	2	12	7	36	4.35
2	Breadth of conceptual clarity	57	0	2	11	6	38	4.40
3	Evaluation Scheme	57	0	2	9	8	38	4.44
4	Involvement of Faculty	57	0	2	8	9	38	4.46
5	Overall effectiveness of the course	57	0	2	9	8	38	4.44
6	Preparedness of the faculty	57	0	2	8	9	38	4.46
7	Quality of Interaction	57	0	0	11	8	38	4.47
8	Quality of Rigor	57	0	2	10	6	39	4.44
9	Sequencing of the topics	57	0	2	8	9	38	4.46
10	Style of topic delivery	57	0	2	8	8	39	4.47
11	Time allotted for each topic	57	0	2	9	8	38	4.44
12	Value addition provided by the Course	57	0	2	9	7	39	4.46
13	Standards of Assessment system	57	0	2	8	9	38	4.46
14	Quality of teaching	57	0	2	8	8	39	4.47

AVG 4.44

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Differential Equations & Vector Calculus - 23ABS00201 Sem: I- II

Course Faculty: Dr. K. Lakshmi

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	0	1	8	14	34	4.42
2	Breadth of conceptual clarity	57	0	1	8	13	35	4.44
3	Evaluation Scheme	57	0	1	8	14	34	4.42
4	Involvement of Faculty	57	0	1	8	13	35	4.44
5	Overall effectiveness of the course	57	0	1	8	15	33	4.40
6	Preparedness of the faculty	57	0	1	8	15	33	4.40
7	Quality of Interaction	57	0	1	8	14	34	4.42
8	Quality of Rigor	57	1	0	8	15	33	4.39
9	Sequencing of the topics	57	1	0	8	14	34	4.40
10	Style of topic delivery	57	1	0	8	14	34	4.40
11	Time allotted for each topic	57	1	0	9	13	34	4.39
12	Value addition provided by the Course	57	1	0	8	13	35	4.42
13	Standards of Assessment system	57	1	0	8	14	34	4.40
14	Quality of teaching	57	1	0	8	11	37	4.46

AVG 4.41

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Chemistry -
23ABS00104T

Sem: I- II

Course Faculty: Mr. V V Suresh Babu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	0	0	5	13	39	4.60
2	Breadth of conceptual clarity	57	0	0	4	11	42	4.67
3	Evaluation Scheme	57	0	0	4	11	42	4.67
4	Involvement of Faculty	57	0	0	4	13	40	4.63
5	Overall effectiveness of the course	57	0	0	4	14	39	4.61
6	Preparedness of the faculty	57	0	0	4	13	40	4.63
7	Quality of Interaction	57	0	0	4	12	41	4.65
8	Quality of Rigor	57	0	0	4	12	41	4.65
9	Sequencing of the topics	57	0	0	4	11	42	4.67
10	Style of topic delivery	57	0	0	4	10	43	4.68
11	Time allotted for each topic	57	0	0	4	11	42	4.67
12	Value addition provided by the Course	57	0	0	4	10	43	4.68
13	Standards of Assessment system	57	0	0	4	13	40	4.63
14	Quality of teaching	57	0	0	4	9	44	4.70

AVG 4.65

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Civil and Mechanical Engineering -
23AES01101

Sem: I- II

Course Faculty: Mrs. K. Manjusha

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	0	1	9	16	31	4.35
2	Breadth of conceptual clarity	57	0	0	9	14	34	4.44
3	Evaluation Scheme	57	1	0	7	16	33	4.40
4	Involvement of Faculty	57	1	0	8	14	34	4.40
5	Overall effectiveness of the course	57	0	1	10	13	33	4.37
6	Preparedness of the faculty	57	0	0	8	15	34	4.46
7	Quality of Interaction	57	0	0	8	15	34	4.46
8	Quality of Rigor	57	0	1	8	11	37	4.47
9	Sequencing of the topics	57	0	0	8	15	34	4.46
10	Style of topic delivery	57	1	0	8	10	38	4.47
11	Time allotted for each topic	57	0	1	8	14	34	4.42
12	Value addition provided by the Course	57	0	0	11	10	36	4.44
13	Standards of Assessment system	57	0	1	9	12	35	4.42
14	Quality of teaching	57	1	0	7	12	37	4.47

AVG	4.43

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Civil and Mechanical Engineering - 23AES01101

Sem: I- II

Course Faculty: Ms. Ch. Vinathiraj

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	1	2	12	13	29	4.18
2	Breadth of conceptual clarity	57	1	3	10	12	31	4.21
3	Evaluation Scheme	57	1	2	12	14	28	4.16
4	Involvement of Faculty	57	1	3	10	12	31	4.21
5	Overall effectiveness of the course	57	1	3	10	15	28	4.16
6	Preparedness of the faculty	57	1	4	10	10	32	4.19
7	Quality of Interaction	57	1	2	12	14	28	4.16
8	Quality of Rigor	57	1	3	13	9	31	4.16
9	Sequencing of the topics	57	1	2	13	12	29	4.16
10	Style of topic delivery	57	1	3	12	10	31	4.18
11	Time allotted for each topic	57	1	2	13	12	29	4.16
12	Value addition provided by the Course	57	1	3	11	11	31	4.19
13	Standards of Assessment system	57	1	2	11	14	29	4.19
14	Quality of teaching	57	1	2	12	10	32	4.23

AVG	4.18


IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142


PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Data Structures -
23AES05201T

Sem: I- II

Course Faculty: Mr. M V Prabhath Kumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	0	1	6	9	41	4.58
2	Breadth of conceptual clarity	57	0	1	6	5	45	4.65
3	Evaluation Scheme	57	0	1	6	8	42	4.60
4	Involvement of Faculty	57	0	1	6	6	44	4.63
5	Overall effectiveness of the course	57	0	1	6	7	43	4.61
6	Preparedness of the faculty	57	0	1	6	5	45	4.65
7	Quality of Interaction	57	1	1	5	8	42	4.56
8	Quality of Rigor	57	0	2	5	5	45	4.63
9	Sequencing of the topics	57	0	0	7	9	41	4.60
10	Style of topic delivery	57	0	0	7	6	44	4.65
11	Time allotted for each topic	57	0	0	7	10	40	4.58
12	Value addition provided by the Course	57	0	0	7	6	44	4.65
13	Standards of Assessment system	57	0	0	7	9	41	4.60
14	Quality of teaching	57	0	0	7	6	44	4.65

AVG 4.62

IQAC Co-ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Communicative English Laboratory - 23ABS00103P

Sem: I- II

Course Faculty: Ms. K. Krishnaveni

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	0	1	7	11	38	4.51
2	Breadth of conceptual clarity	57	0	1	7	8	41	4.56
3	Evaluation Scheme	57	0	1	7	11	38	4.51
4	Involvement of Faculty	57	0	0	8	8	41	4.58
5	Overall effectiveness of the course	57	0	0	9	9	39	4.53
6	Preparedness of the faculty	57	0	0	8	8	41	4.58
7	Quality of Interaction	57	0	0	8	10	39	4.54
8	Quality of Rigor	57	0	0	8	8	41	4.58
9	Sequencing of the topics	57	0	1	7	9	40	4.54
10	Style of topic delivery	57	0	1	7	7	42	4.58
11	Time allotted for each topic	57	0	1	7	11	38	4.51
12	Value addition provided by the Course	57	0	0	8	8	41	4.58
13	Standards of Assessment system	57	0	0	8	11	38	4.53
14	Quality of teaching	57	0	0	8	7	42	4.60

AVG 4.55

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Chemistry Laboratory - 23ABS00104P

Sem: I- II

Course Faculty: Mr. V V Suresh Babu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	0	0	6	8	43	4.65
2	Breadth of conceptual clarity	57	0	1	5	7	44	4.65
3	Evaluation Scheme	57	0	0	6	9	42	4.63
4	Involvement of Faculty	57	0	0	6	7	44	4.67
5	Overall effectiveness of the course	57	0	0	6	9	42	4.63
6	Preparedness of the faculty	57	0	0	6	8	43	4.65
7	Quality of Interaction	57	0	0	6	8	43	4.65
8	Quality of Rigor	57	0	0	6	6	45	4.68
9	Sequencing of the topics	57	0	0	6	9	42	4.63
10	Style of topic delivery	57	0	0	6	7	44	4.67
11	Time allotted for each topic	57	0	0	6	8	43	4.65
12	Value addition provided by the Course	57	0	0	6	8	43	4.65
13	Standards of Assessment system	57	0	0	6	8	43	4.65
14	Quality of teaching	57	0	0	6	6	45	4.68

AVG 4.65

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
Principal

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Engineering Workshop - 23AES03101

Sem: I- II

Course Faculty: Mr. A. Anil

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	1	3	10	14	29	4.18
2	Breadth of conceptual clarity	57	2	3	9	15	28	4.12
3	Evaluation Scheme	57	2	2	11	13	29	4.14
4	Involvement of Faculty	57	2	3	8	15	29	4.16
5	Overall effectiveness of the course	57	2	3	9	14	29	4.14
6	Preparedness of the faculty	57	1	4	9	14	29	4.16
7	Quality of Interaction	57	2	3	9	13	30	4.16
8	Quality of Rigor	57	2	2	9	16	28	4.16
9	Sequencing of the topics	57	1	3	10	12	31	4.21
10	Style of topic delivery	57	3	2	9	14	29	4.12
11	Time allotted for each topic	57	1	4	9	12	31	4.19
12	Value addition provided by the Course	57	2	3	9	12	31	4.18
13	Standards of Assessment system	57	1	4	9	12	31	4.19
14	Quality of teaching	57	1	2	10	13	31	4.25

AVG 4.17

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Data Structure Laboratory - 23AES05201P

Sem: I- II

Course Faculty: Mr. M V Prabhath Kumar & Mr. Sreehari Naidu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	57	0	0	4	8	45	4.72
2	Breadth of conceptual clarity	57	0	0	4	5	48	4.77
3	Evaluation Scheme	57	0	0	5	7	45	4.70
4	Involvement of Faculty	57	0	0	4	6	47	4.75
5	Overall effectiveness of the course	57	0	0	6	5	46	4.70
6	Preparedness of the faculty	57	0	0	4	7	46	4.74
7	Quality of Interaction	57	0	0	4	8	45	4.72
8	Quality of Rigor	57	0	0	5	5	47	4.74
9	Sequencing of the topics	57	0	0	4	9	44	4.70
10	Style of topic delivery	57	0	0	4	5	48	4.77
11	Time allotted for each topic	57	0	0	4	7	46	4.74
12	Value addition provided by the Course	57	0	0	4	7	46	4.74
13	Standards of Assessment system	57	0	0	4	7	46	4.74
14	Quality of teaching	57	0	0	4	6	47	4.75

AVG 4.73

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Sem: I- II

Date: 08-07-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00103T	Communicative English	Mr. M. Hemachandra	51	4.29	
2	23ABS00201	Differential Equations & Vector Calculus	Mr. B. Jagadeesh Kumar	51	4.34	
3	23ABS00104T	Chemistry	Mr. M Venkata Subbaiah	51	4.29	
4	23AES01101	Civil and Mechanical Engineering	Mrs. K. Manjusha	51	4.20	
5	23AES01101	Civil and Mechanical Engineering	Ms. Ch. Vinathiraj	51	3.94	
6	23AES02202T	Network Analysis	Mr. Ch. Lenin Babu	51	3.78	
7	23ABS00103P	Communicative English Laboratory	Mr. M. Hemachandra	51	4.47	
8	23ABS00104P	Chemistry Laboratory	Mr. M Venkata Subbaiah	51	4.37	
9	23AES03101	Engineering Workshop	Mr. A. Anil	51	3.95	
10	23AES02202P	Network Analysis & Simulation Laboratory	Mr. Ch. Lenin Babu	51	3.85	

IQAC CO-ORDINATOR

Dr. Jagadeesh Kasi

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

Dr. P V N Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Communicative English -
23ABS00103T

Sem: I- II

Course Faculty: Mr. M. Hemachandra

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	0	9	17	25	4.31
2	Breadth of conceptual clarity	51	0	0	7	21	23	4.31
3	Evaluation Scheme	51	0	0	10	16	25	4.29
4	Involvement of Faculty	51	0	1	10	14	26	4.27
5	Overall effectiveness of the course	51	0	0	10	16	25	4.29
6	Preparedness of the faculty	51	0	0	10	17	24	4.27
7	Quality of Interaction	51	0	0	9	19	23	4.27
8	Quality of Rigor	51	0	0	7	21	23	4.31
9	Sequencing of the topics	51	0	1	10	15	25	4.25
10	Style of topic delivery	51	0	0	12	16	23	4.22
11	Time allotted for each topic	51	0	0	8	19	24	4.31
12	Value addition provided by the Course	51	0	0	9	17	25	4.31
13	Standards of Assessment system	51	0	0	8	19	24	4.31
14	Quality of teaching	51	0	1	9	12	29	4.35

AVG	4.29

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Differential Equations & Vector Calculus - 23ABS00201 Sem: I- II

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	0	9	16	26	4.33
2	Breadth of conceptual clarity	51	0	0	7	20	24	4.33
3	Evaluation Scheme	51	0	1	10	17	23	4.22
4	Involvement of Faculty	51	0	0	7	17	27	4.39
5	Overall effectiveness of the course	51	0	0	9	19	23	4.27
6	Preparedness of the faculty	51	0	0	7	17	27	4.39
7	Quality of Interaction	51	0	0	9	16	26	4.33
8	Quality of Rigor	51	0	0	8	17	26	4.35
9	Sequencing of the topics	51	0	0	7	17	27	4.39
10	Style of topic delivery	51	0	0	9	16	26	4.33
11	Time allotted for each topic	51	0	0	8	15	28	4.39
12	Value addition provided by the Course	51	1	0	9	14	27	4.29
13	Standards of Assessment system	51	0	0	9	15	27	4.35
14	Quality of teaching	51	0	0	6	18	27	4.41

AVG 4.34

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Chemistry -
23ABS00104T

Sem: I- II

Course Faculty: Mr. M Venkata Subbalah

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	2	0	9	7	33	4.35
2	Breadth of conceptual clarity	51	2	0	8	10	31	4.33
3	Evaluation Scheme	51	2	0	11	9	29	4.24
4	Involvement of Faculty	51	2	0	9	9	31	4.31
5	Overall effectiveness of the course	51	2	0	9	9	31	4.31
6	Preparedness of the faculty	51	2	0	9	8	32	4.33
7	Quality of Interaction	51	2	0	8	11	30	4.31
8	Quality of Rigor	51	2	0	10	8	31	4.29
9	Sequencing of the topics	51	2	0	10	9	30	4.27
10	Style of topic delivery	51	2	1	7	9	32	4.33
11	Time allotted for each topic	51	2	0	9	12	28	4.25
12	Value addition provided by the Course	51	2	1	9	11	28	4.22
13	Standards of Assessment system	51	2	1	7	12	29	4.27
14	Quality of teaching	51	2	0	9	13	27	4.24

AVG 4.29

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Civil and Mechanical Engineering -
23AES01101

Sem: I- II

Course Faculty: Mrs. K. Manjusha

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	1	0	15	12	23	4.10
2	Breadth of conceptual clarity	51	1	0	14	13	23	4.12
3	Evaluation Scheme	51	0	0	15	11	25	4.20
4	Involvement of Faculty	51	0	0	14	14	23	4.18
5	Overall effectiveness of the course	51	0	1	15	9	26	4.18
6	Preparedness of the faculty	51	0	2	12	10	27	4.22
7	Quality of Interaction	51	0	2	13	11	25	4.16
8	Quality of Rigor	51	0	2	11	11	27	4.24
9	Sequencing of the topics	51	0	1	13	11	26	4.22
10	Style of topic delivery	51	0	0	13	12	26	4.25
11	Time allotted for each topic	51	0	1	13	12	25	4.20
12	Value addition provided by the Course	51	0	0	12	13	26	4.27
13	Standards of Assessment system	51	0	0	16	9	26	4.20
14	Quality of teaching	51	0	0	12	14	25	4.25

AVG	4.20

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Civil and Mechanical Engineering - 23AES01101

Sem: I- II

Course Faculty: Ms. Ch. Vinathiraj

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	3	16	16	16	3.88
2	Breadth of conceptual clarity	51	0	4	13	19	15	3.88
3	Evaluation Scheme	51	0	1	16	17	17	3.98
4	Involvement of Faculty	51	0	2	14	18	17	3.98
5	Overall effectiveness of the course	51	0	1	18	16	16	3.92
6	Preparedness of the faculty	51	0	3	14	19	15	3.90
7	Quality of Interaction	51	0	3	14	17	17	3.94
8	Quality of Rigor	51	0	1	15	18	17	4.00
9	Sequencing of the topics	51	0	1	17	16	17	3.96
10	Style of topic delivery	51	0	3	14	16	18	3.96
11	Time allotted for each topic	51	0	2	14	18	17	3.98
12	Value addition provided by the Course	51	0	2	15	18	16	3.94
13	Standards of Assessment system	51	0	3	15	18	15	3.88
14	Quality of teaching	51	0	3	14	16	18	3.96

AVG	3.94

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Network Analysis -
23AES02202T

Sem: I- II

Course Faculty: Mr. Ch. Lenin Babu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	3	4	13	16	15	3.71
2	Breadth of conceptual clarity	51	3	3	15	12	18	3.76
3	Evaluation Scheme	51	2	4	13	13	19	3.84
4	Involvement of Faculty	51	3	3	15	12	18	3.76
5	Overall effectiveness of the course	51	3	3	12	17	16	3.78
6	Preparedness of the faculty	51	2	4	14	14	17	3.78
7	Quality of Interaction	51	3	3	14	15	16	3.75
8	Quality of Rigor	51	3	2	14	15	17	3.80
9	Sequencing of the topics	51	3	3	13	15	17	3.78
10	Style of topic delivery	51	3	2	15	15	16	3.76
11	Time allotted for each topic	51	2	3	15	13	18	3.82
12	Value addition provided by the Course	51	3	2	15	14	17	3.78
13	Standards of Assessment system	51	3	3	13	16	16	3.76
14	Quality of teaching	51	3	2	14	14	18	3.82

AVG 3.78

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Communicative English Laboratory - 23ABS00103P

Sem: I- II

Course Faculty: Mr. M. Hemachandra

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	2	5	7	37	4.55
2	Breadth of conceptual clarity	51	0	2	6	8	35	4.49
3	Evaluation Scheme	51	0	2	5	10	34	4.49
4	Involvement of Faculty	51	0	2	7	6	36	4.49
5	Overall effectiveness of the course	51	0	3	4	9	35	4.49
6	Preparedness of the faculty	51	0	2	7	9	33	4.43
7	Quality of Interaction	51	0	2	6	9	34	4.47
8	Quality of Rigor	51	0	1	7	9	34	4.49
9	Sequencing of the topics	51	0	1	8	11	31	4.41
10	Style of topic delivery	51	0	1	10	5	35	4.45
11	Time allotted for each topic	51	0	2	7	8	34	4.45
12	Value addition provided by the Course	51	0	1	8	9	33	4.45
13	Standards of Assessment system	51	0	2	7	8	34	4.45
14	Quality of teaching	51	0	1	9	8	33	4.43

AVG	4.47

IQAC Co-ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Chemistry Laboratory - 23ABS00104P

Sem: I- II

Course Faculty: Mr. M Venkata Subbaiah

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	2	0	6	13	30	4.35
2	Breadth of conceptual clarity	51	2	0	5	11	33	4.43
3	Evaluation Scheme	51	2	0	6	12	31	4.37
4	Involvement of Faculty	51	1	1	7	11	31	4.37
5	Overall effectiveness of the course	51	1	0	6	13	31	4.43
6	Preparedness of the faculty	51	2	1	6	13	29	4.29
7	Quality of Interaction	51	1	0	5	14	31	4.45
8	Quality of Rigor	51	1	1	5	15	29	4.37
9	Sequencing of the topics	51	1	0	6	16	28	4.37
10	Style of topic delivery	51	1	1	6	15	28	4.33
11	Time allotted for each topic	51	1	0	5	16	29	4.41
12	Value addition provided by the Course	51	1	1	6	16	27	4.31
13	Standards of Assessment system	51	1	0	6	17	27	4.35
14	Quality of teaching	51	1	1	7	15	27	4.29

AVG 4.37

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Engineering Workshop - 23AES03101

Sem: I- II

Course Faculty: Mr. A. Anil

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	0	6	10	14	21	3.98
2	Breadth of conceptual clarity	51	0	5	8	18	20	4.04
3	Evaluation Scheme	51	0	6	10	14	21	3.98
4	Involvement of Faculty	51	0	5	8	17	21	4.06
5	Overall effectiveness of the course	51	0	6	9	15	21	4.00
6	Preparedness of the faculty	51	0	5	9	18	19	4.00
7	Quality of Interaction	51	0	6	10	17	18	3.92
8	Quality of Rigor	51	0	5	9	19	18	3.98
9	Sequencing of the topics	51	0	8	9	16	18	3.86
10	Style of topic delivery	51	0	7	8	20	16	3.88
11	Time allotted for each topic	51	0	7	12	14	18	3.84
12	Value addition provided by the Course	51	0	6	8	20	17	3.94
13	Standards of Assessment system	51	0	7	9	18	17	3.88
14	Quality of teaching	51	0	6	8	20	17	3.94

AVG 3.95

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Network Analysis & Simulation Laboratory - 23AES0220 Sem: I- II

Course Faculty: Mr. Ch. Lenin Babu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	51	3	2	15	12	19	3.82
2	Breadth of conceptual clarity	51	3	2	13	15	18	3.84
3	Evaluation Scheme	51	3	2	14	13	19	3.84
4	Involvement of Faculty	51	3	2	13	17	16	3.80
5	Overall effectiveness of the course	51	2	3	14	18	14	3.76
6	Preparedness of the faculty	51	2	3	17	14	15	3.73
7	Quality of Interaction	51	1	4	12	20	14	3.82
8	Quality of Rigor	51	1	3	12	20	15	3.88
9	Sequencing of the topics	51	1	3	14	17	16	3.86
10	Style of topic delivery	51	1	3	13	18	16	3.88
11	Time allotted for each topic	51	1	3	12	15	20	3.98
12	Value addition provided by the Course	51	1	3	12	20	15	3.88
13	Standards of Assessment system	51	1	3	14	17	16	3.86
14	Quality of teaching	51	1	3	12	17	18	3.94

AVG 3.85

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Sem: I- II

Date: 08-07-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00103T	Communicative English	Ms. K. Krishnaveni	36	4.64	
2	23ABS00201	Differential Equations & Vector Calculus	Mr. B. Jagadeesh Kumar	36	4.54	
3	23ABS00104T	Chemistry	Mr. V V Suresh Babu	36	4.50	
4	23AES01101	Civil and Mechanical Engineering	Mrs. K. Manjusha	36	4.29	
5	23AES01101	Civil and Mechanical Engineering	Ms. Ch. Vinathiraj	36	4.23	
6	23AES02202T	Network Analysis	Mr. Ch. Lenin Babu	36	4.05	
7	23ABS00103P	Communicative English Laboratory	Ms. K. Krishnaveni	36	4.58	
8	23ABS00104P	Chemistry Laboratory	Mr. M Venkata Subbaiah	36	4.44	
9	23AES03101	Engineering Workshop	Mr. A. Anil	36	4.39	
10	23AES02202P	Network Analysis & Simulation Laboratory	Mr. P V Ramkumar	36	4.25	

IQAC CO-ORDINATOR

Dr. Jagadeesh Kasi

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (P),

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

Dr. P V N Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Communicative English -
23ABS00103T

Sem: I- II

Course Faculty: Ms. K. Krishnaveni

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	4	6	26	4.61
2	Breadth of conceptual clarity	36	0	0	3	8	25	4.61
3	Evaluation Scheme	36	0	0	3	7	26	4.64
4	Involvement of Faculty	36	0	0	3	6	27	4.67
5	Overall effectiveness of the course	36	0	0	3	7	26	4.64
6	Preparedness of the faculty	36	0	0	3	8	25	4.61
7	Quality of Interaction	36	0	0	3	6	27	4.67
8	Quality of Rigor	36	0	0	3	7	26	4.64
9	Sequencing of the topics	36	0	0	3	6	27	4.67
10	Style of topic delivery	36	0	0	3	7	26	4.64
11	Time allotted for each topic	36	0	0	3	6	27	4.67
12	Value addition provided by the Course	36	0	0	3	7	26	4.64
13	Standards of Assessment system	36	0	0	4	5	27	4.64
14	Quality of teaching	36	0	0	3	6	27	4.67

AVG 4.64

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Differential Equations & Vector Calculus - 23ABS00201 Sem: I- II

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	5	5	26	4.58
2	Breadth of conceptual clarity	36	0	0	4	10	22	4.50
3	Evaluation Scheme	36	0	0	5	7	24	4.53
4	Involvement of Faculty	36	0	0	4	8	24	4.56
5	Overall effectiveness of the course	36	0	0	5	6	25	4.56
6	Preparedness of the faculty	36	0	0	4	9	23	4.53
7	Quality of Interaction	36	0	0	4	8	24	4.56
8	Quality of Rigor	36	0	0	5	8	23	4.50
9	Sequencing of the topics	36	0	0	4	7	25	4.58
10	Style of topic delivery	36	0	0	4	7	25	4.58
11	Time allotted for each topic	36	0	0	5	5	26	4.58
12	Value addition provided by the Course	36	0	0	4	10	22	4.50
13	Standards of Assessment system	36	0	0	6	8	22	4.44
14	Quality of teaching	36	0	0	5	7	24	4.53

AVG 4.54

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M),

Kavali, S.P.S.R. Nellore Dist.

Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Chemistry -
23ABS00104T

Sem: I- II

Course Faculty: Mr. V V Suresh Babu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	5	7	24	4.53
2	Breadth of conceptual clarity	36	0	0	4	8	24	4.56
3	Evaluation Scheme	36	0	1	4	9	22	4.44
4	Involvement of Faculty	36	0	0	4	9	23	4.53
5	Overall effectiveness of the course	36	0	0	4	9	23	4.53
6	Preparedness of the faculty	36	0	0	4	9	23	4.53
7	Quality of Interaction	36	0	0	5	8	23	4.50
8	Quality of Rigor	36	0	0	5	10	21	4.44
9	Sequencing of the topics	36	0	0	6	9	21	4.42
10	Style of topic delivery	36	0	0	6	8	22	4.44
11	Time allotted for each topic	36	0	0	5	9	22	4.47
12	Value addition provided by the Course	36	0	0	5	10	21	4.44
13	Standards of Assessment system	36	0	0	4	10	22	4.50
14	Quality of teaching	36	0	0	4	6	26	4.61

AVG 4.50

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-6, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Civil and Mechanical Engineering -
23AES01101

Sem: I-II

Course Faculty: Mrs. K. Manjusha

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	9	9	18	4.25
2	Breadth of conceptual clarity	36	0	1	7	12	16	4.19
3	Evaluation Scheme	36	0	0	8	12	16	4.22
4	Involvement of Faculty	36	0	0	8	10	18	4.28
5	Overall effectiveness of the course	36	0	0	8	10	18	4.28
6	Preparedness of the faculty	36	0	0	8	11	17	4.25
7	Quality of Interaction	36	0	0	7	10	19	4.33
8	Quality of Rigor	36	0	0	9	9	18	4.25
9	Sequencing of the topics	36	0	0	6	11	19	4.36
10	Style of topic delivery	36	0	0	8	9	19	4.31
11	Time allotted for each topic	36	0	1	7	7	21	4.33
12	Value addition provided by the Course	36	0	0	7	10	19	4.33
13	Standards of Assessment system	36	0	0	7	11	18	4.31
14	Quality of teaching	36	0	0	7	7	22	4.42

AVG 4.29

IQAC Co-ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Civil and Mechanical Engineering - 23AES01101

Sem: I- II

Course Faculty: Ms. Ch. Vinathiraj

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	11	8	17	4.17
2	Breadth of conceptual clarity	36	0	0	7	13	16	4.25
3	Evaluation Scheme	36	0	0	10	11	15	4.14
4	Involvement of Faculty	36	0	0	8	9	19	4.31
5	Overall effectiveness of the course	36	0	0	7	13	16	4.25
6	Preparedness of the faculty	36	0	0	10	8	18	4.22
7	Quality of Interaction	36	0	0	10	8	18	4.22
8	Quality of Rigor	36	0	0	9	9	18	4.25
9	Sequencing of the topics	36	0	0	9	10	17	4.22
10	Style of topic delivery	36	0	0	9	10	17	4.22
11	Time allotted for each topic	36	0	0	6	13	17	4.31
12	Value addition provided by the Course	36	0	0	7	15	14	4.19
13	Standards of Assessment system	36	0	0	8	12	16	4.22
14	Quality of teaching	36	0	0	8	11	17	4.25

AVG	4.23

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Network Analysis -
23AES02202T

Sem: I- II

Course Faculty: Mr. Ch. Lenin Babu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	1	11	7	17	4.11
2	Breadth of conceptual clarity	36	0	2	12	9	13	3.92
3	Evaluation Scheme	36	0	1	10	11	14	4.06
4	Involvement of Faculty	36	0	1	10	10	15	4.08
5	Overall effectiveness of the course	36	0	1	11	6	18	4.14
6	Preparedness of the faculty	36	0	1	10	8	17	4.14
7	Quality of Interaction	36	0	2	10	7	17	4.08
8	Quality of Rigor	36	0	1	11	10	14	4.03
9	Sequencing of the topics	36	0	1	10	10	15	4.08
10	Style of topic delivery	36	0	1	12	8	15	4.03
11	Time allotted for each topic	36	0	1	10	11	14	4.06
12	Value addition provided by the Course	36	0	2	10	10	14	4.00
13	Standards of Assessment system	36	0	1	12	11	12	3.94
14	Quality of teaching	36	0	1	12	7	16	4.06

AVG 4.05

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Communicative English Laboratory - 23ABS00103P

Sem: I- II

Course Faculty: Ms. K. Krishnaveni

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	5	6	25	4.56
2	Breadth of conceptual clarity	36	0	0	3	9	24	4.58
3	Evaluation Scheme	36	0	0	5	9	22	4.47
4	Involvement of Faculty	36	0	0	3	6	27	4.67
5	Overall effectiveness of the course	36	0	0	4	6	26	4.61
6	Preparedness of the faculty	36	0	0	4	8	24	4.56
7	Quality of Interaction	36	0	0	3	7	26	4.64
8	Quality of Rigor	36	0	0	3	9	24	4.58
9	Sequencing of the topics	36	0	0	5	7	24	4.53
10	Style of topic delivery	36	0	0	3	8	25	4.61
11	Time allotted for each topic	36	0	0	3	9	24	4.58
12	Value addition provided by the Course	36	0	0	4	10	22	4.50
13	Standards of Assessment system	36	0	0	3	9	24	4.58
14	Quality of teaching	36	0	0	4	7	25	4.58

AVG	4.58

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Chemistry Laboratory - 23ABS00104P

Sem: I- II

Course Faculty: Mr. M Venkata Subbaiah

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	7	6	23	4.44
2	Breadth of conceptual clarity	36	0	0	6	11	19	4.36
3	Evaluation Scheme	36	0	0	5	9	22	4.47
4	Involvement of Faculty	36	0	0	5	9	22	4.47
5	Overall effectiveness of the course	36	0	0	5	10	21	4.44
6	Preparedness of the faculty	36	0	0	5	9	22	4.47
7	Quality of Interaction	36	0	0	6	9	21	4.42
8	Quality of Rigor	36	0	0	5	12	19	4.39
9	Sequencing of the topics	36	0	0	6	9	21	4.42
10	Style of topic delivery	36	0	1	4	7	24	4.50
11	Time allotted for each topic	36	0	1	5	10	20	4.36
12	Value addition provided by the Course	36	0	0	5	12	19	4.39
13	Standards of Assessment system	36	0	0	5	8	23	4.50
14	Quality of teaching	36	0	0	6	7	23	4.47

AVG 4.44

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Engineering Workshop - 23AES03101

Sem: I- II

Course Faculty: Mr. A. Anil

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	7	7	22	4.42
2	Breadth of conceptual clarity	36	0	0	6	12	18	4.33
3	Evaluation Scheme	36	0	0	7	10	19	4.33
4	Involvement of Faculty	36	0	1	4	11	20	4.39
5	Overall effectiveness of the course	36	0	0	5	12	19	4.39
6	Preparedness of the faculty	36	0	0	6	11	19	4.36
7	Quality of Interaction	36	0	0	7	9	20	4.36
8	Quality of Rigor	36	0	1	5	12	18	4.31
9	Sequencing of the topics	36	0	1	5	11	19	4.33
10	Style of topic delivery	36	0	1	4	10	21	4.42
11	Time allotted for each topic	36	0	0	4	10	22	4.50
12	Value addition provided by the Course	36	0	0	5	10	21	4.44
13	Standards of Assessment system	36	0	0	4	12	20	4.44
14	Quality of teaching	36	0	0	4	11	21	4.47

AVG 4.39

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH. 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Network Analysis & Simulation Laboratory -

Course Name & Code: 23AES02202P

Sem: I- II

Course Faculty: Mr. P V Ramkumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	36	0	0	10	5	21	4.31
2	Breadth of conceptual clarity	36	0	1	8	10	17	4.19
3	Evaluation Scheme	36	0	1	9	9	17	4.17
4	Involvement of Faculty	36	0	1	8	9	18	4.22
5	Overall effectiveness of the course	36	0	0	10	7	19	4.25
6	Preparedness of the faculty	36	0	0	10	8	18	4.22
7	Quality of Interaction	36	0	0	10	6	20	4.28
8	Quality of Rigor	36	0	0	10	8	18	4.22
9	Sequencing of the topics	36	0	0	9	8	19	4.28
10	Style of topic delivery	36	0	0	9	8	19	4.28
11	Time allotted for each topic	36	0	0	10	6	20	4.28
12	Value addition provided by the Course	36	0	0	9	12	15	4.17
13	Standards of Assessment system	36	0	0	10	7	19	4.25
14	Quality of teaching	36	0	0	9	6	21	4.33

AVG 4.25

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Sem: I- II

Date: 08-07-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00101T	Engineering Physics	Mrs. S. Shabana	19	4.09	
2	23ABS00201	Differential Equation & Vector Calculus	Dr. M. Obulesu	19	4.12	
3	23AES02101T	Basic Electrical and Electronics Engineering	Dr. P. V. N. Reddy	19	4.51	
4	23AES02101T	Basic Electrical and Electronics Engineering	Mr. A. Bhasker	19	4.73	
5	23AES03101	Engineering Graphics	Mr. B. Radha Krishnaiah	19	3.78	
6	23AES02201T	Electrical Circuit Analysis- I	Mrs. K. Saranya Reddy	19	4.56	
7	23AES05102	IT Workshop	Ms. B. Sushma Yamini	19	3.79	
8	23ABS00101P	Engineering Physics Laboratory	Mr. R. Mallikarjuna Sharma	19	3.88	
9	23AES02101P	Electrical and Electronics Engineering Laboratory	Dr. V. Raveendra Reddy	19	4.29	
10	23AES02201P	Electrical Circuit Laboratory	Mrs. K. Saranya Reddy	19	4.58	

IQAC CO-ORDINATOR

Dr. Jagadeesh Kasi

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

Dr. P V N Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Engineering Physics -
23ABS00101T

Sem: I- II

Course Faculty: Mrs. S. Shabana

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	2	7	0	10	3.95
2	Breadth of conceptual clarity	19	0	2	3	6	8	4.05
3	Evaluation Scheme	19	0	2	3	1	13	4.32
4	Involvement of Faculty	19	0	2	3	5	9	4.11
5	Overall effectiveness of the course	19	0	2	6	0	11	4.05
6	Preparedness of the faculty	19	0	2	5	4	8	3.95
7	Quality of Interaction	19	0	3	3	2	11	4.11
8	Quality of Rigor	19	0	3	3	3	10	4.05
9	Sequencing of the topics	19	0	3	3	3	10	4.05
10	Style of topic delivery	19	0	2	3	4	10	4.16
11	Time allotted for each topic	19	0	2	3	3	11	4.21
12	Value addition provided by the Course	19	0	3	3	4	9	4.00
13	Standards of Assessment system	19	0	2	3	5	9	4.11
14	Quality of teaching	19	0	2	3	4	10	4.16

AVG 4.09

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Differential Equation & Vector Calculus - 23ABS00201 Sem: I- II

Course Faculty: Dr. M. Obulesu

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	3	2	1	13	4.26
2	Breadth of conceptual clarity	19	0	3	3	3	10	4.05
3	Evaluation Scheme	19	0	3	3	3	10	4.05
4	Involvement of Faculty	19	0	3	2	1	13	4.26
5	Overall effectiveness of the course	19	0	3	3	1	12	4.16
6	Preparedness of the faculty	19	0	3	4	2	10	4.00
7	Quality of Interaction	19	0	3	2	1	13	4.26
8	Quality of Rigor	19	0	3	3	3	10	4.05
9	Sequencing of the topics	19	0	3	2	1	13	4.26
10	Style of topic delivery	19	0	3	2	4	10	4.11
11	Time allotted for each topic	19	0	4	4	2	9	3.84
12	Value addition provided by the Course	19	0	3	2	2	12	4.21
13	Standards of Assessment system	19	1	3	2	3	10	3.95
14	Quality of teaching	19	0	3	3	1	12	4.16

AVG 4.12

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I- II

Course Faculty: Dr. P. V. N. Reddy

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	0	2	3	14	4.63
2	Breadth of conceptual clarity	19	0	0	2	4	13	4.58
3	Evaluation Scheme	19	0	0	3	5	11	4.42
4	Involvement of Faculty	19	0	0	3	3	13	4.53
5	Overall effectiveness of the course	19	0	0	2	5	12	4.53
6	Preparedness of the faculty	19	0	0	3	5	11	4.42
7	Quality of Interaction	19	0	0	4	4	11	4.37
8	Quality of Rigor	19	0	0	3	1	15	4.63
9	Sequencing of the topics	19	0	1	2	5	11	4.37
10	Style of topic delivery	19	0	0	2	5	12	4.53
11	Time allotted for each topic	19	0	0	4	3	12	4.42
12	Value addition provided by the Course	19	0	0	4	2	13	4.47
13	Standards of Assessment system	19	0	0	2	5	12	4.53
14	Quality of teaching	19	0	0	2	2	15	4.68

AVG 4.51

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Basic Electrical and Electronics Engineering -
23AES02101T

Sem: I- II

Course Faculty: Mr. A. Bhasker

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	0	1	2	16	4.79
2	Breadth of conceptual clarity	19	0	0	1	3	15	4.74
3	Evaluation Scheme	19	0	0	2	2	15	4.68
4	Involvement of Faculty	19	0	0	1	3	15	4.74
5	Overall effectiveness of the course	19	0	0	1	3	15	4.74
6	Preparedness of the faculty	19	0	0	1	3	15	4.74
7	Quality of Interaction	19	0	0	2	4	13	4.58
8	Quality of Rigor	19	0	0	1	2	16	4.79
9	Sequencing of the topics	19	0	0	3	2	14	4.58
10	Style of topic delivery	19	0	0	1	2	16	4.79
11	Time allotted for each topic	19	0	0	1	3	15	4.74
12	Value addition provided by the Course	19	0	0	1	2	16	4.79
13	Standards of Assessment system	19	0	0	1	3	15	4.74
14	Quality of teaching	19	0	0	1	2	16	4.79

AVG	4.73

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Engineering Graphics - 23AES03101

Sem: I- II

Course Faculty: Mr. B. Radha Krishnaiah

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	3	8	1	7	3.63
2	Breadth of conceptual clarity	19	0	3	4	5	7	3.84
3	Evaluation Scheme	19	0	3	6	3	7	3.74
4	Involvement of Faculty	19	0	3	4	5	7	3.84
5	Overall effectiveness of the course	19	0	3	6	4	6	3.68
6	Preparedness of the faculty	19	0	3	4	4	8	3.89
7	Quality of Interaction	19	0	3	5	2	9	3.89
8	Quality of Rigor	19	0	3	5	4	7	3.79
9	Sequencing of the topics	19	0	3	6	3	7	3.74
10	Style of topic delivery	19	0	3	7	2	7	3.68
11	Time allotted for each topic	19	0	3	4	4	8	3.89
12	Value addition provided by the Course	19	0	3	6	4	6	3.68
13	Standards of Assessment system	19	0	3	6	4	6	3.68
14	Quality of teaching	19	0	3	4	4	8	3.89

AVG	3.78

IQAC Co-Ordinator

Internal Quality Assurance Officer
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Electrical Circuit Analysis- I -
23AES02201T

Sem: I- II

Course Faculty: Mrs. K. Saranya Reddy

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	2	1	3	13	4.42
2	Breadth of conceptual clarity	19	0	1	3	2	13	4.42
3	Evaluation Scheme	19	0	1	1	4	13	4.53
4	Involvement of Faculty	19	0	1	1	4	13	4.53
5	Overall effectiveness of the course	19	0	1	0	4	14	4.63
6	Preparedness of the faculty	19	0	1	1	3	14	4.58
7	Quality of Interaction	19	0	1	0	5	13	4.58
8	Quality of Rigor	19	0	1	2	3	13	4.47
9	Sequencing of the topics	19	0	1	0	4	14	4.63
10	Style of topic delivery	19	0	1	1	1	16	4.68
11	Time allotted for each topic	19	0	1	0	5	13	4.58
12	Value addition provided by the Course	19	0	1	0	4	14	4.63
13	Standards of Assessment system	19	0	1	0	4	14	4.63
14	Quality of teaching	19	0	1	0	5	13	4.58

AVG 4.56

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: IT Workshop - 23AES05102

Sem: I- II

Course Faculty: Ms. B. Sushma Yamini

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	1	2	4	4	8	3.84
2	Breadth of conceptual clarity	19	1	1	7	0	10	3.89
3	Evaluation Scheme	19	1	3	5	3	7	3.63
4	Involvement of Faculty	19	1	1	7	3	7	3.74
5	Overall effectiveness of the course	19	1	1	7	2	8	3.79
6	Preparedness of the faculty	19	1	1	7	3	7	3.74
7	Quality of Interaction	19	1	2	5	3	8	3.79
8	Quality of Rigor	19	1	2	6	3	7	3.68
9	Sequencing of the topics	19	1	2	6	2	8	3.74
10	Style of topic delivery	19	1	1	7	2	8	3.79
11	Time allotted for each topic	19	1	1	6	2	9	3.89
12	Value addition provided by the Course	19	1	1	6	2	9	3.89
13	Standards of Assessment system	19	1	1	7	2	8	3.79
14	Quality of teaching	19	1	1	6	4	7	3.79

AVG	3.79

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Engineering Physics Laboratory - 23ABS00101P

Sem: I- II

Course Faculty: Mr. R. Mallikarjuna Sharma

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	3	4	3	9	3.95
2	Breadth of conceptual clarity	19	0	3	5	2	9	3.89
3	Evaluation Scheme	19	0	4	5	2	8	3.74
4	Involvement of Faculty	19	0	2	7	3	7	3.79
5	Overall effectiveness of the course	19	0	2	6	4	7	3.84
6	Preparedness of the faculty	19	1	1	5	5	7	3.84
7	Quality of Interaction	19	0	3	4	4	8	3.89
8	Quality of Rigor	19	1	1	6	2	9	3.89
9	Sequencing of the topics	19	1	2	3	7	6	3.79
10	Style of topic delivery	19	1	0	5	6	7	3.95
11	Time allotted for each topic	19	1	1	5	5	7	3.84
12	Value addition provided by the Course	19	1	0	4	7	7	4.00
13	Standards of Assessment system	19	1	1	5	4	8	3.89
14	Quality of teaching	19	1	0	6	3	9	4.00

AVG 3.88

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Electrical and Electronics Engineering Laboratory - 23A Sem: I- II

Course Faculty: Dr. V. Raveendra Reddy

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	1	4	4	10	4.21
2	Breadth of conceptual clarity	19	0	0	5	3	11	4.32
3	Evaluation Scheme	19	0	1	5	4	9	4.11
4	Involvement of Faculty	19	0	0	5	4	10	4.26
5	Overall effectiveness of the course	19	0	1	5	3	10	4.16
6	Preparedness of the faculty	19	0	0	4	4	11	4.37
7	Quality of Interaction	19	0	1	4	3	11	4.26
8	Quality of Rigor	19	0	0	4	5	10	4.32
9	Sequencing of the topics	19	0	1	4	4	10	4.21
10	Style of topic delivery	19	0	0	4	3	12	4.42
11	Time allotted for each topic	19	0	1	3	2	13	4.42
12	Value addition provided by the Course	19	0	0	3	6	10	4.37
13	Standards of Assessment system	19	0	0	4	4	11	4.37
14	Quality of teaching	19	0	1	2	6	10	4.32

AVG 4.29

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Electrical Circuit Laboratory - 23AES02201P

Sem: I- II

Course Faculty: Mrs. K. Saranya Reddy

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	19	0	0	2	3	14	4.63
2	Breadth of conceptual clarity	19	0	0	3	1	15	4.63
3	Evaluation Scheme	19	0	0	3	4	12	4.47
4	Involvement of Faculty	19	0	0	3	1	15	4.63
5	Overall effectiveness of the course	19	0	0	2	5	12	4.53
6	Preparedness of the faculty	19	0	0	2	2	15	4.68
7	Quality of Interaction	19	0	0	2	5	12	4.53
8	Quality of Rigor	19	0	1	1	4	13	4.53
9	Sequencing of the topics	19	0	0	3	1	15	4.63
10	Style of topic delivery	19	0	1	1	3	14	4.58
11	Time allotted for each topic	19	0	0	2	5	12	4.53
12	Value addition provided by the Course	19	0	1	1	3	14	4.58
13	Standards of Assessment system	19	0	1	1	4	13	4.53
14	Quality of teaching	19	0	0	2	2	15	4.68

AVG 4.58

IQAC Co-Ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC

Approved by AICTE, New Delhi & Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Sem: I- II

Date: 08-07-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	23ABS00103T	Communicative English	Ms. K. Krishnaveni	14	4.45	
2	23ABS00201	Differential Equations & Vector Calculus	Mr. B. Jagadeesh Kumar	14	3.62	
3	23ABS00104T	Engineering Chemistry	Mr. Y Kiran Kumar	14	3.71	
4	23AES01101	Civil and Mechanical Engineering	Mrs. K. Manjusha	14	4.17	
5	23AES01101	Civil and Mechanical Engineering	Ms. Ch. Vinathiraj	14	3.95	
6	23AES03201T	Engineering Mechanics	Mrs. K. Manjusha	14	4.15	
7	23ABS00103P	Communicative English Laboratory	Ms. K. Krishnaveni	14	4.35	
8	23ABS00104P	Chemistry Laboratory	Mr. Y Kiran Kumar	14	4.00	
9	23AES03101	Engineering Workshop	Mr. A. Anil	14	3.80	
10	23AES03201P	Engineering Mechanics and Building Practices Laboratory	Mr. G. Bharadwaja Rao & Mrs. K. Manjusha	14	4.02	

IQAC CO-ORDINATOR

Dr. Jagadeesh Kasi

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

Dr. P.V.N. Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Communicative English -
23ABS00103T

Sem: I- II

Course Faculty: Ms. K. Krishnaveni

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	0	3	1	10	4.50
2	Breadth of conceptual clarity	14	0	0	3	1	10	4.50
3	Evaluation Scheme	14	0	0	3	2	9	4.43
4	Involvement of Faculty	14	0	0	3	2	9	4.43
5	Overall effectiveness of the course	14	0	0	4	1	9	4.36
6	Preparedness of the faculty	14	0	0	2	3	9	4.50
7	Quality of Interaction	14	0	0	4	2	8	4.29
8	Quality of Rigor	14	0	0	2	3	9	4.50
9	Sequencing of the topics	14	0	0	3	2	9	4.43
10	Style of topic delivery	14	0	0	2	2	10	4.57
11	Time allotted for each topic	14	0	0	3	3	8	4.36
12	Value addition provided by the Course	14	0	0	2	2	10	4.57
13	Standards of Assessment system	14	0	0	3	3	8	4.36
14	Quality of teaching	14	0	0	2	3	9	4.50

AVG	4.45

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Differential Equations & Vector Calculus - 23ABS00201 Sem: I- II

Course Faculty: Mr. B. Jagadeesh Kumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	1	0	6	3	4	3.64
2	Breadth of conceptual clarity	14	1	0	5	5	3	3.64
3	Evaluation Scheme	14	1	1	5	3	4	3.57
4	Involvement of Faculty	14	1	0	5	5	3	3.64
5	Overall effectiveness of the course	14	1	0	6	3	4	3.64
6	Preparedness of the faculty	14	1	0	5	5	3	3.64
7	Quality of Interaction	14	1	0	6	3	4	3.64
8	Quality of Rigor	14	1	1	4	5	3	3.57
9	Sequencing of the topics	14	1	0	6	3	4	3.64
10	Style of topic delivery	14	1	0	5	5	3	3.64
11	Time allotted for each topic	14	1	0	6	3	4	3.64
12	Value addition provided by the Course	14	1	1	4	5	3	3.57
13	Standards of Assessment system	14	1	1	5	3	4	3.57
14	Quality of teaching	14	1	0	5	5	3	3.64

AVG	3.62

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Engineering Chemistry -
23ABS00104T

Sem: I- II

Course Faculty: Mr. Y Kiran Kumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	0	9	1	4	3.64
2	Breadth of conceptual clarity	14	0	0	8	2	4	3.71
3	Evaluation Scheme	14	0	0	8	1	5	3.79
4	Involvement of Faculty	14	0	0	8	2	4	3.71
5	Overall effectiveness of the course	14	0	0	8	2	4	3.71
6	Preparedness of the faculty	14	0	0	7	4	3	3.71
7	Quality of Interaction	14	0	0	7	3	4	3.79
8	Quality of Rigor	14	0	0	7	4	3	3.71
9	Sequencing of the topics	14	0	0	7	3	4	3.79
10	Style of topic delivery	14	0	0	7	4	3	3.71
11	Time allotted for each topic	14	0	0	7	4	3	3.71
12	Value addition provided by the Course	14	0	0	8	3	3	3.64
13	Standards of Assessment system	14	0	0	7	4	3	3.71
14	Quality of teaching	14	0	2	5	3	4	3.64

AVG 3.71

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Civil and Mechanical Engineering -
23AES01101

Sem: I- II

Course Faculty: Mrs. K. Manjusha

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	0	5	3	6	4.07
2	Breadth of conceptual clarity	14	0	1	4	2	7	4.07
3	Evaluation Scheme	14	0	0	4	4	6	4.14
4	Involvement of Faculty	14	0	0	4	3	7	4.21
5	Overall effectiveness of the course	14	0	1	3	3	7	4.14
6	Preparedness of the faculty	14	0	0	4	3	7	4.21
7	Quality of Interaction	14	0	0	4	2	8	4.29
8	Quality of Rigor	14	0	0	4	4	6	4.14
9	Sequencing of the topics	14	0	0	4	3	7	4.21
10	Style of topic delivery	14	0	0	4	4	6	4.14
11	Time allotted for each topic	14	0	0	4	2	8	4.29
12	Value addition provided by the Course	14	0	0	4	4	6	4.14
13	Standards of Assessment system	14	0	0	4	2	8	4.29
14	Quality of teaching	14	0	2	2	3	7	4.07

AVG 4.17

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Civil and Mechanical Engineering - 23AES01101

Sem: I- II

Course Faculty: Ms. Ch. Vinathiraj

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	0	6	2	6	4.00
2	Breadth of conceptual clarity	14	0	0	6	2	6	4.00
3	Evaluation Scheme	14	0	0	6	1	7	4.07
4	Involvement of Faculty	14	0	0	6	2	6	4.00
5	Overall effectiveness of the course	14	0	1	5	2	6	3.93
6	Preparedness of the faculty	14	0	1	5	2	6	3.93
7	Quality of Interaction	14	0	1	5	2	6	3.93
8	Quality of Rigor	14	0	1	5	1	7	4.00
9	Sequencing of the topics	14	0	1	5	3	5	3.86
10	Style of topic delivery	14	0	1	5	2	6	3.93
11	Time allotted for each topic	14	0	1	5	2	6	3.93
12	Value addition provided by the Course	14	0	1	5	3	5	3.86
13	Standards of Assessment system	14	0	1	5	2	6	3.93
14	Quality of teaching	14	0	1	5	2	6	3.93

AVG	3.95


IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Engineering Mechanics -
23AES03201T

Sem: I- II

Course Faculty: Mrs. K. Manjusha

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	0	5	2	7	4.14
2	Breadth of conceptual clarity	14	0	0	5	1	8	4.21
3	Evaluation Scheme	14	0	0	5	2	7	4.14
4	Involvement of Faculty	14	0	0	5	1	8	4.21
5	Overall effectiveness of the course	14	0	0	5	2	7	4.14
6	Preparedness of the faculty	14	0	0	5	1	8	4.21
7	Quality of Interaction	14	0	0	5	2	7	4.14
8	Quality of Rigor	14	0	0	5	1	8	4.21
9	Sequencing of the topics	14	0	0	5	3	6	4.07
10	Style of topic delivery	14	0	0	5	2	7	4.14
11	Time allotted for each topic	14	0	0	5	3	6	4.07
12	Value addition provided by the Course	14	0	0	5	2	7	4.14
13	Standards of Assessment system	14	0	0	5	3	6	4.07
14	Quality of teaching	14	0	0	5	2	7	4.14

AVG 4.15

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Communicative English Laboratory - 23ABS00103P

Sem: I- II

Course Faculty: Ms. K. Krishnaveni

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	0	4	2	8	4.29
2	Breadth of conceptual clarity	14	0	0	4	2	8	4.29
3	Evaluation Scheme	14	0	0	4	2	8	4.29
4	Involvement of Faculty	14	0	0	4	2	8	4.29
5	Overall effectiveness of the course	14	0	0	4	2	8	4.29
6	Preparedness of the faculty	14	0	0	4	1	9	4.36
7	Quality of Interaction	14	0	0	4	3	7	4.21
8	Quality of Rigor	14	0	0	4	1	9	4.36
9	Sequencing of the topics	14	0	0	3	3	8	4.36
10	Style of topic delivery	14	0	0	3	1	10	4.50
11	Time allotted for each topic	14	0	0	3	3	8	4.36
12	Value addition provided by the Course	14	0	0	3	1	10	4.50
13	Standards of Assessment system	14	0	0	3	3	8	4.36
14	Quality of teaching	14	0	0	3	1	10	4.50

AVG 4.35

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Chemistry Laboratory - 23ABS00104P

Sem: I-II

Course Faculty: Mr. Y Kiran Kumar

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	0	6	2	6	4.00
2	Breadth of conceptual clarity	14	0	0	6	2	6	4.00
3	Evaluation Scheme	14	0	0	6	2	6	4.00
4	Involvement of Faculty	14	0	0	6	2	6	4.00
5	Overall effectiveness of the course	14	0	0	6	3	5	3.93
6	Preparedness of the faculty	14	0	0	6	3	5	3.93
7	Quality of Interaction	14	0	0	6	2	6	4.00
8	Quality of Rigor	14	0	0	6	2	6	4.00
9	Sequencing of the topics	14	0	0	5	4	5	4.00
10	Style of topic delivery	14	0	0	5	3	6	4.07
11	Time allotted for each topic	14	0	0	5	3	6	4.07
12	Value addition provided by the Course	14	0	0	5	4	5	4.00
13	Standards of Assessment system	14	0	0	5	3	6	4.07
14	Quality of teaching	14	0	1	5	2	6	3.93

AVG 4.00

IQAC Co-Ordinator
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Engineering Workshop - 23AES03101

Sem: I- II

Course Faculty: Mr. A. Anil

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	0	5	5	4	3.93
2	Breadth of conceptual clarity	14	0	0	4	7	3	3.93
3	Evaluation Scheme	14	0	0	4	5	5	4.07
4	Involvement of Faculty	14	0	0	5	6	3	3.86
5	Overall effectiveness of the course	14	0	0	5	4	5	4.00
6	Preparedness of the faculty	14	0	0	6	5	3	3.79
7	Quality of Interaction	14	1	0	5	4	4	3.71
8	Quality of Rigor	14	1	0	5	4	4	3.71
9	Sequencing of the topics	14	1	0	5	5	3	3.64
10	Style of topic delivery	14	1	0	5	4	4	3.71
11	Time allotted for each topic	14	1	0	5	4	4	3.71
12	Value addition provided by the Course	14	1	0	5	4	4	3.71
13	Standards of Assessment system	14	1	0	5	3	5	3.79
14	Quality of teaching	14	1	0	6	3	4	3.64

AVG 3.80

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



AUTONOMOUS

ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Engineering Mechanics and Building Practices Laborat Sem: I- II

Course Faculty: Mr. G. Bharadwaja Rao & Mrs. K. Manjusha

Date: 08-07-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	14	0	1	4	4	5	3.93
2	Breadth of conceptual clarity	14	0	1	4	3	6	4.00
3	Evaluation Scheme	14	0	1	3	5	5	4.00
4	Involvement of Faculty	14	0	1	3	4	6	4.07
5	Overall effectiveness of the course	14	0	1	4	4	5	3.93
6	Preparedness of the faculty	14	0	1	4	2	7	4.07
7	Quality of Interaction	14	0	1	3	4	6	4.07
8	Quality of Rigor	14	0	1	3	3	7	4.14
9	Sequencing of the topics	14	0	1	4	3	6	4.00
10	Style of topic delivery	14	0	1	4	2	7	4.07
11	Time allotted for each topic	14	0	1	3	5	5	4.00
12	Value addition provided by the Course	14	0	2	2	4	6	4.00
13	Standards of Assessment system	14	0	2	3	3	6	3.93
14	Quality of teaching	14	0	1	4	2	7	4.07

AVG 4.02

IQAC Co-ordinator

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Sem: II- II

Date: 15-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54404	Deterministic & Stochastic Statistical Methods	Mrs. P. V. Madhavi	37	3.43	
2	20A05401T	Database Management Systems	Dr. P. Dileep Kumar	37	3.94	
3	20A05402T	Operating Systems	Mr. D. Ashok	37	3.81	
4	20A05403T	Software Engineering	Mr. P. Ravindra Reddy	37	2.62	
5	20A52301	Managerial Economics & Financial Analysis	Mr. Bhaskar Reddy	37	3.67	
6	20A05401P	Database Management Systems Laboratory	Dr. P. Dileep Kumar & Mrs. K. Lilly Grace Mary	37	3.90	
7	20A05402P	Operating Systems Laboratory	Mr. D. Ashok & Mr. V. Sreenadh	37	3.79	
8	20A05403P	Software Engineering Laboratory	Mr. P. Ravindra Reddy & Mr. V. Srihari Naidu	37	2.96	
9	20A05404	Exploratory Data Analysis with R	Mr. V. Srihari Naidu	37	3.76	
10	20A99401	Design Thinking for Innovation	Mr. A. Mahesh Reddy	37	3.79	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	37	3.29	


IQAC CO-ORDINATOR
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Deterministic & Stochastic Statistical Methods - 20A54404

Sem: II- II

Course Faculty: Mrs. P. V. Madhavi

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	1	4	18	7	7	3.41
2	Breadth of conceptual clarity	37	2	4	16	8	7	3.38
3	Evaluation Scheme	37	1	5	18	6	7	3.35
4	Involvement of Faculty	37	1	3	17	9	7	3.49
5	Overall effectiveness of the course	37	1	4	18	6	8	3.43
6	Preparedness of the faculty	37	1	6	15	6	9	3.43
7	Quality of Interaction	37	1	4	18	7	7	3.41
8	Quality of Rigor	37	1	5	17	6	8	3.41
9	Sequencing of the topics	37	1	3	18	8	7	3.46
10	Style of topic delivery	37	1	3	17	8	8	3.51
11	Time allotted for each topic	37	2	4	17	6	8	3.38
12	Value addition provided by the Course	37	1	4	16	9	7	3.46
13	Standards of Assessment system	37	1	6	15	7	8	3.41
14	Quality of teaching	37	1	4	15	8	9	3.54

AVG	3.43

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Database Management Systems - 20A05401T

Sem: II- II

Course Faculty: Dr. P. Dileep Kumar

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	0	0	13	11	13	4.00
2	Breadth of conceptual clarity	37	0	2	13	11	11	3.84
3	Evaluation Scheme	37	0	1	12	12	12	3.95
4	Involvement of Faculty	37	0	0	14	10	13	3.97
5	Overall effectiveness of the course	37	0	3	9	12	13	3.95
6	Preparedness of the faculty	37	0	1	12	12	12	3.95
7	Quality of Interaction	37	0	0	12	13	12	4.00
8	Quality of Rigor	37	0	3	11	11	12	3.86
9	Sequencing of the topics	37	0	1	13	9	14	3.97
10	Style of topic delivery	37	0	3	10	12	12	3.89
11	Time allotted for each topic	37	0	2	11	11	13	3.95
12	Value addition provided by the Course	37	0	1	12	12	12	3.95
13	Standards of Assessment system	37	0	1	13	10	13	3.95
14	Quality of teaching	37	0	1	12	12	12	3.95

AVG	3.94


IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Operating Systems -
20A05402T

Sem: II- II

Course Faculty: Mr. D. Ashok

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	0	2	15	6	14	3.86
2	Breadth of conceptual clarity	37	0	2	15	6	14	3.86
3	Evaluation Scheme	37	0	4	14	6	13	3.76
4	Involvement of Faculty	37	0	5	13	6	13	3.73
5	Overall effectiveness of the course	37	0	3	15	5	14	3.81
6	Preparedness of the faculty	37	0	2	17	5	13	3.78
7	Quality of Interaction	37	0	2	17	5	13	3.78
8	Quality of Rigor	37	0	3	16	5	13	3.76
9	Sequencing of the topics	37	0	2	16	5	14	3.84
10	Style of topic delivery	37	0	2	16	5	14	3.84
11	Time allotted for each topic	37	0	3	14	5	15	3.86
12	Value addition provided by the Course	37	0	2	16	4	15	3.86
13	Standards of Assessment system	37	1	3	14	6	13	3.73
14	Quality of teaching	37	0	2	16	5	14	3.84

AVG 3.81


K. Mahesh
IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Software Engineering -
20A05403T

Sem: II- II

Course Faculty: Mr. P. Ravindra Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	7	15	8	1	6	2.57
2	Breadth of conceptual clarity	37	6	14	10	1	6	2.65
3	Evaluation Scheme	37	5	15	10	1	6	2.68
4	Involvement of Faculty	37	5	17	9	1	5	2.57
5	Overall effectiveness of the course	37	6	13	11	1	6	2.68
6	Preparedness of the faculty	37	5	18	8	1	5	2.54
7	Quality of Interaction	37	6	15	9	1	6	2.62
8	Quality of Rigor	37	5	17	9	1	5	2.57
9	Sequencing of the topics	37	6	15	8	2	6	2.65
10	Style of topic delivery	37	5	16	9	1	6	2.65
11	Time allotted for each topic	37	6	14	10	2	5	2.62
12	Value addition provided by the Course	37	5	15	9	3	5	2.68
13	Standards of Assessment system	37	6	14	10	2	5	2.62
14	Quality of teaching	37	5	16	9	2	5	2.62

AVG 2.62

K. P. Reddy

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Ravindra Reddy

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Managerial Economics & Financial Analysis -
20A52301

Sem: II- II

Course Faculty: Mr. Bhaskar Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	1	2	15	9	10	3.68
2	Breadth of conceptual clarity	37	1	2	14	9	11	3.73
3	Evaluation Scheme	37	1	3	14	9	10	3.65
4	Involvement of Faculty	37	1	3	14	8	11	3.68
5	Overall effectiveness of the course	37	2	1	16	9	9	3.59
6	Preparedness of the faculty	37	2	1	14	11	9	3.65
7	Quality of Interaction	37	1	1	16	9	10	3.70
8	Quality of Rigor	37	1	2	16	9	9	3.62
9	Sequencing of the topics	37	1	2	15	8	11	3.70
10	Style of topic delivery	37	1	2	15	9	10	3.68
11	Time allotted for each topic	37	1	2	16	7	11	3.68
12	Value addition provided by the Course	37	1	3	14	10	9	3.62
13	Standards of Assessment system	37	1	2	16	8	10	3.65
14	Quality of teaching	37	1	1	15	11	9	3.70

AVG	3.67

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Database Management Systems Laboratory -
20A05401P

Sem: II- II

Course Faculty: Dr. P. Dileep Kumar & Mrs. K. Lilly Grace Mary

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	0	4	10	8	15	3.92
2	Breadth of conceptual clarity	37	0	2	12	7	16	4.00
3	Evaluation Scheme	37	0	4	10	9	14	3.89
4	Involvement of Faculty	37	0	5	9	8	15	3.89
5	Overall effectiveness of the course	37	1	3	11	7	15	3.86
6	Preparedness of the faculty	37	0	4	11	7	15	3.89
7	Quality of Interaction	37	0	3	12	7	15	3.92
8	Quality of Rigor	37	0	3	13	7	14	3.86
9	Sequencing of the topics	37	0	3	12	8	14	3.89
10	Style of topic delivery	37	0	2	13	8	14	3.92
11	Time allotted for each topic	37	0	4	11	8	14	3.86
12	Value addition provided by the Course	37	0	3	12	8	14	3.89
13	Standards of Assessment system	37	0	3	12	8	14	3.89
14	Quality of teaching	37	0	4	11	8	14	3.86

AVG 3.90

K. F. G. J.

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Ramireddy

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Operating Systems Laboratory - 20A05402P

Sem: II- II

Course Faculty: Mr. D. Ashok & Mr. V. Sreenadh

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	0	2	14	7	14	3.89
2	Breadth of conceptual clarity	37	0	5	12	6	14	3.78
3	Evaluation Scheme	37	0	4	13	6	14	3.81
4	Involvement of Faculty	37	0	4	14	5	14	3.78
5	Overall effectiveness of the course	37	0	4	13	6	14	3.81
6	Preparedness of the faculty	37	0	5	13	5	14	3.76
7	Quality of Interaction	37	0	5	12	7	13	3.76
8	Quality of Rigor	37	0	4	13	8	12	3.76
9	Sequencing of the topics	37	0	4	13	7	13	3.78
10	Style of topic delivery	37	0	3	14	7	13	3.81
11	Time allotted for each topic	37	0	4	12	8	13	3.81
12	Value addition provided by the Course	37	0	4	13	7	13	3.78
13	Standards of Assessment system	37	0	4	13	7	13	3.78
14	Quality of teaching	37	0	5	12	7	13	3.76

AVG 3.79

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Software Engineering Laboratory - 20A05403P

Sem: II- II

Course Faculty: Mr. P. Ravindra Reddy & Mr. V. Srihari Naidu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	6	7	16	1	7	2.89
2	Breadth of conceptual clarity	37	5	9	15	1	7	2.89
3	Evaluation Scheme	37	6	6	16	2	7	2.95
4	Involvement of Faculty	37	5	7	16	1	8	3.00
5	Overall effectiveness of the course	37	6	6	15	2	8	3.00
6	Preparedness of the faculty	37	5	8	15	1	8	2.97
7	Quality of Interaction	37	5	7	15	3	7	3.00
8	Quality of Rigor	37	6	8	13	2	8	2.95
9	Sequencing of the topics	37	5	7	16	2	7	2.97
10	Style of topic delivery	37	6	7	14	3	7	2.95
11	Time allotted for each topic	37	5	8	15	2	7	2.95
12	Value addition provided by the Course	37	5	7	15	3	7	3.00
13	Standards of Assessment system	37	6	7	15	2	7	2.92
14	Quality of teaching	37	5	7	15	3	7	3.00

AVG 2.96

K. Kile

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Ravindra Reddy

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Exploratory Data Analysis with R - 20A05404

Sem: II- II

Course Faculty: Mr. V. Srihari Naidu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	0	6	10	9	12	3.73
2	Breadth of conceptual clarity	37	0	6	11	8	12	3.70
3	Evaluation Scheme	37	0	5	11	9	12	3.76
4	Involvement of Faculty	37	0	5	12	8	12	3.73
5	Overall effectiveness of the course	37	0	6	10	9	12	3.73
6	Preparedness of the faculty	37	0	5	11	9	12	3.76
7	Quality of Interaction	37	1	3	11	10	12	3.78
8	Quality of Rigor	37	0	5	11	9	12	3.76
9	Sequencing of the topics	37	0	4	11	10	12	3.81
10	Style of topic delivery	37	0	6	10	9	12	3.73
11	Time allotted for each topic	37	0	4	11	10	12	3.81
12	Value addition provided by the Course	37	0	3	13	9	12	3.81
13	Standards of Assessment system	37	0	4	12	9	12	3.78
14	Quality of teaching	37	0	4	13	8	12	3.76

AVG	3.76

K. Naidu

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. A. Mahesh Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	2	1	14	5	15	3.81
2	Breadth of conceptual clarity	37	2	0	15	6	14	3.81
3	Evaluation Scheme	37	2	1	12	9	13	3.81
4	Involvement of Faculty	37	2	1	14	7	13	3.76
5	Overall effectiveness of the course	37	3	0	14	6	14	3.76
6	Preparedness of the faculty	37	2	0	15	5	15	3.84
7	Quality of Interaction	37	2	2	13	6	14	3.76
8	Quality of Rigor	37	2	1	14	7	13	3.76
9	Sequencing of the topics	37	2	2	13	7	13	3.73
10	Style of topic delivery	37	2	1	13	7	14	3.81
11	Time allotted for each topic	37	2	1	14	6	14	3.78
12	Value addition provided by the Course	37	2	1	13	7	14	3.81
13	Standards of Assessment system	37	2	2	13	6	14	3.76
14	Quality of teaching	37	2	1	13	7	14	3.81

AVG 3.79

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: II- II

Course Faculty: Mrs. K. Sujitha

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	37	2	5	17	4	9	3.35
2	Breadth of conceptual clarity	37	2	5	18	3	9	3.32
3	Evaluation Scheme	37	2	4	17	5	9	3.41
4	Involvement of Faculty	37	2	5	17	4	9	3.35
5	Overall effectiveness of the course	37	2	6	16	4	9	3.32
6	Preparedness of the faculty	37	2	5	18	3	9	3.32
7	Quality of Interaction	37	2	6	17	3	9	3.30
8	Quality of Rigor	37	2	4	18	4	9	3.38
9	Sequencing of the topics	37	2	6	17	3	9	3.30
10	Style of topic delivery	37	2	6	17	3	9	3.30
11	Time allotted for each topic	37	2	9	14	3	9	3.22
12	Value addition provided by the Course	37	3	4	17	4	9	3.32
13	Standards of Assessment system	37	3	4	16	5	9	3.35
14	Quality of teaching	37	3	4	17	5	8	3.30
15	Training was relevant to my needs and fulfilled expectations	37	2	7	17	4	7	3.19
16	Content was well explained & solved	37	2	6	18	4	7	3.22
17	Training met my Expectations in practice sessions	37	2	9	16	3	7	3.11
18	Doubts raised were appropriately clarified	37	3	5	18	3	8	3.22
19	Training was effective for attending the interview	37	2	8	16	3	8	3.19

AVG 3.29


 IQAC Co-ordinator
 Internal Quality Assurance Cell
 RAMIREDDY SUBBARAMI REDDY
 ENGINEERING COLLEGE
 NH 16, Kadanuthala (V), Bogole (M)
 Kavali, Sri P.S.R. Nellore Dist.
 Andhra Pradesh 524 142


 PRINCIPAL
 PRINCIPAL
 RAMIREDDY SUBBARAMI REDDY
 ENGINEERING COLLEGE
 NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Sem: II- II

Date: 15-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54404	Deterministic & Stochastic Statistical Methods	Mrs. P. V. Madhavi	41	3.72	
2	20A05401T	Database Management Systems	Dr. P. Dileep Kumar	41	3.83	
3	20A05402T	Operating Systems	Mr. D. Ashok	41	3.96	
4	20A05403T	Software Engineering	Mr. P. Ravindra Reddy	41	3.28	
5	20A52301	Managerial Economics & Financial Analysis	Mr. Bhaskar Reddy	41	3.60	
6	20A05401P	Database Management Systems Laboratory	Dr. P. Dileep Kumar & Mrs. K. Lilly Grace Mary	41	3.88	
7	20A05402P	Operating Systems Laboratory	Mr. D. Ashok & Ms. B.Sushma Yamini	41	3.86	
8	20A05403P	Software Engineering Laboratory	Mr. P. Ravindra Reddy & Mr. V. Srihari Naidu	41	3.49	
9	20A05404	Exploratory Data Analysis with R	Mr. V. Srihari Naidu	41	3.65	
10	20A99401	Design Thinking for Innovation	Mr. A. Mahesh Reddy	41	3.72	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	41	3.29	

K. Kalle

IQAC CO-ORDINATOR
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)

P. Sreedhar

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Deterministic & Stochastic Statistical Methods -
20A54404

Sem: II- II

Course Faculty: Mrs. P. V. Madhavi

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	1	0	20	10	10	3.68
2	Breadth of conceptual clarity	41	1	3	19	6	12	3.61
3	Evaluation Scheme	41	1	0	20	7	13	3.76
4	Involvement of Faculty	41	1	2	18	6	14	3.73
5	Overall effectiveness of the course	41	1	0	20	10	10	3.68
6	Preparedness of the faculty	41	1	1	19	7	13	3.73
7	Quality of Interaction	41	1	1	20	7	12	3.68
8	Quality of Rigor	41	1	1	20	6	13	3.71
9	Sequencing of the topics	41	1	0	19	9	12	3.76
10	Style of topic delivery	41	1	1	17	10	12	3.76
11	Time allotted for each topic	41	1	1	18	8	13	3.76
12	Value addition provided by the Course	41	1	2	18	8	12	3.68
13	Standards of Assessment system	41	1	2	18	6	14	3.73
14	Quality of teaching	41	1	1	15	13	11	3.78

AVG	3.72

K. Thalla

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

P. V. Madhavi

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Database Management Systems - 20A05401T

Sem: II- II

Course Faculty: Dr. P. Dileep Kumar

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	0	3	12	13	13	3.88
2	Breadth of conceptual clarity	41	0	2	14	14	11	3.83
3	Evaluation Scheme	41	0	3	15	11	12	3.78
4	Involvement of Faculty	41	1	1	14	11	14	3.88
5	Overall effectiveness of the course	41	0	4	12	13	12	3.80
6	Preparedness of the faculty	41	0	2	14	14	11	3.83
7	Quality of Interaction	41	0	3	15	11	12	3.78
8	Quality of Rigor	41	0	2	15	12	12	3.83
9	Sequencing of the topics	41	0	2	13	14	12	3.88
10	Style of topic delivery	41	0	1	16	11	13	3.88
11	Time allotted for each topic	41	0	3	13	14	11	3.80
12	Value addition provided by the Course	41	0	1	18	10	12	3.80
13	Standards of Assessment system	41	0	3	14	12	12	3.80
14	Quality of teaching	41	0	1	17	11	12	3.83

AVG	3.83


IQAC Co-Ordinator


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Operating Systems -
20A05402T

Sem: II- II

Course Faculty: Mr. D. Ashok

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	0	2	12	14	13	3.93
2	Breadth of conceptual clarity	41	0	2	12	12	15	3.98
3	Evaluation Scheme	41	0	1	15	11	14	3.93
4	Involvement of Faculty	41	0	2	10	12	17	4.07
5	Overall effectiveness of the course	41	0	1	14	12	14	3.95
6	Preparedness of the faculty	41	0	3	11	13	14	3.93
7	Quality of Interaction	41	0	1	13	11	16	4.02
8	Quality of Rigor	41	0	3	11	16	11	3.85
9	Sequencing of the topics	41	0	1	14	11	15	3.98
10	Style of topic delivery	41	0	2	13	12	14	3.93
11	Time allotted for each topic	41	0	1	14	10	16	4.00
12	Value addition provided by the Course	41	0	2	12	14	13	3.93
13	Standards of Assessment system	41	0	1	15	9	16	3.98
14	Quality of teaching	41	0	2	14	8	17	3.98

AVG 3.96

K. Ashok

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Ramireddy Subbarami Reddy

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Software Engineering -
20A05403T

Sem: II- II

Course Faculty: Mr. P. Ravindra Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	3	7	15	6	10	3.32
2	Breadth of conceptual clarity	41	3	8	14	9	7	3.22
3	Evaluation Scheme	41	3	8	17	3	10	3.22
4	Involvement of Faculty	41	4	8	12	7	10	3.27
5	Overall effectiveness of the course	41	4	8	15	4	10	3.20
6	Preparedness of the faculty	41	3	9	14	5	10	3.24
7	Quality of Interaction	41	3	8	14	3	13	3.37
8	Quality of Rigor	41	4	7	14	7	9	3.24
9	Sequencing of the topics	41	3	7	14	7	10	3.34
10	Style of topic delivery	41	3	6	16	7	9	3.32
11	Time allotted for each topic	41	3	6	16	3	13	3.41
12	Value addition provided by the Course	41	4	8	13	7	9	3.22
13	Standards of Assessment system	41	3	7	16	4	11	3.32
14	Quality of teaching	41	3	10	14	5	9	3.17

AVG 3.28


IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Managerial Economics & Financial Analysis -
20A52301

Sem: II- II

Course Faculty: Mr. Bhaskar Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	1	2	20	7	11	3.61
2	Breadth of conceptual clarity	41	1	4	18	7	11	3.56
3	Evaluation Scheme	41	0	3	17	9	12	3.73
4	Involvement of Faculty	41	1	2	16	10	12	3.73
5	Overall effectiveness of the course	41	2	2	19	6	12	3.59
6	Preparedness of the faculty	41	2	2	18	8	11	3.59
7	Quality of Interaction	41	2	2	17	6	14	3.68
8	Quality of Rigor	41	2	5	14	8	12	3.56
9	Sequencing of the topics	41	2	3	18	7	11	3.54
10	Style of topic delivery	41	2	4	15	8	12	3.59
11	Time allotted for each topic	41	2	3	16	9	11	3.59
12	Value addition provided by the Course	41	2	3	17	8	11	3.56
13	Standards of Assessment system	41	2	3	18	6	12	3.56
14	Quality of teaching	41	2	3	17	8	11	3.56

AVG 3.60

K. K. K.

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. S. S.

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Database Management Systems Laboratory - 20A05401P

Sem: II- II

Course Faculty: Dr. P. Dileep Kumar & Mrs. K. Lilly Grace Mary

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	1	0	17	10	13	3.83
2	Breadth of conceptual clarity	41	1	0	16	8	16	3.93
3	Evaluation Scheme	41	1	0	16	10	14	3.88
4	Involvement of Faculty	41	1	1	14	9	16	3.93
5	Overall effectiveness of the course	41	1	2	15	9	14	3.80
6	Preparedness of the faculty	41	1	0	15	10	15	3.93
7	Quality of Interaction	41	1	1	15	10	14	3.85
8	Quality of Rigor	41	1	1	16	9	14	3.83
9	Sequencing of the topics	41	1	0	16	11	13	3.85
10	Style of topic delivery	41	1	0	14	11	15	3.95
11	Time allotted for each topic	41	1	0	15	12	13	3.88
12	Value addition provided by the Course	41	1	1	14	10	15	3.90
13	Standards of Assessment system	41	1	0	17	8	15	3.88
14	Quality of teaching	41	1	0	15	10	15	3.93

AVG	3.88

K. Lilly Grace Mary

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Dileep Kumar

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Operating Systems Laboratory - 20A05402P

Sem: II- II

Course Faculty: Mr. D. Ashok & Ms. B.Sushma Yamini

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	0	4	12	13	12	3.80
2	Breadth of conceptual clarity	41	0	6	10	12	13	3.78
3	Evaluation Scheme	41	1	4	11	11	14	3.80
4	Involvement of Faculty	41	0	4	11	11	15	3.90
5	Overall effectiveness of the course	41	0	3	12	14	12	3.85
6	Preparedness of the faculty	41	1	4	11	13	12	3.76
7	Quality of Interaction	41	1	3	13	10	14	3.80
8	Quality of Rigor	41	1	1	13	11	15	3.93
9	Sequencing of the topics	41	1	2	12	9	17	3.95
10	Style of topic delivery	41	1	2	11	14	13	3.88
11	Time allotted for each topic	41	1	3	12	10	15	3.85
12	Value addition provided by the Course	41	0	3	12	13	13	3.88
13	Standards of Assessment system	41	0	5	13	7	16	3.83
14	Quality of teaching	41	0	3	11	12	15	3.95

AVG 3.86

K. Thulas

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Poreddy

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Software Engineering Laboratory - 20A05403P

Sem: II- II

Course Faculty: Mr. P. Ravindra Reddy & Mr. V. Srihari Naidu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	3	3	15	9	11	3.54
2	Breadth of conceptual clarity	41	1	5	16	10	9	3.51
3	Evaluation Scheme	41	1	6	16	9	9	3.46
4	Involvement of Faculty	41	3	4	16	10	8	3.39
5	Overall effectiveness of the course	41	2	4	16	8	11	3.54
6	Preparedness of the faculty	41	2	5	15	10	9	3.46
7	Quality of Interaction	41	2	4	16	7	12	3.56
8	Quality of Rigor	41	2	5	15	10	9	3.46
9	Sequencing of the topics	41	2	4	14	13	8	3.51
10	Style of topic delivery	41	2	4	15	13	7	3.46
11	Time allotted for each topic	41	2	5	15	9	10	3.49
12	Value addition provided by the Course	41	2	6	12	11	10	3.51
13	Standards of Assessment system	41	2	5	15	10	9	3.46
14	Quality of teaching	41	2	4	14	11	10	3.56

AVG 3.49

IQAC Co-ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Exploratory Data Analysis with R - 20A05404

Sem: II- II

Course Faculty: Mr. V. Srihari Naidu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	1	3	16	8	13	3.71
2	Breadth of conceptual clarity	41	1	4	17	6	13	3.63
3	Evaluation Scheme	41	1	3	17	6	14	3.71
4	Involvement of Faculty	41	1	4	17	6	13	3.63
5	Overall effectiveness of the course	41	1	4	16	9	11	3.61
6	Preparedness of the faculty	41	1	3	18	9	10	3.59
7	Quality of Interaction	41	1	4	15	6	15	3.73
8	Quality of Rigor	41	1	3	18	8	11	3.61
9	Sequencing of the topics	41	1	4	15	6	15	3.73
10	Style of topic delivery	41	1	4	17	8	11	3.59
11	Time allotted for each topic	41	1	4	16	10	10	3.59
12	Value addition provided by the Course	41	1	4	16	8	12	3.63
13	Standards of Assessment system	41	1	3	16	8	13	3.71
14	Quality of teaching	41	1	3	18	6	13	3.66

AVG	3.65

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. A. Mahesh Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	1	4	13	12	11	3.68
2	Breadth of conceptual clarity	41	0	5	13	13	10	3.68
3	Evaluation Scheme	41	1	5	12	13	10	3.63
4	Involvement of Faculty	41	0	4	12	14	11	3.78
5	Overall effectiveness of the course	41	0	4	15	12	10	3.68
6	Preparedness of the faculty	41	0	3	13	16	9	3.76
7	Quality of Interaction	41	0	4	13	14	10	3.73
8	Quality of Rigor	41	0	4	14	13	10	3.71
9	Sequencing of the topics	41	0	6	11	15	9	3.66
10	Style of topic delivery	41	2	2	12	13	12	3.76
11	Time allotted for each topic	41	0	6	12	10	13	3.73
12	Value addition provided by the Course	41	0	4	12	14	11	3.78
13	Standards of Assessment system	41	0	6	13	10	12	3.68
14	Quality of teaching	41	2	2	11	13	13	3.80

AVG 3.72



IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142



PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: II- II

Course Faculty: Mrs. K. Sujitha

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	41	3	5	17	9	7	3.29
2	Breadth of conceptual clarity	41	2	7	18	7	7	3.24
3	Evaluation Scheme	41	2	7	16	10	6	3.27
4	Involvement of Faculty	41	2	6	19	8	6	3.24
5	Overall effectiveness of the course	41	2	6	17	10	6	3.29
6	Preparedness of the faculty	41	2	5	22	7	5	3.20
7	Quality of Interaction	41	2	7	16	9	7	3.29
8	Quality of Rigor	41	2	6	18	11	4	3.22
9	Sequencing of the topics	41	2	7	17	8	7	3.27
10	Style of topic delivery	41	1	6	19	9	6	3.32
11	Time allotted for each topic	41	1	6	20	7	7	3.32
12	Value addition provided by the Course	41	1	6	15	10	9	3.49
13	Standards of Assessment system	41	1	8	17	6	9	3.34
14	Quality of teaching	41	1	9	15	9	7	3.29
15	Training was relevant to my needs and fulfilled expectations	41	2	6	20	6	7	3.24
16	Content was well explained & solved	41	2	6	20	7	6	3.22
17	Training met my Expectations in practice sessions	41	1	6	19	7	8	3.37
18	Doubts raised were appropriately clarified	41	1	5	21	10	4	3.27
19	Training was effective for attending the interview	41	2	5	22	3	9	3.29

AVG 3.29

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Sem: II- II

Date: 15-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54404	Deterministic & Stochastic Statistical Methods	Mrs. P. V. Madhavi	43	3.88	
2	20A05401T	Database Management Systems	Mr. K. V. Prasada Reddy	43	4.36	
3	20A05402T	Operating Systems	Mrs. Sravanthi	43	3.77	
4	20A30401T	Artificial Intelligence	Mr. M. V. Prabhath Kumar	43	4.32	
5	20A52301	Managerial Economics & Financial Analysis	Mr. Bhaskar Reddy	43	4.21	
6	20A05401P	Database Management Systems Laboratory	Mr. K. V. Prasada Reddy	43	4.28	
7	20A05402P	Operating Systems Laboratory	Mrs. Sravanthi	43	4.00	
8	20A05403P	Artificial Intelligence Laboratory	Mr. M. V. Prabhath Kumar	43	4.42	
9	20A05404	Exploratory Data Analysis with R	Mr. V. Srihari Naidu	43	3.96	
10	20A99401	Design Thinking for Innovation	Mrs. KVS Gayathri	43	4.26	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	43	4.06	

K. Thile

IQAC CO-ORDINATOR
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)

Forreddy

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Deterministic & Stochastic Statistical Methods -
20A54404

Sem: II- II

Course Faculty: Mrs. P. V. Madhavi

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	1	17	13	12	3.84
2	Breadth of conceptual clarity	43	0	1	17	10	15	3.91
3	Evaluation Scheme	43	0	3	15	12	13	3.81
4	Involvement of Faculty	43	0	0	19	10	14	3.88
5	Overall effectiveness of the course	43	0	2	13	13	15	3.95
6	Preparedness of the faculty	43	0	1	20	9	13	3.79
7	Quality of Interaction	43	0	1	16	12	14	3.91
8	Quality of Rigor	43	0	1	15	13	14	3.93
9	Sequencing of the topics	43	0	2	13	15	13	3.91
10	Style of topic delivery	43	0	1	19	9	14	3.84
11	Time allotted for each topic	43	0	2	19	9	13	3.77
12	Value addition provided by the Course	43	0	1	16	10	16	3.95
13	Standards of Assessment system	43	0	1	17	10	15	3.91
14	Quality of teaching	43	0	0	17	13	13	3.91

AVG 3.88

K. Thale

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Database Management Systems - 20A05401T

Sem: II- II

Course Faculty: Mr. K. V. Prasada Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	10	10	23	4.30
2	Breadth of conceptual clarity	43	0	0	7	15	21	4.33
3	Evaluation Scheme	43	0	1	7	10	25	4.37
4	Involvement of Faculty	43	0	0	8	11	24	4.37
5	Overall effectiveness of the course	43	0	1	8	10	24	4.33
6	Preparedness of the faculty	43	0	0	8	12	23	4.35
7	Quality of Interaction	43	0	0	9	8	26	4.40
8	Quality of Rigor	43	0	0	8	10	25	4.40
9	Sequencing of the topics	43	0	1	8	9	25	4.35
10	Style of topic delivery	43	0	0	9	9	25	4.37
11	Time allotted for each topic	43	0	0	9	10	24	4.35
12	Value addition provided by the Course	43	0	1	6	11	25	4.40
13	Standards of Assessment system	43	0	1	8	7	27	4.40
14	Quality of teaching	43	0	1	8	9	25	4.35

AVG	4.36

K. V. Prasada Reddy

IQAC Co-Ordinator
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

forreddy

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Operating Systems -
20A05402T

Sem: II- II

Course Faculty: Mrs. Sravanthi

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	4	15	11	13	3.77
2	Breadth of conceptual clarity	43	0	3	15	12	13	3.81
3	Evaluation Scheme	43	0	3	16	11	13	3.79
4	Involvement of Faculty	43	0	6	11	15	11	3.72
5	Overall effectiveness of the course	43	0	4	14	14	11	3.74
6	Preparedness of the faculty	43	0	3	15	14	11	3.77
7	Quality of Interaction	43	0	3	15	13	12	3.79
8	Quality of Rigor	43	0	5	14	13	11	3.70
9	Sequencing of the topics	43	0	4	15	12	12	3.74
10	Style of topic delivery	43	0	3	16	11	13	3.79
11	Time allotted for each topic	43	0	3	15	13	12	3.79
12	Value addition provided by the Course	43	0	5	15	9	14	3.74
13	Standards of Assessment system	43	0	4	14	13	12	3.77
14	Quality of teaching	43	0	3	13	15	12	3.84

AVG	3.77

K. N. S. Reddy

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

K. N. S. Reddy

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Artificial Intelligence -
20A30401T

Sem: II- II

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	10	11	22	4.28
2	Breadth of conceptual clarity	43	0	0	7	15	21	4.33
3	Evaluation Scheme	43	0	0	8	11	24	4.37
4	Involvement of Faculty	43	0	0	8	15	20	4.28
5	Overall effectiveness of the course	43	0	0	10	9	24	4.33
6	Preparedness of the faculty	43	0	0	9	12	22	4.30
7	Quality of Interaction	43	0	0	9	10	24	4.35
8	Quality of Rigor	43	0	0	9	14	20	4.26
9	Sequencing of the topics	43	0	0	10	10	23	4.30
10	Style of topic delivery	43	0	0	9	13	21	4.28
11	Time allotted for each topic	43	0	0	10	9	24	4.33
12	Value addition provided by the Course	43	0	0	8	14	21	4.30
13	Standards of Assessment system	43	0	0	9	10	24	4.35
14	Quality of teaching	43	0	0	8	11	24	4.37

AVG 4.32



IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142



PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Managerial Economics & Financial Analysis -
20A52301

Sem: II- II

Course Faculty: Mr. Bhaskar Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	12	13	18	4.14
2	Breadth of conceptual clarity	43	0	0	8	17	18	4.23
3	Evaluation Scheme	43	0	0	12	12	19	4.16
4	Involvement of Faculty	43	0	0	7	17	19	4.28
5	Overall effectiveness of the course	43	0	0	12	12	19	4.16
6	Preparedness of the faculty	43	0	0	10	15	18	4.19
7	Quality of Interaction	43	0	0	10	12	21	4.26
8	Quality of Rigor	43	0	0	8	16	19	4.26
9	Sequencing of the topics	43	0	0	11	13	19	4.19
10	Style of topic delivery	43	0	0	11	13	19	4.19
11	Time allotted for each topic	43	0	0	10	12	21	4.26
12	Value addition provided by the Course	43	0	0	10	13	20	4.23
13	Standards of Assessment system	43	0	0	12	12	19	4.16
14	Quality of teaching	43	0	0	10	13	20	4.23

AVG 4.21

K. *[Signature]*

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Database Management Systems Laboratory -
20A05401P

Sem: II- II

Course Faculty: Mr. K. V. Prasada Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	13	6	24	4.26
2	Breadth of conceptual clarity	43	0	0	11	10	22	4.26
3	Evaluation Scheme	43	0	0	12	7	24	4.28
4	Involvement of Faculty	43	0	1	10	11	21	4.21
5	Overall effectiveness of the course	43	0	0	10	9	24	4.33
6	Preparedness of the faculty	43	0	1	9	10	23	4.28
7	Quality of Interaction	43	0	0	11	8	24	4.30
8	Quality of Rigor	43	0	0	11	8	24	4.30
9	Sequencing of the topics	43	0	1	10	8	24	4.28
10	Style of topic delivery	43	0	0	12	9	22	4.23
11	Time allotted for each topic	43	0	1	8	9	25	4.35
12	Value addition provided by the Course	43	0	0	10	9	24	4.33
13	Standards of Assessment system	43	0	1	11	9	22	4.21
14	Quality of teaching	43	0	0	10	9	24	4.33

AVG	4.28

K. V. Prasada Reddy

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Operating Systems Laboratory - 20A05402P

Sem: II- II

Course Faculty: Mrs. Sravanthi

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	1	15	13	14	3.93
2	Breadth of conceptual clarity	43	0	1	12	17	13	3.98
3	Evaluation Scheme	43	0	1	14	14	14	3.95
4	Involvement of Faculty	43	0	1	12	14	16	4.05
5	Overall effectiveness of the course	43	0	2	14	14	13	3.88
6	Preparedness of the faculty	43	0	2	10	18	13	3.98
7	Quality of Interaction	43	0	1	12	15	15	4.02
8	Quality of Rigor	43	0	1	9	17	16	4.12
9	Sequencing of the topics	43	0	1	14	13	15	3.98
10	Style of topic delivery	43	0	1	11	18	13	4.00
11	Time allotted for each topic	43	0	1	13	14	15	4.00
12	Value addition provided by the Course	43	0	1	9	18	15	4.09
13	Standards of Assessment system	43	0	1	13	15	14	3.98
14	Quality of teaching	43	0	1	9	17	16	4.12

AVG	4.00

K. Subbaram

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Ramireddy

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Artificial Intelligence Laboratory - 20A05403P

Sem: II- II

Course Faculty: Mr. M. V. Prabhath Kumar

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	8	12	23	4.35
2	Breadth of conceptual clarity	43	0	0	7	10	26	4.44
3	Evaluation Scheme	43	0	0	7	10	26	4.44
4	Involvement of Faculty	43	0	0	6	12	25	4.44
5	Overall effectiveness of the course	43	0	0	9	8	26	4.40
6	Preparedness of the faculty	43	0	0	8	9	26	4.42
7	Quality of Interaction	43	0	0	8	7	28	4.47
8	Quality of Rigor	43	0	0	6	13	24	4.42
9	Sequencing of the topics	43	0	0	9	8	26	4.40
10	Style of topic delivery	43	0	0	6	12	25	4.44
11	Time allotted for each topic	43	0	0	8	10	25	4.40
12	Value addition provided by the Course	43	0	0	7	11	25	4.42
13	Standards of Assessment system	43	0	0	8	10	25	4.40
14	Quality of teaching	43	0	0	6	12	25	4.44

AVG 4.42

K. Thirumala

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

forreddy

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Exploratory Data Analysis with R - 20A05404

Sem: II- II

Course Faculty: Mr. V. Srihari Naidu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	2	14	13	14	3.91
2	Breadth of conceptual clarity	43	0	2	10	16	15	4.02
3	Evaluation Scheme	43	0	2	14	15	12	3.86
4	Involvement of Faculty	43	0	2	12	15	14	3.95
5	Overall effectiveness of the course	43	0	2	14	14	13	3.88
6	Preparedness of the faculty	43	0	2	13	12	16	3.98
7	Quality of Interaction	43	0	2	13	12	16	3.98
8	Quality of Rigor	43	0	2	13	13	15	3.95
9	Sequencing of the topics	43	0	2	13	13	15	3.95
10	Style of topic delivery	43	0	2	14	11	16	3.95
11	Time allotted for each topic	43	0	2	12	14	15	3.98
12	Value addition provided by the Course	43	0	2	14	11	16	3.95
13	Standards of Assessment system	43	0	2	12	13	16	4.00
14	Quality of teaching	43	0	2	11	15	15	4.00

AVG 3.96

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mrs. KVS Gayathri

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	7	15	21	4.33
2	Breadth of conceptual clarity	43	0	0	4	18	21	4.40
3	Evaluation Scheme	43	0	0	7	15	21	4.33
4	Involvement of Faculty	43	0	0	5	19	19	4.33
5	Overall effectiveness of the course	43	0	0	8	16	19	4.26
6	Preparedness of the faculty	43	0	0	6	18	19	4.30
7	Quality of Interaction	43	0	0	10	13	20	4.23
8	Quality of Rigor	43	0	0	8	18	17	4.21
9	Sequencing of the topics	43	0	0	11	12	20	4.21
10	Style of topic delivery	43	0	0	9	16	18	4.21
11	Time allotted for each topic	43	0	0	12	12	19	4.16
12	Value addition provided by the Course	43	0	0	8	17	18	4.23
13	Standards of Assessment system	43	0	0	11	14	18	4.16
14	Quality of teaching	43	0	0	7	17	19	4.28

AVG 4.26

K. Subbaram

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

P. S. S. R.

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: II- II

Course Faculty: Mrs. K. Sujitha

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	43	0	0	16	9	18	4.05
2	Breadth of conceptual clarity	43	0	1	13	12	17	4.05
3	Evaluation Scheme	43	0	0	15	10	18	4.07
4	Involvement of Faculty	43	0	1	12	12	18	4.09
5	Overall effectiveness of the course	43	0	0	15	10	18	4.07
6	Preparedness of the faculty	43	0	1	13	14	15	4.00
7	Quality of Interaction	43	0	0	16	9	18	4.05
8	Quality of Rigor	43	0	2	14	11	16	3.95
9	Sequencing of the topics	43	0	0	16	9	18	4.05
10	Style of topic delivery	43	0	3	11	10	19	4.05
11	Time allotted for each topic	43	0	1	16	7	19	4.02
12	Value addition provided by the Course	43	0	2	14	10	17	3.98
13	Standards of Assessment system	43	0	1	15	10	17	4.00
14	Quality of teaching	43	0	2	12	12	17	4.02
15	Training was relevant to my needs and fulfilled expectations	43	0	0	14	9	20	4.14
16	Content was well explained & solved	43	0	0	14	10	19	4.12
17	Training met my Expectations in practice sessions	43	0	1	14	8	20	4.09
18	Doubts raised were appropriately clarified	43	0	0	13	11	19	4.14
19	Training was effective for attending the interview	43	0	1	13	8	21	4.14

AVG 4.06

K. Sujitha

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.

P. Venkatesh

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Sem: II- II

Date: 15-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54403	Probability Theory & Stochastic Processes	Mr. V. Sunil Reddy	34	4.26	
2	20A04303T	Digital Logic Design	Mrs. S. V. Moulika	34	4.09	
3	20A04401	EM Waves and Transmission Lines	Mrs. Ch. Yamini	34	4.15	
4	20A04402T	Communication Systems	Mr. M. Kondaiah	34	4.05	
5	20A04403T	Linear and Digital IC Applications	Mr. V. E. Neela Rao	34	4.05	
6	20A04303P	Digital Logic Design Laboratory	Mrs. S. V. Moulika & Mrs. K. Saranya Reddy	34	4.11	
7	20A04402P	Communication Systems Laboratory	Mr. M. Kondaiah & Mr. B. Madhu	34	4.16	
8	20A04403P	Linear and Digital IC Applications Laboratory	Mr. V. E. Neela Rao & Mrs. N. Bhargavi	34	4.16	
9	20A52401	Soft Skills	Mr. M. Hemachandra	34	4.06	
10	20A99401	Design Thinking for Innovation	Mr. B. Srikanth	34	3.71	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	34	3.86	

K. Thale

IQAC CO-ORDINATOR
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (VI)

P. Suresh

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Probability Theory & Stochastic Processes -
20A54403

Sem: II- II

Course Faculty: Mr. V. Sunil Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	1	0	7	3	23	4.38
2	Breadth of conceptual clarity	34	0	2	6	8	18	4.24
3	Evaluation Scheme	34	0	3	7	5	19	4.18
4	Involvement of Faculty	34	1	1	7	4	21	4.26
5	Overall effectiveness of the course	34	1	1	5	7	20	4.29
6	Preparedness of the faculty	34	1	0	6	8	19	4.29
7	Quality of Interaction	34	2	1	6	5	20	4.18
8	Quality of Rigor	34	1	1	8	8	16	4.09
9	Sequencing of the topics	34	1	1	6	5	21	4.29
10	Style of topic delivery	34	1	1	8	5	19	4.18
11	Time allotted for each topic	34	1	0	6	5	22	4.38
12	Value addition provided by the Course	34	1	3	5	6	19	4.15
13	Standards of Assessment system	34	0	0	7	6	21	4.41
14	Quality of teaching	34	0	2	5	7	20	4.32

AVG 4.26

IQAC Co-ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Digital Logic Design - 20A04303T

Sem: II- II

Course Faculty: Mrs. S. V. Moulika

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	1	0	9	7	17	4.15
2	Breadth of conceptual clarity	34	1	1	10	7	15	4.00
3	Evaluation Scheme	34	1	0	11	7	15	4.03
4	Involvement of Faculty	34	0	2	9	9	14	4.03
5	Overall effectiveness of the course	34	0	1	11	6	16	4.09
6	Preparedness of the faculty	34	0	2	10	6	16	4.06
7	Quality of Interaction	34	0	0	10	7	17	4.21
8	Quality of Rigor	34	1	1	9	8	15	4.03
9	Sequencing of the topics	34	0	0	13	6	15	4.06
10	Style of topic delivery	34	0	1	9	10	14	4.09
11	Time allotted for each topic	34	0	0	11	7	16	4.15
12	Value addition provided by the Course	34	0	1	11	7	15	4.06
13	Standards of Assessment system	34	0	0	11	6	17	4.18
14	Quality of teaching	34	0	1	9	8	16	4.15

AVG	4.09

K. Thirumala

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Ramireddy

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: EM Waves and Transmission Lines -
20A04401

Sem: II- II

Course Faculty: Mrs. Ch. Yamini

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	0	8	11	15	4.21
2	Breadth of conceptual clarity	34	0	1	6	13	14	4.18
3	Evaluation Scheme	34	0	1	9	12	12	4.03
4	Involvement of Faculty	34	0	1	5	15	13	4.18
5	Overall effectiveness of the course	34	0	0	10	10	14	4.12
6	Preparedness of the faculty	34	0	1	6	12	15	4.21
7	Quality of Interaction	34	0	0	9	11	14	4.15
8	Quality of Rigor	34	0	2	7	11	14	4.09
9	Sequencing of the topics	34	0	0	9	11	14	4.15
10	Style of topic delivery	34	0	1	8	10	15	4.15
11	Time allotted for each topic	34	0	0	9	12	13	4.12
12	Value addition provided by the Course	34	0	1	6	13	14	4.18
13	Standards of Assessment system	34	0	0	8	12	14	4.18
14	Quality of teaching	34	0	1	6	13	14	4.18

AVG 4.15

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Communication Systems -
20A04402T

Sem: II- II

Course Faculty: Mr. M. Kondaiah

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	2	1	7	8	16	4.03
2	Breadth of conceptual clarity	34	0	3	7	10	14	4.03
3	Evaluation Scheme	34	1	0	8	11	14	4.09
4	Involvement of Faculty	34	0	2	9	10	13	4.00
5	Overall effectiveness of the course	34	1	0	8	10	15	4.12
6	Preparedness of the faculty	34	0	2	8	10	14	4.06
7	Quality of Interaction	34	1	0	9	9	15	4.09
8	Quality of Rigor	34	0	3	8	10	13	3.97
9	Sequencing of the topics	34	2	1	8	8	15	3.97
10	Style of topic delivery	34	0	2	9	10	13	4.00
11	Time allotted for each topic	34	1	1	9	11	12	3.94
12	Value addition provided by the Course	34	0	1	7	11	15	4.18
13	Standards of Assessment system	34	1	1	7	9	16	4.12
14	Quality of teaching	34	1	0	8	11	14	4.09

AVG 4.05

K. Kondaiah

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

forreddy

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Linear and Digital IC Applications - 20A04403T

Sem: II-II

Course Faculty: Mr. V. E. Neela Rao

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	1	1	8	8	16	4.09
2	Breadth of conceptual clarity	34	1	2	4	12	15	4.12
3	Evaluation Scheme	34	1	0	9	8	16	4.12
4	Involvement of Faculty	34	1	2	8	7	16	4.03
5	Overall effectiveness of the course	34	1	1	9	8	15	4.03
6	Preparedness of the faculty	34	1	2	8	6	17	4.06
7	Quality of Interaction	34	0	1	9	10	14	4.09
8	Quality of Rigor	34	0	4	7	10	13	3.94
9	Sequencing of the topics	34	0	1	10	8	15	4.09
10	Style of topic delivery	34	0	4	8	7	15	3.97
11	Time allotted for each topic	34	1	0	11	7	15	4.03
12	Value addition provided by the Course	34	1	2	8	8	15	4.00
13	Standards of Assessment system	34	0	2	7	11	14	4.09
14	Quality of teaching	34	1	2	7	8	16	4.06

AVG 4.05

K. Talala

IQAC Co-Ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist,
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Digital Logic Design Laboratory -
20A04303P

Sem: II- II

Course Faculty: Mrs. S. V. Moulika & Mrs. K. Saranya Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	1	11	5	17	4.12
2	Breadth of conceptual clarity	34	0	0	10	8	16	4.18
3	Evaluation Scheme	34	0	1	12	5	16	4.06
4	Involvement of Faculty	34	0	1	9	9	15	4.12
5	Overall effectiveness of the course	34	0	0	13	6	15	4.06
6	Preparedness of the faculty	34	0	1	10	8	15	4.09
7	Quality of Interaction	34	0	1	9	7	17	4.18
8	Quality of Rigor	34	0	0	12	6	16	4.12
9	Sequencing of the topics	34	0	1	10	8	15	4.09
10	Style of topic delivery	34	0	1	12	5	16	4.06
11	Time allotted for each topic	34	0	0	10	8	16	4.18
12	Value addition provided by the Course	34	0	1	10	7	16	4.12
13	Standards of Assessment system	34	1	0	10	7	16	4.09
14	Quality of teaching	34	0	0	11	7	16	4.15

AVG 4.11

K. Saranya Reddy

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Saranya Reddy

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Communication Systems Laboratory - 20A04402P

Sem: II- II

Course Faculty: Mr. M. Kondalah & Mr. B. Madhu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	2	6	10	16	4.18
2	Breadth of conceptual clarity	34	0	2	6	10	16	4.18
3	Evaluation Scheme	34	0	2	7	9	16	4.15
4	Involvement of Faculty	34	0	3	6	10	15	4.09
5	Overall effectiveness of the course	34	0	2	5	12	15	4.18
6	Preparedness of the faculty	34	0	2	8	8	16	4.12
7	Quality of Interaction	34	0	2	7	8	17	4.18
8	Quality of Rigor	34	0	2	8	8	16	4.12
9	Sequencing of the topics	34	0	2	6	10	16	4.18
10	Style of topic delivery	34	0	2	6	10	16	4.18
11	Time allotted for each topic	34	0	2	6	9	17	4.21
12	Value addition provided by the Course	34	0	2	7	10	15	4.12
13	Standards of Assessment system	34	0	2	7	9	16	4.15
14	Quality of teaching	34	0	2	6	9	17	4.21

AVG 4.16

K. [Signature]

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC I Approved by AICTE, New Delhi I Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Linear and Digital IC Applications Laboratory -
20A04403P

Sem: II-II

Course Faculty: Mr. V. E. Neela Rao & Mrs. N. Bhargavi

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	2	7	13	12	4.03
2	Breadth of conceptual clarity	34	0	0	10	12	12	4.06
3	Evaluation Scheme	34	0	1	7	16	10	4.03
4	Involvement of Faculty	34	0	0	8	13	13	4.15
5	Overall effectiveness of the course	34	0	1	7	15	11	4.06
6	Preparedness of the faculty	34	0	0	8	12	14	4.18
7	Quality of Interaction	34	0	1	6	14	13	4.15
8	Quality of Rigor	34	0	0	7	13	14	4.21
9	Sequencing of the topics	34	0	1	4	16	13	4.21
10	Style of topic delivery	34	0	0	5	14	15	4.29
11	Time allotted for each topic	34	0	1	4	16	13	4.21
12	Value addition provided by the Course	34	0	0	6	14	14	4.24
13	Standards of Assessment system	34	0	1	5	15	13	4.18
14	Quality of teaching	34	0	1	5	13	15	4.24

AVG 4.16


IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Soft Skills - 20A52401

Sem: II- II

Course Faculty: Mr. M. Hemachandra

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	2	10	8	14	4.00
2	Breadth of conceptual clarity	34	0	1	10	8	15	4.09
3	Evaluation Scheme	34	0	2	9	8	15	4.06
4	Involvement of Faculty	34	0	1	11	6	16	4.09
5	Overall effectiveness of the course	34	0	2	9	8	15	4.06
6	Preparedness of the faculty	34	0	1	11	7	15	4.06
7	Quality of Interaction	34	0	2	8	10	14	4.06
8	Quality of Rigor	34	0	1	11	9	13	4.00
9	Sequencing of the topics	34	0	2	8	10	14	4.06
10	Style of topic delivery	34	0	1	9	8	16	4.15
11	Time allotted for each topic	34	0	2	10	7	15	4.03
12	Value addition provided by the Course	34	0	1	11	6	16	4.09
13	Standards of Assessment system	34	0	2	10	8	14	4.00
14	Quality of teaching	34	0	2	9	6	17	4.12

AVG 4.06

Wile

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

Powreddy

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. B. Srikanth

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	1	3	13	6	11	3.68
2	Breadth of conceptual clarity	34	1	2	14	7	10	3.68
3	Evaluation Scheme	34	1	2	15	4	12	3.71
4	Involvement of Faculty	34	0	5	12	6	11	3.68
5	Overall effectiveness of the course	34	0	2	15	5	12	3.79
6	Preparedness of the faculty	34	1	3	12	7	11	3.71
7	Quality of Interaction	34	0	2	15	7	10	3.74
8	Quality of Rigor	34	1	4	12	8	9	3.59
9	Sequencing of the topics	34	0	2	14	8	10	3.76
10	Style of topic delivery	34	1	3	13	7	10	3.65
11	Time allotted for each topic	34	0	3	13	7	11	3.76
12	Value addition provided by the Course	34	1	3	12	7	11	3.71
13	Standards of Assessment system	34	0	2	15	5	12	3.79
14	Quality of teaching	34	1	3	11	7	12	3.76

AVG 3.71

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: II- II

Course Faculty: Mrs. K. Sujitha

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	2	12	7	13	3.91
2	Breadth of conceptual clarity	34	0	3	10	10	11	3.85
3	Evaluation Scheme	34	0	4	9	7	14	3.91
4	Involvement of Faculty	34	0	3	9	10	12	3.91
5	Overall effectiveness of the course	34	0	3	12	5	14	3.88
6	Preparedness of the faculty	34	0	4	10	9	11	3.79
7	Quality of Interaction	34	0	3	9	9	13	3.94
8	Quality of Rigor	34	0	2	13	9	10	3.79
9	Sequencing of the topics	34	0	2	11	8	13	3.94
10	Style of topic delivery	34	0	3	8	12	11	3.91
11	Time allotted for each topic	34	0	2	11	8	13	3.94
12	Value addition provided by the Course	34	0	3	10	9	12	3.88
13	Standards of Assessment system	34	0	3	10	8	13	3.91
14	Quality of teaching	34	0	3	9	11	11	3.88
15	Training was relevant to my needs and fulfilled expectations	34	0	4	12	6	12	3.76
16	Content was well explained & solved	34	1	2	12	7	12	3.79
17	Training met my Expectations in practice sessions	34	0	4	12	6	12	3.76
18	Doubts raised were appropriately clarified	34	1	3	11	7	12	3.76
19	Training was effective for attending the interview	34	0	4	10	7	13	3.85

AVG 3.86

[Signature]

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

[Signature]

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Sem: II- II

Date: 15-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54403	Probability Theory & Stochastic Processes	Mr. V. Sunil Reddy	52	3.76	
2	20A04303T	Digital Logic Design	Mrs. S. V. Moulika	52	3.42	
3	20A04401	EM Waves and Transmission Lines	Mrs. Ch. Yamini	52	3.84	
4	20A04402T	Communication Systems	Mr. B. Madhu	52	4.01	
5	20A04403T	Linear and Digital IC Applications	Mr. V. E. Neela Rao	52	3.76	
6	20A04303P	Digital Logic Design Laboratory	Mrs. S. V. Moulika & Mrs. K. Saranya Reddy	52	3.64	
7	20A04402P	Communication Systems Laboratory	Mr. M. Kondaiah & Mr. B. Madhu	52	3.94	
8	20A04403P	Linear and Digital IC Applications Laboratory	Mr. V. E. Neela Rao & Mrs. N. Bhargavi	52	3.77	
9	20A52401	Soft Skills	Mr. M. Hemachandra	52	4.05	
10	20A99401	Design Thinking for Innovation	Mr. B. Srikanth	52	3.21	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	52	3.58	

[Signature]

IQAC CO-ORDINATOR
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

[Signature]

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Probability Theory & Stochastic Processes -
20A54403

Sem: II- II

Course Faculty: Mr. V. Sunil Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	2	2	19	15	14	3.71
2	Breadth of conceptual clarity	52	2	2	18	16	14	3.73
3	Evaluation Scheme	52	2	1	20	14	15	3.75
4	Involvement of Faculty	52	2	2	18	13	17	3.79
5	Overall effectiveness of the course	52	2	3	16	16	15	3.75
6	Preparedness of the faculty	52	2	1	19	15	15	3.77
7	Quality of Interaction	52	3	2	16	15	16	3.75
8	Quality of Rigor	52	2	2	17	15	16	3.79
9	Sequencing of the topics	52	2	2	18	15	15	3.75
10	Style of topic delivery	52	2	1	20	14	15	3.75
11	Time allotted for each topic	52	2	1	19	14	16	3.79
12	Value addition provided by the Course	52	2	1	20	14	15	3.75
13	Standards of Assessment system	52	2	2	18	14	16	3.77
14	Quality of teaching	52	2	1	20	14	15	3.75

AVG	3.76

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Digital Logic Design - 20A04303T

Sem: II- II

Course Faculty: Mrs. S. V. Moulika

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	1	6	24	12	9	3.42
2	Breadth of conceptual clarity	52	1	8	22	11	10	3.40
3	Evaluation Scheme	52	1	7	22	14	8	3.40
4	Involvement of Faculty	52	1	9	21	11	10	3.38
5	Overall effectiveness of the course	52	1	6	26	11	8	3.37
6	Preparedness of the faculty	52	1	5	25	11	10	3.46
7	Quality of Interaction	52	1	8	23	10	10	3.38
8	Quality of Rigor	52	1	7	23	9	12	3.46
9	Sequencing of the topics	52	1	7	22	12	10	3.44
10	Style of topic delivery	52	1	7	21	11	12	3.50
11	Time allotted for each topic	52	1	7	24	9	11	3.42
12	Value addition provided by the Course	52	1	8	23	9	11	3.40
13	Standards of Assessment system	52	1	5	25	10	11	3.48
14	Quality of teaching	52	1	10	22	8	11	3.35

AVG	3.42

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: EM Waves and Transmission Lines -
20A04401

Sem: II- II

Course Faculty: Mrs. Ch. Yamini

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	5	16	14	17	3.83
2	Breadth of conceptual clarity	52	0	5	15	14	18	3.87
3	Evaluation Scheme	52	0	5	16	14	17	3.83
4	Involvement of Faculty	52	0	6	14	13	19	3.87
5	Overall effectiveness of the course	52	0	4	17	15	16	3.83
6	Preparedness of the faculty	52	0	7	13	13	19	3.85
7	Quality of Interaction	52	0	6	15	14	17	3.81
8	Quality of Rigor	52	1	4	16	14	17	3.81
9	Sequencing of the topics	52	1	5	15	14	17	3.79
10	Style of topic delivery	52	1	4	16	13	18	3.83
11	Time allotted for each topic	52	1	4	15	14	18	3.85
12	Value addition provided by the Course	52	1	3	17	12	19	3.87
13	Standards of Assessment system	52	1	5	13	17	16	3.81
14	Quality of teaching	52	1	3	14	15	19	3.92

AVG 3.84

Ch. Yamini

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-10, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

P. Venkatesh

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Communication Systems -
20A04402T

Sem: II- II

Course Faculty: Mr. B. Madhu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	4	15	10	23	4.00
2	Breadth of conceptual clarity	52	0	2	19	8	23	4.00
3	Evaluation Scheme	52	0	4	15	9	24	4.02
4	Involvement of Faculty	52	0	2	17	8	25	4.08
5	Overall effectiveness of the course	52	0	2	16	9	25	4.10
6	Preparedness of the faculty	52	0	1	19	9	23	4.04
7	Quality of Interaction	52	0	3	17	10	22	3.98
8	Quality of Rigor	52	0	1	19	10	22	4.02
9	Sequencing of the topics	52	0	3	17	12	20	3.94
10	Style of topic delivery	52	0	3	16	10	23	4.02
11	Time allotted for each topic	52	0	4	16	10	22	3.96
12	Value addition provided by the Course	52	0	2	18	9	23	4.02
13	Standards of Assessment system	52	0	3	16	13	20	3.96
14	Quality of teaching	52	0	3	15	11	23	4.04

AVG 4.01

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Linear and Digital IC Applications - 20A04403T

Sem: II- II

Course Faculty: Mr. V. E. Neela Rao

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	5	20	15	12	3.65
2	Breadth of conceptual clarity	52	0	3	22	15	12	3.69
3	Evaluation Scheme	52	0	3	21	16	12	3.71
4	Involvement of Faculty	52	0	3	19	17	13	3.77
5	Overall effectiveness of the course	52	0	4	21	14	13	3.69
6	Preparedness of the faculty	52	0	3	18	16	15	3.83
7	Quality of Interaction	52	0	2	21	17	12	3.75
8	Quality of Rigor	52	0	2	20	16	14	3.81
9	Sequencing of the topics	52	0	2	21	15	14	3.79
10	Style of topic delivery	52	0	2	18	17	15	3.87
11	Time allotted for each topic	52	0	4	19	16	13	3.73
12	Value addition provided by the Course	52	0	4	17	16	15	3.81
13	Standards of Assessment system	52	0	6	16	16	14	3.73
14	Quality of teaching	52	0	3	19	15	15	3.81

AVG 3.76

IQAC Co-ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Digital Logic Design Laboratory -
20A04303P

Sem: II- II

Course Faculty: Mrs. S. V. Moulika & Mrs. K. Saranya Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	1	4	21	12	14	3.65
2	Breadth of conceptual clarity	52	1	4	21	13	13	3.63
3	Evaluation Scheme	52	1	5	20	13	13	3.62
4	Involvement of Faculty	52	1	5	20	13	13	3.62
5	Overall effectiveness of the course	52	1	6	21	10	14	3.58
6	Preparedness of the faculty	52	1	5	20	13	13	3.62
7	Quality of Interaction	52	1	4	22	10	15	3.65
8	Quality of Rigor	52	1	4	20	14	13	3.65
9	Sequencing of the topics	52	1	4	20	12	15	3.69
10	Style of topic delivery	52	1	4	19	14	14	3.69
11	Time allotted for each topic	52	1	5	18	14	14	3.67
12	Value addition provided by the Course	52	1	6	19	12	14	3.62
13	Standards of Assessment system	52	1	4	18	15	14	3.71
14	Quality of teaching	52	1	6	18	14	13	3.62

AVG 3.64

Tille

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Perreddy

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Communication Systems Laboratory - 20A04402P

Sem: II- II

Course Faculty: Mr. M. Kondaiah & Mr. B. Madhu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	4	15	13	20	3.94
2	Breadth of conceptual clarity	52	0	4	15	14	19	3.92
3	Evaluation Scheme	52	0	3	16	14	19	3.94
4	Involvement of Faculty	52	0	3	15	16	18	3.94
5	Overall effectiveness of the course	52	0	4	14	15	19	3.94
6	Preparedness of the faculty	52	0	5	12	17	18	3.92
7	Quality of Interaction	52	0	3	14	16	19	3.98
8	Quality of Rigor	52	0	4	13	20	15	3.88
9	Sequencing of the topics	52	0	3	13	18	18	3.98
10	Style of topic delivery	52	0	3	13	20	16	3.94
11	Time allotted for each topic	52	0	4	12	16	20	4.00
12	Value addition provided by the Course	52	0	4	13	17	18	3.94
13	Standards of Assessment system	52	0	4	14	17	17	3.90
14	Quality of teaching	52	0	4	13	17	18	3.94

AVG 3.94

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Linear and Digital IC Applications Laboratory -
20A04403P

Sem: II- II

Course Faculty: Mr. V. E. Neela Rao & Mrs. N. Bhargavi

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	3	21	12	16	3.79
2	Breadth of conceptual clarity	52	0	3	21	12	16	3.79
3	Evaluation Scheme	52	0	4	20	12	16	3.77
4	Involvement of Faculty	52	0	5	20	13	14	3.69
5	Overall effectiveness of the course	52	0	5	19	14	14	3.71
6	Preparedness of the faculty	52	0	5	20	10	17	3.75
7	Quality of Interaction	52	0	4	19	14	15	3.77
8	Quality of Rigor	52	0	5	20	11	16	3.73
9	Sequencing of the topics	52	0	4	20	14	14	3.73
10	Style of topic delivery	52	0	4	19	12	17	3.81
11	Time allotted for each topic	52	0	3	21	13	15	3.77
12	Value addition provided by the Course	52	0	5	17	12	18	3.83
13	Standards of Assessment system	52	0	4	19	13	16	3.79
14	Quality of teaching	52	0	4	19	12	17	3.81

AVG 3.77

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Soft Skills - 20A52401

Sem: II- II

Course Faculty: Mr. M. Hemachandra

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	0	4	10	18	20	4.04
2	Breadth of conceptual clarity	52	0	4	9	18	21	4.08
3	Evaluation Scheme	52	0	4	9	18	21	4.08
4	Involvement of Faculty	52	0	4	9	18	21	4.08
5	Overall effectiveness of the course	52	0	3	11	18	20	4.06
6	Preparedness of the faculty	52	0	4	11	17	20	4.02
7	Quality of Interaction	52	0	4	11	15	22	4.06
8	Quality of Rigor	52	0	4	13	15	20	3.98
9	Sequencing of the topics	52	0	4	11	17	20	4.02
10	Style of topic delivery	52	0	2	14	14	22	4.08
11	Time allotted for each topic	52	0	2	13	17	20	4.06
12	Value addition provided by the Course	52	0	3	13	15	21	4.04
13	Standards of Assessment system	52	0	4	11	18	19	4.00
14	Quality of teaching	52	0	2	14	15	21	4.06

AVG 4.05

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mr. B. Srikanth

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	3	8	23	11	7	3.21
2	Breadth of conceptual clarity	52	3	10	21	11	7	3.17
3	Evaluation Scheme	52	3	10	22	9	8	3.17
4	Involvement of Faculty	52	5	6	21	14	6	3.19
5	Overall effectiveness of the course	52	3	9	22	12	6	3.17
6	Preparedness of the faculty	52	4	7	20	13	8	3.27
7	Quality of Interaction	52	4	8	22	11	7	3.17
8	Quality of Rigor	52	4	6	23	14	5	3.19
9	Sequencing of the topics	52	5	6	21	12	8	3.23
10	Style of topic delivery	52	4	6	22	12	8	3.27
11	Time allotted for each topic	52	4	7	24	10	7	3.17
12	Value addition provided by the Course	52	3	7	22	11	9	3.31
13	Standards of Assessment system	52	3	7	25	10	7	3.21
14	Quality of teaching	52	4	7	22	11	8	3.23

AVG 3.21

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: II- II

Course Faculty: Mrs. K. Sujitha

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	52	2	2	22	15	11	3.60
2	Breadth of conceptual clarity	52	2	2	20	17	11	3.63
3	Evaluation Scheme	52	2	1	22	15	12	3.65
4	Involvement of Faculty	52	2	2	20	16	12	3.65
5	Overall effectiveness of the course	52	2	1	23	14	12	3.63
6	Preparedness of the faculty	52	2	3	21	14	12	3.60
7	Quality of Interaction	52	2	3	21	17	9	3.54
8	Quality of Rigor	52	2	4	19	15	12	3.60
9	Sequencing of the topics	52	2	4	19	17	10	3.56
10	Style of topic delivery	52	2	3	21	15	11	3.58
11	Time allotted for each topic	52	2	3	20	18	9	3.56
12	Value addition provided by the Course	52	3	3	20	15	11	3.54
13	Standards of Assessment system	52	3	3	20	16	10	3.52
14	Quality of teaching	52	3	4	20	15	10	3.48
15	Training was relevant to my needs and fulfilled expectations	52	1	1	28	11	11	3.58
16	Content was well explained & solved	52	1	3	23	15	10	3.58
17	Training met my Expectations in practice sessions	52	1	3	25	11	12	3.58
18	Doubts raised were appropriately clarified	52	1	3	25	12	11	3.56
19	Training was effective for attending the interview	52	1	3	28	7	13	3.54

AVG 3.58

[Signature]

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali S.P.S.R. Nellore Dist.

[Signature]

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Sem: II- II

Date: 15-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A54402	Numerical Methods & Probability Theory	Dr. SK. Masthan	32	4.55	
2	20A04404T	Analog Electronic Circuits	Dr. CH. Amamatha Sarma	32	3.56	
3	20A02401T	Power Electronics	Mr. S.Ezra	32	4.19	
4	20A02402T	AC Machines	Mr. P. V. Ramkumar	32	3.96	
5	20A02403T	Electromagnetic Field Theory	Dr. V. Raveendra Reddy	32	3.44	
6	20A04404P	Analog Electronic Circuits Laboratory	Mr. M. Kondaiah	32	3.91	
7	20A02401P	Power Electronics Laboratory	Mr. S. Ezra & Mr. CH. Lenin Babu	32	4.04	
8	20A02402P	AC Machines Laboratory	Mr. P. V. Ramkumar & Mr. S. Ezra	32	3.99	
9	20A02404	Circuits Simulation & Analysis using PSPICE	Dr. V. Raveendra Reddy	32	3.71	
10	20A99401	Design Thinking for Innovation	Mrs. KVS Gayathri	32	4.26	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	32	3.85	

[Signature]

IQAC CO-ORDINATOR
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist

[Signature]

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Numerical Methods & Probability Theory -
20A54402

Sem: II- II

Course Faculty: Dr. SK. Masthan

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	0	2	5	24	4.59
2	Breadth of conceptual clarity	32	1	0	2	7	22	4.53
3	Evaluation Scheme	32	1	0	2	6	23	4.56
4	Involvement of Faculty	32	1	0	2	6	23	4.56
5	Overall effectiveness of the course	32	1	0	2	5	24	4.59
6	Preparedness of the faculty	32	1	0	3	4	24	4.56
7	Quality of Interaction	32	1	0	3	5	23	4.53
8	Quality of Rigor	32	1	0	3	5	23	4.53
9	Sequencing of the topics	32	1	0	3	6	22	4.50
10	Style of topic delivery	32	1	0	3	4	24	4.56
11	Time allotted for each topic	32	1	0	3	4	24	4.56
12	Value addition provided by the Course	32	1	0	3	5	23	4.53
13	Standards of Assessment system	32	1	0	3	6	22	4.50
14	Quality of teaching	32	1	0	3	4	24	4.56

AVG 4.55

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Analog Electronic Circuits - 20A04404T

Sem: II- II

Course Faculty: Dr. CH. Amarnatha Sarma

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	2	13	11	5	3.53
2	Breadth of conceptual clarity	32	1	3	11	10	7	3.59
3	Evaluation Scheme	32	1	2	14	10	5	3.50
4	Involvement of Faculty	32	1	2	13	8	8	3.63
5	Overall effectiveness of the course	32	1	2	12	11	6	3.59
6	Preparedness of the faculty	32	1	2	13	8	8	3.63
7	Quality of Interaction	32	2	1	13	9	7	3.56
8	Quality of Rigor	32	1	2	14	9	6	3.53
9	Sequencing of the topics	32	1	2	11	12	6	3.63
10	Style of topic delivery	32	1	2	14	9	6	3.53
11	Time allotted for each topic	32	1	2	15	9	5	3.47
12	Value addition provided by the Course	32	1	4	12	9	6	3.47
13	Standards of Assessment system	32	1	3	11	12	5	3.53
14	Quality of teaching	32	1	2	11	10	8	3.69

AVG	3.56

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Power Electronics -
20A02401T

Sem: II- II

Course Faculty: Mr. S.Ezra

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	1	6	10	14	4.09
2	Breadth of conceptual clarity	32	0	2	6	11	13	4.09
3	Evaluation Scheme	32	1	0	6	9	16	4.22
4	Involvement of Faculty	32	0	2	5	10	15	4.19
5	Overall effectiveness of the course	32	1	0	7	9	15	4.16
6	Preparedness of the faculty	32	0	2	5	10	15	4.19
7	Quality of Interaction	32	1	0	6	11	14	4.16
8	Quality of Rigor	32	0	2	5	10	15	4.19
9	Sequencing of the topics	32	1	0	8	8	15	4.13
10	Style of topic delivery	32	0	2	5	8	17	4.25
11	Time allotted for each topic	32	1	0	6	8	17	4.25
12	Value addition provided by the Course	32	0	2	5	9	16	4.22
13	Standards of Assessment system	32	1	0	6	8	17	4.25
14	Quality of teaching	32	1	1	5	7	18	4.25

AVG 4.19

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: AC Machines -
20A02402T

Sem: II- II

Course Faculty: Mr. P. V. Ramkumar

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	1	6	12	12	4.03
2	Breadth of conceptual clarity	32	1	3	6	12	10	3.84
3	Evaluation Scheme	32	1	1	7	10	13	4.03
4	Involvement of Faculty	32	1	2	6	11	12	3.97
5	Overall effectiveness of the course	32	1	1	6	11	13	4.06
6	Preparedness of the faculty	32	1	2	4	15	10	3.97
7	Quality of Interaction	32	1	1	6	14	10	3.97
8	Quality of Rigor	32	1	3	7	11	10	3.81
9	Sequencing of the topics	32	1	1	8	10	12	3.97
10	Style of topic delivery	32	1	2	7	13	9	3.84
11	Time allotted for each topic	32	1	2	6	10	13	4.00
12	Value addition provided by the Course	32	1	3	6	11	11	3.88
13	Standards of Assessment system	32	1	1	6	11	13	4.06
14	Quality of teaching	32	1	3	4	13	11	3.94

AVG 3.96

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Electromagnetic Field Theory - 20A02403T

Sem: II- II

Course Faculty: Dr. V. Raveendra Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	4	3	9	8	8	3.41
2	Breadth of conceptual clarity	32	4	3	9	8	8	3.41
3	Evaluation Scheme	32	4	3	11	7	7	3.31
4	Involvement of Faculty	32	4	3	8	10	7	3.41
5	Overall effectiveness of the course	32	4	2	12	6	8	3.38
6	Preparedness of the faculty	32	4	4	8	8	8	3.38
7	Quality of Interaction	32	4	2	11	7	8	3.41
8	Quality of Rigor	32	4	3	9	9	7	3.38
9	Sequencing of the topics	32	4	2	9	6	11	3.56
10	Style of topic delivery	32	4	3	9	8	8	3.41
11	Time allotted for each topic	32	4	2	8	7	11	3.59
12	Value addition provided by the Course	32	4	2	10	6	10	3.50
13	Standards of Assessment system	32	4	3	7	9	9	3.50
14	Quality of teaching	32	4	3	7	8	10	3.53

AVG 3.44

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Analog Electronic Circuits Laboratory -
20A04404P

Sem: II- II

Course Faculty: Mr. M. Kondaiah

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	2	0	10	9	11	3.84
2	Breadth of conceptual clarity	32	1	1	8	10	12	3.97
3	Evaluation Scheme	32	1	1	10	9	11	3.88
4	Involvement of Faculty	32	1	0	9	8	14	4.06
5	Overall effectiveness of the course	32	1	1	9	10	11	3.91
6	Preparedness of the faculty	32	1	1	10	10	10	3.84
7	Quality of Interaction	32	1	0	11	11	9	3.84
8	Quality of Rigor	32	1	1	10	9	11	3.88
9	Sequencing of the topics	32	1	0	9	11	11	3.97
10	Style of topic delivery	32	1	1	9	9	12	3.94
11	Time allotted for each topic	32	1	0	10	11	10	3.91
12	Value addition provided by the Course	32	1	0	11	10	10	3.88
13	Standards of Assessment system	32	1	0	9	11	11	3.97
14	Quality of teaching	32	1	1	10	9	11	3.88

AVG 3.91

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Power Electronics Laboratory - 20A02401P

Sem: II- II

Course Faculty: Mr. S. Ezra & Mr. CH. Lenin Babu

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	0	9	10	12	4.00
2	Breadth of conceptual clarity	32	1	1	8	11	11	3.94
3	Evaluation Scheme	32	1	0	9	10	12	4.00
4	Involvement of Faculty	32	1	1	7	11	12	4.00
5	Overall effectiveness of the course	32	1	0	8	9	14	4.09
6	Preparedness of the faculty	32	1	0	8	11	12	4.03
7	Quality of Interaction	32	1	0	8	9	14	4.09
8	Quality of Rigor	32	1	0	7	13	11	4.03
9	Sequencing of the topics	32	1	0	9	8	14	4.06
10	Style of topic delivery	32	1	0	7	12	12	4.06
11	Time allotted for each topic	32	1	0	8	9	14	4.09
12	Value addition provided by the Course	32	1	0	8	12	11	4.00
13	Standards of Assessment system	32	1	0	9	8	14	4.06
14	Quality of teaching	32	1	0	9	8	14	4.06

AVG 4.04

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: AC Machines Laboratory - 20A02402P

Sem: II- II

Course Faculty: Mr. P. V. Ramkumar & Mr. S. Ezra

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	0	10	9	12	3.97
2	Breadth of conceptual clarity	32	1	1	7	11	12	4.00
3	Evaluation Scheme	32	1	1	9	9	12	3.94
4	Involvement of Faculty	32	1	0	8	10	13	4.06
5	Overall effectiveness of the course	32	1	1	9	8	13	3.97
6	Preparedness of the faculty	32	1	0	7	11	13	4.09
7	Quality of Interaction	32	1	1	9	9	12	3.94
8	Quality of Rigor	32	1	0	8	12	11	4.00
9	Sequencing of the topics	32	1	1	8	11	11	3.94
10	Style of topic delivery	32	1	0	9	10	12	4.00
11	Time allotted for each topic	32	1	1	7	9	14	4.06
12	Value addition provided by the Course	32	1	0	10	10	11	3.94
13	Standards of Assessment system	32	1	1	9	9	12	3.94
14	Quality of teaching	32	1	0	8	12	11	4.00

AVG 3.99

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Circuits Simulation & Analysis using PSPICE - 20A0240 Sem: II- II

Course Faculty: Dr. V. Raveendra Reddy

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	2	2	9	11	8	3.66
2	Breadth of conceptual clarity	32	2	3	6	14	7	3.66
3	Evaluation Scheme	32	2	2	8	12	8	3.69
4	Involvement of Faculty	32	2	3	6	11	10	3.75
5	Overall effectiveness of the course	32	2	2	8	11	9	3.72
6	Preparedness of the faculty	32	2	3	8	10	9	3.66
7	Quality of Interaction	32	2	2	8	10	10	3.75
8	Quality of Rigor	32	2	3	6	12	9	3.72
9	Sequencing of the topics	32	2	2	8	12	8	3.69
10	Style of topic delivery	32	2	3	7	10	10	3.72
11	Time allotted for each topic	32	2	2	8	10	10	3.75
12	Value addition provided by the Course	32	2	3	6	13	8	3.69
13	Standards of Assessment system	32	2	2	8	11	9	3.72
14	Quality of teaching	32	2	3	6	9	12	3.81

AVG 3.71

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R, Nellore-Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Design Thinking for Innovation - 20A99401

Sem: II- II

Course Faculty: Mrs. KVS Gayathri

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	1	0	6	10	15	4.19
2	Breadth of conceptual clarity	32	1	0	5	10	16	4.25
3	Evaluation Scheme	32	1	0	6	9	16	4.22
4	Involvement of Faculty	32	1	0	5	10	16	4.25
5	Overall effectiveness of the course	32	1	0	6	9	16	4.22
6	Preparedness of the faculty	32	1	0	5	10	16	4.25
7	Quality of Interaction	32	1	0	6	9	16	4.22
8	Quality of Rigor	32	1	0	5	11	15	4.22
9	Sequencing of the topics	32	1	0	6	8	17	4.25
10	Style of topic delivery	32	1	0	4	9	18	4.34
11	Time allotted for each topic	32	1	0	5	7	19	4.34
12	Value addition provided by the Course	32	1	0	6	9	16	4.22
13	Standards of Assessment system	32	1	0	5	7	19	4.34
14	Quality of teaching	32	1	0	4	8	19	4.38

AVG 4.26

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: EEE

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: II- II

Course Faculty: Mrs. K. Sujitha

Date: 15-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	32	0	1	11	12	8	3.84
2	Breadth of conceptual clarity	32	0	2	10	12	8	3.81
3	Evaluation Scheme	32	0	1	14	8	9	3.78
4	Involvement of Faculty	32	0	2	8	14	8	3.88
5	Overall effectiveness of the course	32	0	2	12	8	10	3.81
6	Preparedness of the faculty	32	0	2	11	12	7	3.75
7	Quality of Interaction	32	1	1	13	7	10	3.75
8	Quality of Rigor	32	0	2	11	12	7	3.75
9	Sequencing of the topics	32	0	2	14	7	9	3.72
10	Style of topic delivery	32	0	2	13	7	10	3.78
11	Time allotted for each topic	32	0	1	13	8	10	3.84
12	Value addition provided by the Course	32	0	1	12	11	8	3.81
13	Standards of Assessment system	32	0	1	15	8	8	3.72
14	Quality of teaching	32	0	2	9	10	11	3.94
15	Training was relevant to my needs and fulfilled expectations	32	0	0	10	11	11	4.03
16	Content was well explained & solved	32	0	1	9	11	11	4.00
17	Training met my Expectations in practice sessions	32	0	0	10	12	10	4.00
18	Doubts raised were appropriately clarified	32	0	1	11	9	11	3.94
19	Training was effective for attending the interview	32	0	0	9	12	11	4.06

AVG 3.85

[Signature]

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Sem: III- II

Date: 23-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05601T	Compiler Design	Mr. Sk. Badulla	40	4.11	
2	20A05602T	Machine Learning	Ms. B. Sushma Yamini	40	4.00	
3	20A05604a	Software Testing	Mrs. K. Lilly Grace Mary	40	4.17	
4	20A05603T	Internet of Things	Mr. D. V. Sai Kishore	40	4.43	
5	20A01605	Environmental Economics	Mr. A. V. Ramamurthy	40	4.14	
6	20A05601P	Compiler Design Laboratory	Mr. V. Sreenadh & Ms. B. Sushma Yamini	40	3.92	
7	20A05602P	Machine Learning Laboratory	Mr. V. Sreenadh & Ms. B. Sushma Yamini	40	3.84	
8	20A05603P	Internet of Things Laboratory	Mr. D. V. Sai Kishore & Dr. Ch. Amarnatha Sarma	40	4.35	
9	20A52401	Soft Skills	Mr. M. Hemachandra	40	3.98	
10	20A99601	Intellectual Property Rights & Patents	Mr. K. Rama Mohan Reddy	40	3.56	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	40	3.73	
12	-	Soft Skill Training (PTO)	Mr. Syed Mujahid	40	3.82	

[Signature]

IQAC CO-ORDINATOR

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Compiler Design -
20A05601T

Sem: III- II

Course Faculty: Mr. Sk. Badulla

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	1	11	10	18	4.13
2	Breadth of conceptual clarity	40	0	2	12	11	15	3.98
3	Evaluation Scheme	40	0	1	13	10	16	4.03
4	Involvement of Faculty	40	0	1	9	13	17	4.15
5	Overall effectiveness of the course	40	0	2	11	10	17	4.05
6	Preparedness of the faculty	40	0	1	10	12	17	4.13
7	Quality of Interaction	40	0	1	12	7	20	4.15
8	Quality of Rigor	40	0	2	11	7	20	4.13
9	Sequencing of the topics	40	0	2	12	5	21	4.13
10	Style of topic delivery	40	0	0	13	10	17	4.10
11	Time allotted for each topic	40	0	2	9	9	20	4.18
12	Value addition provided by the Course	40	0	1	12	9	18	4.10
13	Standards of Assessment system	40	0	2	10	6	22	4.20
14	Quality of teaching	40	0	0	12	10	18	4.15

AVG 4.11

[Signature]

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142.

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Machine Learning - 20A05602T

Sem: III- II

Course Faculty: Ms. B. Sushma Yamini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	1	3	12	6	18	3.93
2	Breadth of conceptual clarity	40	1	2	12	5	20	4.03
3	Evaluation Scheme	40	1	3	14	6	16	3.83
4	Involvement of Faculty	40	0	4	10	5	21	4.08
5	Overall effectiveness of the course	40	0	3	13	5	19	4.00
6	Preparedness of the faculty	40	1	2	13	7	17	3.93
7	Quality of Interaction	40	0	4	13	3	20	3.98
8	Quality of Rigor	40	0	4	10	6	20	4.05
9	Sequencing of the topics	40	0	2	14	4	20	4.05
10	Style of topic delivery	40	0	4	11	7	18	3.98
11	Time allotted for each topic	40	0	3	12	6	19	4.03
12	Value addition provided by the Course	40	0	2	11	9	18	4.08
13	Standards of Assessment system	40	0	2	13	7	18	4.03
14	Quality of teaching	40	0	2	12	7	19	4.08

AVG 4.00

[Signature]

IQAC Co-Ordinator
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Software Testing -
20A05604a

Sem: III- II

Course Faculty: Mrs. K. Lilly Grace Mary

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	1	12	6	21	4.18
2	Breadth of conceptual clarity	40	0	1	10	10	19	4.18
3	Evaluation Scheme	40	0	3	10	9	18	4.05
4	Involvement of Faculty	40	0	1	10	8	21	4.23
5	Overall effectiveness of the course	40	0	3	8	8	21	4.18
6	Preparedness of the faculty	40	0	1	10	8	21	4.23
7	Quality of Interaction	40	0	1	11	7	21	4.20
8	Quality of Rigor	40	0	0	11	8	21	4.25
9	Sequencing of the topics	40	0	1	11	10	18	4.13
10	Style of topic delivery	40	0	1	10	10	19	4.18
11	Time allotted for each topic	40	0	1	10	11	18	4.15
12	Value addition provided by the Course	40	0	2	11	12	15	4.00
13	Standards of Assessment system	40	0	2	9	8	21	4.20
14	Quality of teaching	40	0	1	10	9	20	4.20

AVG	4.17

IQAC Co-Ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Internet of Things -
20A05603T

Sem: III- II

Course Faculty: Mr. D. V. Sai Kishore

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	0	9	3	28	4.48
2	Breadth of conceptual clarity	40	0	1	8	5	26	4.40
3	Evaluation Scheme	40	0	2	7	3	28	4.43
4	Involvement of Faculty	40	0	1	8	6	25	4.38
5	Overall effectiveness of the course	40	0	1	8	4	27	4.43
6	Preparedness of the faculty	40	0	2	7	4	27	4.40
7	Quality of Interaction	40	0	3	6	4	27	4.38
8	Quality of Rigor	40	0	2	7	3	28	4.43
9	Sequencing of the topics	40	0	0	9	2	29	4.50
10	Style of topic delivery	40	0	0	9	5	26	4.43
11	Time allotted for each topic	40	0	0	9	5	26	4.43
12	Value addition provided by the Course	40	0	2	7	3	28	4.43
13	Standards of Assessment system	40	0	1	9	3	27	4.40
14	Quality of teaching	40	0	0	9	2	29	4.50

AVG	4.43

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Environmental Economics - 20A01605

Sem: III- II

Course Faculty: Mr. A. V. Ramamurthy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	2	1	10	6	21	4.08
2	Breadth of conceptual clarity	40	0	3	7	10	20	4.18
3	Evaluation Scheme	40	0	2	10	7	21	4.18
4	Involvement of Faculty	40	1	3	8	10	18	4.03
5	Overall effectiveness of the course	40	1	4	9	7	19	3.98
6	Preparedness of the faculty	40	0	2	9	7	22	4.23
7	Quality of Interaction	40	1	1	11	8	19	4.08
8	Quality of Rigor	40	1	0	12	10	17	4.05
9	Sequencing of the topics	40	0	3	9	8	20	4.13
10	Style of topic delivery	40	0	3	8	8	21	4.18
11	Time allotted for each topic	40	0	2	10	10	18	4.10
12	Value addition provided by the Course	40	1	1	8	7	23	4.25
13	Standards of Assessment system	40	0	2	9	7	22	4.23
14	Quality of teaching	40	0	2	8	8	22	4.25

AVG	4.14

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Compiler Design Laboratory -
20A05601P

Sem: III-II

Course Faculty: Mr. V. Sreenadh & Ms. B. Sushma Yamini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	2	14	5	19	4.03
2	Breadth of conceptual clarity	40	0	4	12	7	17	3.93
3	Evaluation Scheme	40	0	2	16	5	17	3.93
4	Involvement of Faculty	40	0	5	12	7	16	3.85
5	Overall effectiveness of the course	40	0	3	16	4	17	3.88
6	Preparedness of the faculty	40	0	4	12	7	17	3.93
7	Quality of Interaction	40	1	3	15	4	17	3.83
8	Quality of Rigor	40	0	4	13	5	18	3.93
9	Sequencing of the topics	40	0	3	16	3	18	3.90
10	Style of topic delivery	40	0	4	12	6	18	3.95
11	Time allotted for each topic	40	0	2	15	6	17	3.95
12	Value addition provided by the Course	40	0	4	11	9	16	3.93
13	Standards of Assessment system	40	0	4	12	7	17	3.93
14	Quality of teaching	40	0	3	12	7	18	4.00

AVG	3.92

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Machine Learning Laboratory - 20A05602P

Sem: III- II

Course Faculty: Mr. V. Sreenadh & Ms. B. Sushma Yamini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	1	3	15	4	17	3.83
2	Breadth of conceptual clarity	40	1	5	13	3	18	3.80
3	Evaluation Scheme	40	1	5	13	4	17	3.78
4	Involvement of Faculty	40	2	3	13	6	16	3.78
5	Overall effectiveness of the course	40	1	3	13	7	16	3.85
6	Preparedness of the faculty	40	1	3	12	9	15	3.85
7	Quality of Interaction	40	2	4	12	4	18	3.80
8	Quality of Rigor	40	1	5	11	7	16	3.80
9	Sequencing of the topics	40	1	4	12	5	18	3.88
10	Style of topic delivery	40	2	4	11	6	17	3.80
11	Time allotted for each topic	40	1	3	14	5	17	3.85
12	Value addition provided by the Course	40	1	4	11	6	18	3.90
13	Standards of Assessment system	40	2	2	13	6	17	3.85
14	Quality of teaching	40	1	5	8	7	19	3.95

AVG	3.84

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Internet of Things Laboratory - 20A05603P

Sem: III- II

Course Faculty: Mr. D. V. Sai Kishore & Dr. Ch. Amarnatha Sarma

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	0	8	8	24	4.40
2	Breadth of conceptual clarity	40	0	1	7	7	25	4.40
3	Evaluation Scheme	40	0	2	6	7	25	4.38
4	Involvement of Faculty	40	0	1	8	6	25	4.38
5	Overall effectiveness of the course	40	0	1	7	8	24	4.38
6	Preparedness of the faculty	40	0	2	7	4	27	4.40
7	Quality of Interaction	40	0	2	6	9	23	4.33
8	Quality of Rigor	40	0	3	7	7	23	4.25
9	Sequencing of the topics	40	0	1	8	11	20	4.25
10	Style of topic delivery	40	0	1	8	7	24	4.35
11	Time allotted for each topic	40	0	0	9	7	24	4.38
12	Value addition provided by the Course	40	0	1	7	10	22	4.33
13	Standards of Assessment system	40	0	1	7	9	23	4.35
14	Quality of teaching	40	0	1	7	8	24	4.38

AVG	4.35

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Soft Skills - 20A52401

Sem: III- II

Course Faculty: Mr. M. Hemachandra

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	0	16	8	16	4.00
2	Breadth of conceptual clarity	40	0	2	13	8	17	4.00
3	Evaluation Scheme	40	0	0	17	7	16	3.98
4	Involvement of Faculty	40	0	1	14	9	16	4.00
5	Overall effectiveness of the course	40	0	1	15	7	17	4.00
6	Preparedness of the faculty	40	0	2	13	11	14	3.93
7	Quality of Interaction	40	0	3	13	9	15	3.90
8	Quality of Rigor	40	0	3	11	9	17	4.00
9	Sequencing of the topics	40	0	2	15	8	15	3.90
10	Style of topic delivery	40	0	3	12	8	17	3.98
11	Time allotted for each topic	40	0	3	12	10	15	3.93
12	Value addition provided by the Course	40	1	1	11	9	18	4.05
13	Standards of Assessment system	40	1	2	11	10	16	3.95
14	Quality of teaching	40	1	1	11	7	20	4.10

AVG 3.98

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Mr. K. Rama Mohan Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	4	2	16	7	11	3.48
2	Breadth of conceptual clarity	40	4	4	10	9	13	3.58
3	Evaluation Scheme	40	3	4	14	7	12	3.53
4	Involvement of Faculty	40	3	4	13	7	13	3.58
5	Overall effectiveness of the course	40	4	3	12	8	13	3.58
6	Preparedness of the faculty	40	3	3	12	9	13	3.65
7	Quality of Interaction	40	4	4	11	9	12	3.53
8	Quality of Rigor	40	3	4	12	8	13	3.60
9	Sequencing of the topics	40	2	5	13	4	16	3.68
10	Style of topic delivery	40	3	3	15	9	10	3.50
11	Time allotted for each topic	40	2	6	12	7	13	3.58
12	Value addition provided by the Course	40	3	4	12	8	13	3.60
13	Standards of Assessment system	40	3	5	11	7	14	3.60
14	Quality of teaching	40	4	5	13	7	11	3.40

AVG 3.56

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: III- II

Course Faculty: Mrs. K. Sujitha

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	1	3	14	7	15	3.80
2	Breadth of conceptual clarity	40	1	5	14	5	15	3.70
3	Evaluation Scheme	40	1	3	16	7	13	3.70
4	Involvement of Faculty	40	1	5	13	8	13	3.68
5	Overall effectiveness of the course	40	1	5	14	7	13	3.65
6	Preparedness of the faculty	40	1	6	14	6	13	3.60
7	Quality of Interaction	40	2	3	14	9	12	3.65
8	Quality of Rigor	40	1	5	14	6	14	3.68
9	Sequencing of the topics	40	2	2	17	6	13	3.65
10	Style of topic delivery	40	2	3	10	12	13	3.78
11	Time allotted for each topic	40	2	4	14	7	13	3.63
12	Value addition provided by the Course	40	2	3	14	7	14	3.70
13	Standards of Assessment system	40	2	3	15	7	13	3.65
14	Quality of teaching	40	1	3	13	9	14	3.80
15	Training was relevant to my needs and fulfilled expectations	40	1	5	11	8	15	3.78
16	Content was well explained & solved	40	1	3	14	3	19	3.90
17	Training met my Expectations in practice sessions	40	1	4	12	8	15	3.80
18	Doubts raised were appropriately clarified	40	1	4	13	5	17	3.83
19	Training was effective for attending the interview	40	1	3	14	6	16	3.83

AVG 3.73


IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-A

Course Name & Code: Soft Skill Training (PTO) - -

Sem: III- II

Course Faculty: Mr. Syed Mujahid

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	40	0	4	13	7	16	3.88
2	Breadth of conceptual clarity	40	0	4	11	11	14	3.88
3	Evaluation Scheme	40	0	2	18	6	14	3.80
4	Involvement of Faculty	40	0	4	11	11	14	3.88
5	Overall effectiveness of the course	40	0	5	14	6	15	3.78
6	Preparedness of the faculty	40	0	4	11	8	17	3.95
7	Quality of Interaction	40	0	4	16	5	15	3.78
8	Quality of Rigor	40	0	6	10	10	14	3.80
9	Sequencing of the topics	40	0	4	14	7	15	3.83
10	Style of topic delivery	40	0	6	11	7	16	3.83
11	Time allotted for each topic	40	0	5	15	6	14	3.73
12	Value addition provided by the Course	40	0	6	11	8	15	3.80
13	Standards of Assessment system	40	0	3	16	5	16	3.85
14	Quality of teaching	40	0	5	12	6	17	3.88
15	Training was relevant to my needs and fulfilled expectations	40	1	2	16	5	16	3.83
16	Content was well explained & solved	40	1	3	14	7	15	3.80
17	Training met my Expectations in practice sessions	40	1	2	15	8	14	3.80
18	Doubts raised were appropriately clarified	40	1	3	13	10	13	3.78
19	Training was effective for attending the interview	40	1	3	14	6	16	3.83

AVG 3.82

[Signature]

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Sem: III- II

Date: 23-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05601T	Compiler Design	Mr. Sk. Badulla	42	4.36	
2	20A05602T	Machine Learning	Mr. V. Sreenadh	42	4.29	
3	20A05604a	Software Testing	Mrs. K. Lilly Grace Mary	42	4.39	
4	20A05603T	Internet of Things	Mr. D. V. Sai Kishore	42	4.62	
5	20A01605	Environmental Economics	Mr. Y. Kiran Kumar	42	4.16	
6	20A05601P	Compiler Design Laboratory	Mr. V. Sreenadh & Ms. B. Sushma Yamini	42	4.26	
7	20A05602P	Machine Learning Laboratory	Mr. V. Sreenadh & Ms. B. Sushma Yamini	42	4.31	
8	20A05603P	Internet of Things Laboratory	Mr. D. V. Sai Kishore & Dr. Ch. Amamatha Sarma	42	4.53	
9	20A52401	Soft Skills	Mr. M. Hemachandra	42	4.43	
10	20A99601	Intellectual Property Rights & Patents	Mr. K. Rama Mohan Reddy	42	4.01	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	42	4.01	
12	-	Soft Skill Training (PTO)	Mr. Syed Mujahid	42	3.98	

IQAC CO-ORDINATOR

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Compiler Design -
20A05601T

Sem: III-II

Course Faculty: Mr. Sk. Badulla

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	9	9	23	4.29
2	Breadth of conceptual clarity	42	0	2	5	14	21	4.29
3	Evaluation Scheme	42	1	1	7	9	24	4.29
4	Involvement of Faculty	42	1	1	5	9	26	4.38
5	Overall effectiveness of the course	42	1	0	7	12	22	4.29
6	Preparedness of the faculty	42	0	1	6	9	26	4.43
7	Quality of Interaction	42	0	1	6	7	28	4.48
8	Quality of Rigor	42	0	1	5	12	24	4.40
9	Sequencing of the topics	42	1	1	9	7	24	4.24
10	Style of topic delivery	42	0	1	5	11	25	4.43
11	Time allotted for each topic	42	0	1	8	11	22	4.29
12	Value addition provided by the Course	42	0	3	3	13	23	4.33
13	Standards of Assessment system	42	0	3	4	7	28	4.43
14	Quality of teaching	42	1	0	5	10	26	4.43

AVG	4.36

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Machine Learning - 20A05602T

Sem: III- II

Course Faculty: Mr. V. Sreenadh

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	9	11	21	4.24
2	Breadth of conceptual clarity	42	0	1	9	13	19	4.19
3	Evaluation Scheme	42	0	4	6	10	22	4.19
4	Involvement of Faculty	42	0	0	7	14	21	4.33
5	Overall effectiveness of the course	42	0	0	9	10	23	4.33
6	Preparedness of the faculty	42	0	4	5	13	20	4.17
7	Quality of Interaction	42	0	2	7	9	24	4.31
8	Quality of Rigor	42	0	1	10	11	20	4.19
9	Sequencing of the topics	42	0	2	7	6	27	4.38
10	Style of topic delivery	42	0	1	8	12	21	4.26
11	Time allotted for each topic	42	0	1	7	11	23	4.33
12	Value addition provided by the Course	42	0	0	7	13	22	4.36
13	Standards of Assessment system	42	0	0	10	10	22	4.29
14	Quality of teaching	42	0	0	6	11	25	4.45

AVG	4.29

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Software Testing -
20A05604a

Sem: III- II

Course Faculty: Mrs. K. Lilly Grace Mary

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	4	3	12	23	4.29
2	Breadth of conceptual clarity	42	0	3	6	7	26	4.33
3	Evaluation Scheme	42	0	2	5	12	23	4.33
4	Involvement of Faculty	42	0	2	4	12	24	4.38
5	Overall effectiveness of the course	42	0	2	8	8	24	4.29
6	Preparedness of the faculty	42	0	1	6	12	23	4.36
7	Quality of Interaction	42	0	0	5	11	26	4.50
8	Quality of Rigor	42	0	2	3	11	26	4.45
9	Sequencing of the topics	42	0	0	5	12	25	4.48
10	Style of topic delivery	42	0	1	5	13	23	4.38
11	Time allotted for each topic	42	0	2	4	9	27	4.45
12	Value addition provided by the Course	42	0	1	4	12	25	4.45
13	Standards of Assessment system	42	0	1	6	13	22	4.33
14	Quality of teaching	42	0	2	3	13	24	4.40

AVG	4.39


IQAC Coordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Internet of Things -
20A05603T

Sem: III- II

Course Faculty: Mr. D. V. Sai Kishore

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	5	5	31	4.57
2	Breadth of conceptual clarity	42	0	0	5	5	32	4.64
3	Evaluation Scheme	42	0	0	4	8	30	4.62
4	Involvement of Faculty	42	0	0	4	8	30	4.62
5	Overall effectiveness of the course	42	0	0	4	9	29	4.60
6	Preparedness of the faculty	42	0	0	3	11	28	4.60
7	Quality of Interaction	42	0	1	3	11	27	4.52
8	Quality of Rigor	42	0	0	5	6	31	4.62
9	Sequencing of the topics	42	0	0	4	5	33	4.69
10	Style of topic delivery	42	0	0	3	7	32	4.69
11	Time allotted for each topic	42	0	0	4	8	30	4.62
12	Value addition provided by the Course	42	0	1	4	6	31	4.60
13	Standards of Assessment system	42	0	0	5	6	31	4.62
14	Quality of teaching	42	0	0	4	4	34	4.71

AVG 4.62

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Environmental Economics - 20A01605

Sem: III- II

Course Faculty: Mr. Y. Kiran Kumar

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	2	9	12	19	4.14
2	Breadth of conceptual clarity	42	0	4	9	11	18	4.02
3	Evaluation Scheme	42	0	4	8	11	19	4.07
4	Involvement of Faculty	42	0	4	6	9	23	4.21
5	Overall effectiveness of the course	42	0	4	7	13	18	4.07
6	Preparedness of the faculty	42	0	3	9	11	19	4.10
7	Quality of Interaction	42	0	3	7	10	22	4.21
8	Quality of Rigor	42	1	1	10	10	20	4.12
9	Sequencing of the topics	42	0	2	8	10	22	4.24
10	Style of topic delivery	42	0	3	8	10	21	4.17
11	Time allotted for each topic	42	0	2	8	11	21	4.21
12	Value addition provided by the Course	42	0	2	9	11	20	4.17
13	Standards of Assessment system	42	0	4	7	7	24	4.21
14	Quality of teaching	42	0	1	9	10	22	4.26

AVG	4.16

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Compiler Design Laboratory -
20A05601P

Sem: III-II

Course Faculty: Mr. V. Sreenadh & Ms. B. Sushma Yamini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	8	13	20	4.24
2	Breadth of conceptual clarity	42	0	1	7	14	20	4.26
3	Evaluation Scheme	42	0	2	7	11	22	4.26
4	Involvement of Faculty	42	0	1	12	7	22	4.19
5	Overall effectiveness of the course	42	0	1	10	11	20	4.19
6	Preparedness of the faculty	42	0	1	11	9	21	4.19
7	Quality of Interaction	42	0	1	6	14	21	4.31
8	Quality of Rigor	42	0	2	9	9	22	4.21
9	Sequencing of the topics	42	0	2	6	13	21	4.26
10	Style of topic delivery	42	0	1	8	10	23	4.31
11	Time allotted for each topic	42	0	1	6	14	21	4.31
12	Value addition provided by the Course	42	0	2	10	6	24	4.24
13	Standards of Assessment system	42	0	1	7	14	20	4.26
14	Quality of teaching	42	0	2	6	9	25	4.36

AVG 4.26

[Signature]

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Machine Learning Laboratory - 20A05602P

Sem: III- II

Course Faculty: Mr. V. Sreenadh & Ms. B. Sushma Yamini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	0	11	9	22	4.26
2	Breadth of conceptual clarity	42	0	1	8	11	22	4.29
3	Evaluation Scheme	42	0	1	10	9	22	4.24
4	Involvement of Faculty	42	0	1	9	9	23	4.29
5	Overall effectiveness of the course	42	0	1	11	6	24	4.26
6	Preparedness of the faculty	42	0	1	7	9	25	4.38
7	Quality of Interaction	42	0	0	6	12	24	4.43
8	Quality of Rigor	42	0	2	9	6	25	4.29
9	Sequencing of the topics	42	0	2	7	10	23	4.29
10	Style of topic delivery	42	0	1	10	9	22	4.24
11	Time allotted for each topic	42	0	0	8	10	24	4.38
12	Value addition provided by the Course	42	0	0	11	9	22	4.26
13	Standards of Assessment system	42	0	0	9	10	23	4.33
14	Quality of teaching	42	0	0	8	10	24	4.38

AVG	4.31

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Internet of Things Laboratory - 20A05603P

Sem: III- II

Course Faculty: Mr. D. V. Sai Kishore & Dr. Ch. Amarnatha Sarma

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	6	8	27	4.45
2	Breadth of conceptual clarity	42	0	1	5	10	26	4.45
3	Evaluation Scheme	42	0	1	3	11	27	4.52
4	Involvement of Faculty	42	0	0	4	8	30	4.62
5	Overall effectiveness of the course	42	0	0	4	8	30	4.62
6	Preparedness of the faculty	42	0	0	4	10	28	4.57
7	Quality of Interaction	42	0	1	4	9	28	4.52
8	Quality of Rigor	42	0	3	3	8	28	4.45
9	Sequencing of the topics	42	0	1	6	10	25	4.40
10	Style of topic delivery	42	0	0	5	10	27	4.52
11	Time allotted for each topic	42	0	0	5	10	27	4.52
12	Value addition provided by the Course	42	0	0	4	9	29	4.60
13	Standards of Assessment system	42	0	1	4	9	28	4.52
14	Quality of teaching	42	0	0	4	7	31	4.64

AVG 4.53

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Soft Skills - 20A52401

Sem: III- II

Course Faculty: Mr. M. Hemachandra

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	1	5	10	26	4.45
2	Breadth of conceptual clarity	42	0	2	4	9	27	4.45
3	Evaluation Scheme	42	0	1	6	5	30	4.52
4	Involvement of Faculty	42	0	1	8	7	26	4.38
5	Overall effectiveness of the course	42	0	1	6	12	23	4.36
6	Preparedness of the faculty	42	0	2	4	8	28	4.48
7	Quality of Interaction	42	0	1	5	9	27	4.48
8	Quality of Rigor	42	0	3	8	2	29	4.36
9	Sequencing of the topics	42	0	3	6	9	24	4.29
10	Style of topic delivery	42	0	3	3	11	25	4.38
11	Time allotted for each topic	42	0	1	6	9	26	4.43
12	Value addition provided by the Course	42	0	2	5	6	29	4.48
13	Standards of Assessment system	42	0	1	6	8	27	4.45
14	Quality of teaching	42	0	1	4	8	29	4.55

AVG 4.43

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Mr. K. Rama Mohan Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	1	1	11	10	19	4.07
2	Breadth of conceptual clarity	42	1	4	9	9	19	3.98
3	Evaluation Scheme	42	1	3	9	8	21	4.07
4	Involvement of Faculty	42	1	4	11	8	18	3.90
5	Overall effectiveness of the course	42	1	4	10	8	19	3.95
6	Preparedness of the faculty	42	1	2	11	8	20	4.05
7	Quality of Interaction	42	1	2	13	9	17	3.93
8	Quality of Rigor	42	1	1	13	6	21	4.07
9	Sequencing of the topics	42	1	1	10	12	18	4.07
10	Style of topic delivery	42	1	1	12	10	18	4.02
11	Time allotted for each topic	42	1	3	8	13	17	4.00
12	Value addition provided by the Course	42	1	1	12	13	15	3.95
13	Standards of Assessment system	42	1	2	10	11	18	4.02
14	Quality of teaching	42	1	1	11	9	20	4.10

AVG 4.01

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: III-II

Course Faculty: Mrs. K. Sujitha

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	3	11	12	16	3.98
2	Breadth of conceptual clarity	42	0	7	6	10	19	3.98
3	Evaluation Scheme	42	0	4	12	7	19	3.98
4	Involvement of Faculty	42	0	6	8	10	18	3.95
5	Overall effectiveness of the course	42	0	5	9	9	19	4.00
6	Preparedness of the faculty	42	0	4	8	13	17	4.02
7	Quality of Interaction	42	0	4	11	10	17	3.95
8	Quality of Rigor	42	0	6	8	10	18	3.95
9	Sequencing of the topics	42	0	2	12	6	22	4.14
10	Style of topic delivery	42	0	4	7	11	20	4.12
11	Time allotted for each topic	42	0	3	13	6	20	4.02
12	Value addition provided by the Course	42	0	4	10	11	17	3.98
13	Standards of Assessment system	42	0	5	10	10	17	3.93
14	Quality of teaching	42	0	4	10	10	18	4.00
15	Training was relevant to my needs and fulfilled expectations	42	0	1	14	10	17	4.02
16	Content was well explained & solved	42	0	2	11	9	20	4.12
17	Training met my Expectations in practice sessions	42	1	3	11	11	16	3.90
18	Doubts raised were appropriately clarified	42	0	1	12	10	19	4.12
19	Training was effective for attending the interview	42	0	1	14	8	19	4.07

AVG 4.01

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CSE-B

Course Name & Code: Soft Skill Training (PTO) - -

Sem: III- II

Course Faculty: Mr. Syed Mujahid

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	42	0	4	10	8	20	4.05
2	Breadth of conceptual clarity	42	0	5	9	11	17	3.95
3	Evaluation Scheme	42	0	5	9	11	17	3.95
4	Involvement of Faculty	42	0	5	9	11	17	3.95
5	Overall effectiveness of the course	42	0	5	9	9	19	4.00
6	Preparedness of the faculty	42	0	4	9	11	18	4.02
7	Quality of Interaction	42	0	5	9	12	16	3.93
8	Quality of Rigor	42	0	3	11	9	19	4.05
9	Sequencing of the topics	42	0	5	10	9	18	3.95
10	Style of topic delivery	42	0	4	10	9	19	4.02
11	Time allotted for each topic	42	0	3	10	10	19	4.07
12	Value addition provided by the Course	42	0	4	9	13	16	3.98
13	Standards of Assessment system	42	1	4	9	9	19	3.98
14	Quality of teaching	42	0	5	9	8	20	4.02
15	Training was relevant to my needs and fulfilled expectations	42	0	4	12	9	17	3.93
16	Content was well explained & solved	42	1	3	10	13	15	3.90
17	Training met my Expectations in practice sessions	42	0	4	14	8	16	3.86
18	Doubts raised were appropriately clarified	42	0	2	10	12	18	4.10
19	Training was effective for attending the interview	42	1	3	11	11	16	3.90

AVG 3.98


IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Sem: III- II

Date: 23-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A05702c	Natural Language Processing	Mr. V. Srihari Naidu	34	2.25	
2	20A05701a	Cloud Computing	Mr. V. Pavan Kumar	34	4.13	
3	20A30601T	Applications of AI	Mrs. Durga	34	2.51	
4	20A05603T	Internet of Things	Mr. K. V. Prasada Reddy	34	4.14	
5	20A01605	Environmental Economics	Mr. A. V. Ramamurthy	34	4.12	
6	20A30603	Natural Language Processing Laboratory	Mr. K. V. Prasada Reddy	34	3.68	
7	20A12604	Cloud Computing Laboratory	Mr. P. Ravindra Reddy	34	3.07	
8	20A30601P	Applications of AI Laboratory	Mr. V. Srihari Naidu	34	2.55	
9	20A52401	Soft Skills	Mr. M. Hemachandra	34	3.90	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	34	3.20	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	34	3.33	
12	-	Soft Skill Training (PTO)	Mr. Syed Mujahid	34	3.65	

IQAC CO-ORDINATOR
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Natural Language Processing -
20A05702c

Sem: III- II

Course Faculty: Mr. V. Srihari Naidu

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	8	13	13	0	0	2.15
2	Breadth of conceptual clarity	34	7	18	9	0	0	2.06
3	Evaluation Scheme	34	6	14	12	2	0	2.29
4	Involvement of Faculty	34	6	14	13	1	0	2.26
5	Overall effectiveness of the course	34	6	13	13	2	0	2.32
6	Preparedness of the faculty	34	6	14	13	1	0	2.26
7	Quality of Interaction	34	6	15	9	4	0	2.32
8	Quality of Rigor	34	7	15	11	1	0	2.18
9	Sequencing of the topics	34	7	13	13	1	0	2.24
10	Style of topic delivery	34	7	15	10	2	0	2.21
11	Time allotted for each topic	34	7	12	13	2	0	2.29
12	Value addition provided by the Course	34	6	15	11	1	1	2.29
13	Standards of Assessment system	34	6	13	13	2	0	2.32
14	Quality of teaching	34	6	17	8	3	0	2.24

AVG	2.25

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Cloud Computing - 20A05701a

Sem: III- II

Course Faculty: Mr. V. Pavan Kumar

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	0	10	11	13	4.09
2	Breadth of conceptual clarity	34	0	2	6	9	17	4.21
3	Evaluation Scheme	34	0	0	7	12	15	4.24
4	Involvement of Faculty	34	0	1	8	11	14	4.12
5	Overall effectiveness of the course	34	0	0	7	13	14	4.21
6	Preparedness of the faculty	34	0	2	7	10	15	4.12
7	Quality of Interaction	34	0	2	6	12	14	4.12
8	Quality of Rigor	34	1	2	8	11	12	3.91
9	Sequencing of the topics	34	0	0	8	13	13	4.15
10	Style of topic delivery	34	0	1	7	7	19	4.29
11	Time allotted for each topic	34	0	2	7	14	11	4.00
12	Value addition provided by the Course	34	0	2	7	12	13	4.06
13	Standards of Assessment system	34	0	1	7	14	12	4.09
14	Quality of teaching	34	0	2	6	6	20	4.29

AVG 4.13

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Applications of AI -
20A30601T

Sem: III- II

Course Faculty: Mrs. Durga

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	3	11	18	1	1	2.59
2	Breadth of conceptual clarity	34	4	10	17	3	0	2.56
3	Evaluation Scheme	34	6	9	17	1	1	2.47
4	Involvement of Faculty	34	4	9	18	2	1	2.62
5	Overall effectiveness of the course	34	5	10	16	3	0	2.50
6	Preparedness of the faculty	34	5	9	16	3	1	2.59
7	Quality of Interaction	34	4	11	17	1	1	2.53
8	Quality of Rigor	34	5	14	11	3	1	2.44
9	Sequencing of the topics	34	4	10	18	2	0	2.53
10	Style of topic delivery	34	5	12	14	2	1	2.47
11	Time allotted for each topic	34	5	14	14	0	1	2.35
12	Value addition provided by the Course	34	6	9	15	4	0	2.50
13	Standards of Assessment system	34	5	13	13	2	1	2.44
14	Quality of teaching	34	6	9	15	3	1	2.53

AVG	2.51


IQAC Coordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Internet of Things -
20A05603T

Sem: III- II

Course Faculty: Mr. K. V. Prasada Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	0	10	8	16	4.18
2	Breadth of conceptual clarity	34	0	2	10	8	14	4.00
3	Evaluation Scheme	34	0	0	8	11	15	4.21
4	Involvement of Faculty	34	0	0	8	6	20	4.35
5	Overall effectiveness of the course	34	0	1	9	11	13	4.06
6	Preparedness of the faculty	34	0	0	11	6	17	4.18
7	Quality of Interaction	34	0	2	5	11	16	4.21
8	Quality of Rigor	34	0	1	12	8	13	3.97
9	Sequencing of the topics	34	0	0	9	12	13	4.12
10	Style of topic delivery	34	0	0	11	8	15	4.12
11	Time allotted for each topic	34	0	0	8	12	14	4.18
12	Value addition provided by the Course	34	0	1	9	10	14	4.09
13	Standards of Assessment system	34	0	0	12	9	13	4.03
14	Quality of teaching	34	0	1	6	8	19	4.32

AVG	4.14

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Environmental Economics - 20A01605

Sem: III- II

Course Faculty: Mr. A. V. Ramamurthy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	0	8	11	15	4.21
2	Breadth of conceptual clarity	34	0	2	4	16	12	4.12
3	Evaluation Scheme	34	0	0	8	13	13	4.15
4	Involvement of Faculty	34	0	2	6	7	19	4.26
5	Overall effectiveness of the course	34	0	1	7	12	14	4.15
6	Preparedness of the faculty	34	0	1	7	11	15	4.18
7	Quality of Interaction	34	0	1	7	10	16	4.21
8	Quality of Rigor	34	1	2	8	10	13	3.94
9	Sequencing of the topics	34	0	0	11	11	12	4.03
10	Style of topic delivery	34	0	2	6	11	15	4.15
11	Time allotted for each topic	34	0	1	11	9	13	4.00
12	Value addition provided by the Course	34	0	1	8	13	12	4.06
13	Standards of Assessment system	34	0	0	10	9	15	4.15
14	Quality of teaching	34	0	2	6	11	15	4.15

AVG 4.12

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Natural Language Processing Laboratory -
20A30603

Sem: III- II

Course Faculty: Mr. K. V. Prasada Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	1	2	10	14	7	3.71
2	Breadth of conceptual clarity	34	1	1	13	12	7	3.68
3	Evaluation Scheme	34	1	3	12	13	5	3.53
4	Involvement of Faculty	34	1	1	13	10	9	3.74
5	Overall effectiveness of the course	34	1	2	11	13	7	3.68
6	Preparedness of the faculty	34	1	0	15	9	9	3.74
7	Quality of Interaction	34	1	2	13	10	8	3.65
8	Quality of Rigor	34	2	2	12	11	7	3.56
9	Sequencing of the topics	34	1	3	14	6	10	3.62
10	Style of topic delivery	34	1	1	13	8	11	3.79
11	Time allotted for each topic	34	1	2	14	11	6	3.56
12	Value addition provided by the Course	34	1	2	12	9	10	3.74
13	Standards of Assessment system	34	1	2	12	10	9	3.71
14	Quality of teaching	34	1	1	11	10	11	3.85

AVG	3.68

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Cloud Computing Laboratory - 20A12604

Sem: III- II

Course Faculty: Mr. P. Ravindra Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	2	2	20	7	3	3.21
2	Breadth of conceptual clarity	34	3	3	20	7	1	3.00
3	Evaluation Scheme	34	3	6	16	6	3	3.00
4	Involvement of Faculty	34	4	4	18	6	2	2.94
5	Overall effectiveness of the course	34	4	3	20	4	3	2.97
6	Preparedness of the faculty	34	3	2	18	9	2	3.15
7	Quality of Interaction	34	3	3	19	8	1	3.03
8	Quality of Rigor	34	3	3	20	6	2	3.03
9	Sequencing of the topics	34	3	5	17	6	3	3.03
10	Style of topic delivery	34	3	2	17	10	2	3.18
11	Time allotted for each topic	34	3	3	17	9	2	3.12
12	Value addition provided by the Course	34	3	2	21	7	1	3.03
13	Standards of Assessment system	34	3	3	16	9	3	3.18
14	Quality of teaching	34	3	4	15	8	4	3.18

AVG	3.07

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Applications of AI Laboratory - 20A30601P

Sem: III- II

Course Faculty: Mr. V. Srihari Naidu

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	6	9	16	3	0	2.47
2	Breadth of conceptual clarity	34	6	8	17	3	0	2.50
3	Evaluation Scheme	34	5	9	15	5	0	2.59
4	Involvement of Faculty	34	6	7	17	4	0	2.56
5	Overall effectiveness of the course	34	6	7	17	4	0	2.56
6	Preparedness of the faculty	34	4	8	19	3	0	2.62
7	Quality of Interaction	34	5	9	16	4	0	2.56
8	Quality of Rigor	34	7	5	20	2	0	2.50
9	Sequencing of the topics	34	4	10	16	4	0	2.59
10	Style of topic delivery	34	6	6	20	2	0	2.53
11	Time allotted for each topic	34	4	9	19	2	0	2.56
12	Value addition provided by the Course	34	6	7	19	2	0	2.50
13	Standards of Assessment system	34	4	10	16	4	0	2.59
14	Quality of teaching	34	5	9	15	5	0	2.59

AVG	2.55

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.

NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Soft Skills - 20A52401

Sem: III- II

Course Faculty: Mr. M. Hemachandra

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	3	7	13	11	3.94
2	Breadth of conceptual clarity	34	0	3	11	8	12	3.85
3	Evaluation Scheme	34	0	1	11	12	10	3.91
4	Involvement of Faculty	34	0	2	11	9	12	3.91
5	Overall effectiveness of the course	34	0	2	8	14	10	3.94
6	Preparedness of the faculty	34	0	1	12	9	12	3.94
7	Quality of Interaction	34	0	2	8	12	12	4.00
8	Quality of Rigor	34	1	2	13	7	11	3.74
9	Sequencing of the topics	34	0	2	11	12	9	3.82
10	Style of topic delivery	34	0	1	13	6	14	3.97
11	Time allotted for each topic	34	0	2	10	13	9	3.85
12	Value addition provided by the Course	34	0	0	14	6	14	4.00
13	Standards of Assessment system	34	0	2	13	8	11	3.82
14	Quality of teaching	34	0	2	11	9	12	3.91

AVG 3.90

IQAC Co-ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)

Kavali, Sri P.S.R. Nellore Dist.

Andhra Pradesh - 524 142

PRINCIPAL

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY

ENGINEERING COLLEGE

NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	2	4	18	8	2	3.12
2	Breadth of conceptual clarity	34	1	4	18	9	2	3.21
3	Evaluation Scheme	34	1	4	17	11	1	3.21
4	Involvement of Faculty	34	2	4	15	12	1	3.18
5	Overall effectiveness of the course	34	1	7	14	10	2	3.15
6	Preparedness of the faculty	34	1	3	18	9	3	3.29
7	Quality of Interaction	34	1	5	17	9	2	3.18
8	Quality of Rigor	34	2	5	14	10	3	3.21
9	Sequencing of the topics	34	2	3	17	9	3	3.24
10	Style of topic delivery	34	1	6	14	8	5	3.29
11	Time allotted for each topic	34	1	6	16	9	2	3.15
12	Value addition provided by the Course	34	1	5	18	7	3	3.18
13	Standards of Assessment system	34	1	7	15	9	2	3.12
14	Quality of teaching	34	1	5	16	7	5	3.29

AVG	3.20

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: III- II

Course Faculty: Mrs. K. Sujitha

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	1	2	18	7	6	3.44
2	Breadth of conceptual clarity	34	1	3	18	10	2	3.26
3	Evaluation Scheme	34	1	2	21	7	3	3.26
4	Involvement of Faculty	34	1	3	19	8	3	3.26
5	Overall effectiveness of the course	34	1	1	20	10	2	3.32
6	Preparedness of the faculty	34	1	1	18	9	5	3.47
7	Quality of Interaction	34	1	3	15	11	4	3.41
8	Quality of Rigor	34	2	2	19	8	3	3.24
9	Sequencing of the topics	34	1	2	18	10	3	3.35
10	Style of topic delivery	34	1	4	14	10	5	3.41
11	Time allotted for each topic	34	1	3	18	8	4	3.32
12	Value addition provided by the Course	34	1	1	18	12	2	3.38
13	Standards of Assessment system	34	1	1	22	6	4	3.32
14	Quality of teaching	34	1	3	14	12	4	3.44
15	Training was relevant to my needs and fulfilled expectations	34	0	3	21	6	4	3.32
16	Content was well explained & solved	34	0	3	21	8	2	3.26
17	Training met my Expectations in practice sessions	34	0	2	23	6	3	3.29
18	Doubts raised were appropriately clarified	34	0	4	19	9	2	3.26
19	Training was effective for attending the interview	34	0	7	15	10	2	3.21

AVG 3.33

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: AI&DS

Course Name & Code: Soft Skill Training (PTO) - -

Sem: III- II

Course Faculty: Mr. Syed Mujahid

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	34	0	3	14	9	8	3.65
2	Breadth of conceptual clarity	34	0	2	15	10	7	3.65
3	Evaluation Scheme	34	0	4	14	8	8	3.59
4	Involvement of Faculty	34	0	1	15	12	6	3.68
5	Overall effectiveness of the course	34	0	3	12	11	8	3.71
6	Preparedness of the faculty	34	0	1	14	8	11	3.85
7	Quality of Interaction	34	0	4	10	9	11	3.79
8	Quality of Rigor	34	0	3	13	10	8	3.68
9	Sequencing of the topics	34	0	5	11	9	9	3.65
10	Style of topic delivery	34	0	3	13	9	9	3.71
11	Time allotted for each topic	34	0	4	13	9	8	3.62
12	Value addition provided by the Course	34	0	2	14	8	10	3.76
13	Standards of Assessment system	34	0	2	14	10	8	3.71
14	Quality of teaching	34	0	3	12	8	11	3.79
15	Training was relevant to my needs and fulfilled expectations	34	0	1	18	10	5	3.56
16	Content was well explained & solved	34	0	5	14	9	6	3.47
17	Training met my Expectations in practice sessions	34	0	0	18	9	7	3.68
18	Doubts raised were appropriately clarified	34	0	5	16	7	6	3.41
19	Training was effective for attending the interview	34	0	4	16	8	6	3.47

AVG 3.65

Thile

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

Forney

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Sem: III- II

Date: 23-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A04601T	Antennas & Microwave Engineering	Mrs. K. Sreelakshmi	21	3.88	
2	20A04602T	VLSI Design	Mr. V. Sreedhar	21	3.63	
3	20A04603T	Communication Networks	Dr. N. Krishna Chaitanya	21	4.20	
4	20A04604b	Embedded System Design	Mrs. N. Bhargavi	21	4.05	
5	20A12603	Data Analytics Using R	Mrs. A. Nandini	21	3.32	
6	20A04601P	Antennas & Microwave Engineering Laboratory	Mrs. K. Sreelakshmi & Mrs. Ch. Yamini	21	4.15	
7	20A04602P	VLSI Design Laboratory	Mr. V. Sreedhar & Mrs. P. Brundavani	21	3.57	
8	20A04603P	Communication Networks Laboratory	Mr.SK. Badulla	21	3.89	
9	20A04605	RF System Design	Dr. Ch. Amarnatha Sarma	21	3.89	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	21	3.27	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	21	3.45	
12	-	Soft Skill Training (PTO)	Mr. Syed Mujahid	21	3.63	

IQAC CO-ORDINATOR
IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Antennas & Microwave Engineering -
20A04601T

Sem: III- II

Course Faculty: Mrs. K. Sreelakshmi

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	0	1	8	4	8	3.90
2	Breadth of conceptual clarity	21	0	4	5	2	10	3.86
3	Evaluation Scheme	21	0	1	8	3	9	3.95
4	Involvement of Faculty	21	0	4	5	3	9	3.81
5	Overall effectiveness of the course	21	0	1	7	5	8	3.95
6	Preparedness of the faculty	21	0	3	6	6	6	3.71
7	Quality of Interaction	21	0	1	7	6	7	3.90
8	Quality of Rigor	21	0	3	5	4	9	3.90
9	Sequencing of the topics	21	0	2	7	6	6	3.76
10	Style of topic delivery	21	0	2	8	1	10	3.90
11	Time allotted for each topic	21	0	2	8	3	8	3.81
12	Value addition provided by the Course	21	0	2	6	1	12	4.10
13	Standards of Assessment system	21	0	1	8	7	5	3.76
14	Quality of teaching	21	0	1	7	4	9	4.00

AVG 3.88

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: VLSI Design - 20A04602T

Sem: III- II

Course Faculty: Mr. V. Sreedhar

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	2	3	5	3	8	3.57
2	Breadth of conceptual clarity	21	3	1	7	1	9	3.57
3	Evaluation Scheme	21	2	3	6	3	7	3.48
4	Involvement of Faculty	21	3	1	7	2	8	3.52
5	Overall effectiveness of the course	21	2	4	5	1	9	3.52
6	Preparedness of the faculty	21	3	1	6	1	10	3.67
7	Quality of Interaction	21	2	2	5	3	9	3.71
8	Quality of Rigor	21	2	1	7	1	10	3.76
9	Sequencing of the topics	21	2	1	7	3	8	3.67
10	Style of topic delivery	21	2	1	6	2	10	3.81
11	Time allotted for each topic	21	2	2	7	2	8	3.57
12	Value addition provided by the Course	21	2	0	9	0	10	3.76
13	Standards of Assessment system	21	2	2	7	2	8	3.57
14	Quality of teaching	21	3	2	5	0	11	3.67

AVG	3.63

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Communication Networks -
20A04603T

Sem: III- II

Course Faculty: Dr. N. Krishna Chaitanya

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	1	0	5	3	12	4.19
2	Breadth of conceptual clarity	21	0	1	5	3	12	4.24
3	Evaluation Scheme	21	1	0	6	1	13	4.19
4	Involvement of Faculty	21	1	0	6	2	12	4.14
5	Overall effectiveness of the course	21	0	1	6	0	14	4.29
6	Preparedness of the faculty	21	1	0	6	4	10	4.05
7	Quality of Interaction	21	0	1	6	0	14	4.29
8	Quality of Rigor	21	0	1	6	3	11	4.14
9	Sequencing of the topics	21	0	1	5	1	14	4.33
10	Style of topic delivery	21	0	1	5	4	11	4.19
11	Time allotted for each topic	21	0	1	6	1	13	4.24
12	Value addition provided by the Course	21	0	1	6	4	10	4.10
13	Standards of Assessment system	21	1	0	6	0	14	4.24
14	Quality of teaching	21	1	0	5	2	13	4.24

AVG	4.20

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Embedded System Design -
20A04604b

Sem: III- II

Course Faculty: Mrs. N. Bhargavi

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	1	0	6	6	8	3.95
2	Breadth of conceptual clarity	21	0	2	5	3	11	4.10
3	Evaluation Scheme	21	0	1	6	6	8	4.00
4	Involvement of Faculty	21	0	2	5	1	13	4.19
5	Overall effectiveness of the course	21	0	2	5	5	9	4.00
6	Preparedness of the faculty	21	0	1	6	3	11	4.14
7	Quality of Interaction	21	0	1	6	5	9	4.05
8	Quality of Rigor	21	0	2	5	5	9	4.00
9	Sequencing of the topics	21	1	1	5	5	9	3.95
10	Style of topic delivery	21	1	1	5	3	11	4.05
11	Time allotted for each topic	21	1	2	4	3	11	4.00
12	Value addition provided by the Course	21	1	1	5	3	11	4.05
13	Standards of Assessment system	21	0	2	5	3	11	4.10
14	Quality of teaching	21	0	1	6	4	10	4.10

AVG	4.05

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Data Analytics Using R - 20A12603

Sem: III- II

Course Faculty: Mrs. A. Nandini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	2	3	7	3	6	3.38
2	Breadth of conceptual clarity	21	2	2	6	4	7	3.57
3	Evaluation Scheme	21	3	4	5	2	7	3.29
4	Involvement of Faculty	21	2	3	7	4	5	3.33
5	Overall effectiveness of the course	21	2	4	7	2	6	3.29
6	Preparedness of the faculty	21	2	7	3	3	6	3.19
7	Quality of Interaction	21	3	4	5	2	7	3.29
8	Quality of Rigor	21	1	6	4	4	6	3.38
9	Sequencing of the topics	21	2	6	4	3	6	3.24
10	Style of topic delivery	21	2	6	3	4	6	3.29
11	Time allotted for each topic	21	2	5	5	2	7	3.33
12	Value addition provided by the Course	21	2	7	3	3	6	3.19
13	Standards of Assessment system	21	1	4	7	4	5	3.38
14	Quality of teaching	21	2	5	5	3	6	3.29

AVG	3.32

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Antennas & Microwave Engineering Laboratory - 20A04601P

Sem: III-II

Course Faculty: Mrs. K. Sreelakshmi & Mrs. Ch. Yamini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	0	0	7	5	9	4.10
2	Breadth of conceptual clarity	21	0	1	5	4	11	4.19
3	Evaluation Scheme	21	1	0	5	5	10	4.10
4	Involvement of Faculty	21	0	0	6	4	11	4.24
5	Overall effectiveness of the course	21	0	1	5	4	11	4.19
6	Preparedness of the faculty	21	1	1	4	4	11	4.10
7	Quality of Interaction	21	0	0	6	4	11	4.24
8	Quality of Rigor	21	0	2	4	3	12	4.19
9	Sequencing of the topics	21	1	1	5	3	11	4.05
10	Style of topic delivery	21	0	0	7	3	11	4.19
11	Time allotted for each topic	21	0	2	6	2	11	4.05
12	Value addition provided by the Course	21	0	0	6	4	11	4.24
13	Standards of Assessment system	21	0	2	4	5	10	4.10
14	Quality of teaching	21	1	0	6	3	11	4.10

AVG 4.15

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: VLSI Design Laboratory - 20A04602P

Sem: III- II

Course Faculty: Mr. V. Sreedhar & Mrs. P. Brundavani

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	3	0	8	2	8	3.57
2	Breadth of conceptual clarity	21	2	3	4	6	6	3.52
3	Evaluation Scheme	21	4	0	6	3	8	3.52
4	Involvement of Faculty	21	2	1	7	4	7	3.62
5	Overall effectiveness of the course	21	3	1	6	3	8	3.57
6	Preparedness of the faculty	21	3	1	7	4	6	3.43
7	Quality of Interaction	21	3	0	6	3	9	3.71
8	Quality of Rigor	21	2	2	7	2	8	3.57
9	Sequencing of the topics	21	4	0	7	1	9	3.52
10	Style of topic delivery	21	3	0	7	4	7	3.57
11	Time allotted for each topic	21	2	2	6	2	9	3.67
12	Value addition provided by the Course	21	4	0	6	3	8	3.52
13	Standards of Assessment system	21	2	1	7	4	7	3.62
14	Quality of teaching	21	3	1	7	2	8	3.52

AVG	3.57


IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001:2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Communication Networks Laboratory - 20A04603P

Sem: III-II

Course Faculty: Mr.SK. Badulla

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	0	3	5	5	8	3.86
2	Breadth of conceptual clarity	21	0	2	6	4	9	3.95
3	Evaluation Scheme	21	0	3	5	4	9	3.90
4	Involvement of Faculty	21	0	2	6	2	11	4.05
5	Overall effectiveness of the course	21	0	2	7	6	6	3.76
6	Preparedness of the faculty	21	0	3	5	1	12	4.05
7	Quality of Interaction	21	1	1	6	3	10	3.95
8	Quality of Rigor	21	0	2	7	2	10	3.95
9	Sequencing of the topics	21	1	1	7	5	7	3.76
10	Style of topic delivery	21	1	2	6	1	11	3.90
11	Time allotted for each topic	21	0	2	7	5	7	3.81
12	Value addition provided by the Course	21	0	2	7	3	9	3.90
13	Standards of Assessment system	21	0	2	7	7	5	3.71
14	Quality of teaching	21	1	1	7	1	11	3.95

AVG	3.89

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: RF System Design - 20A04605

Sem: III- II

Course Faculty: Dr. Ch. Amarnatha Sarma

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	0	1	7	5	8	3.95
2	Breadth of conceptual clarity	21	0	3	4	5	9	3.95
3	Evaluation Scheme	21	0	1	8	5	7	3.86
4	Involvement of Faculty	21	0	2	5	5	9	4.00
5	Overall effectiveness of the course	21	0	1	9	4	7	3.81
6	Preparedness of the faculty	21	0	3	6	3	9	3.86
7	Quality of Interaction	21	0	1	8	5	7	3.86
8	Quality of Rigor	21	0	2	6	5	8	3.90
9	Sequencing of the topics	21	0	2	7	6	6	3.76
10	Style of topic delivery	21	0	2	6	5	8	3.90
11	Time allotted for each topic	21	0	2	6	7	6	3.81
12	Value addition provided by the Course	21	0	2	7	2	10	3.95
13	Standards of Assessment system	21	0	2	7	6	6	3.76
14	Quality of teaching	21	0	2	6	2	11	4.05

AVG 3.89

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	2	4	7	4	4	3.19
2	Breadth of conceptual clarity	21	2	4	6	6	3	3.19
3	Evaluation Scheme	21	2	2	9	3	5	3.33
4	Involvement of Faculty	21	2	6	4	5	4	3.14
5	Overall effectiveness of the course	21	2	4	7	4	4	3.19
6	Preparedness of the faculty	21	2	6	3	6	4	3.19
7	Quality of Interaction	21	1	6	5	4	5	3.29
8	Quality of Rigor	21	1	5	5	5	5	3.38
9	Sequencing of the topics	21	2	3	7	3	6	3.38
10	Style of topic delivery	21	3	4	4	5	5	3.24
11	Time allotted for each topic	21	2	3	7	3	6	3.38
12	Value addition provided by the Course	21	3	3	6	5	4	3.19
13	Standards of Assessment system	21	1	5	7	3	5	3.29
14	Quality of teaching	21	2	3	6	4	6	3.43

AVG 3.27

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: III- II

Course Faculty: Mrs. K. Sujitha

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	2	4	5	4	6	3.38
2	Breadth of conceptual clarity	21	2	5	2	7	5	3.38
3	Evaluation Scheme	21	2	3	6	4	6	3.43
4	Involvement of Faculty	21	2	3	4	8	4	3.43
5	Overall effectiveness of the course	21	2	4	5	5	5	3.33
6	Preparedness of the faculty	21	2	3	4	7	5	3.48
7	Quality of Interaction	21	3	2	6	4	6	3.38
8	Quality of Rigor	21	2	4	2	8	5	3.48
9	Sequencing of the topics	21	2	4	4	6	5	3.38
10	Style of topic delivery	21	2	3	4	6	6	3.52
11	Time allotted for each topic	21	2	5	3	4	7	3.43
12	Value addition provided by the Course	21	2	4	3	5	7	3.52
13	Standards of Assessment system	21	2	4	5	2	8	3.48
14	Quality of teaching	21	2	2	4	3	10	3.81
15	Training was relevant to my needs and fulfilled expectations	21	3	1	7	2	8	3.52
16	Content was well explained & solved	21	3	3	5	4	6	3.33
17	Training met my Expectations in practice sessions	21	4	1	7	4	5	3.24
18	Doubts raised were appropriately clarified	21	3	3	4	6	5	3.33
19	Training was effective for attending the interview	21	2	2	6	2	9	3.67

AVG 3.45

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-A

Course Name & Code: Soft Skill Training (PTO) - -

Sem: III- II

Course Faculty: Mr. Syed Mujahid

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	21	2	1	6	4	8	3.71
2	Breadth of conceptual clarity	21	1	2	6	5	7	3.71
3	Evaluation Scheme	21	2	1	7	4	7	3.62
4	Involvement of Faculty	21	1	3	5	7	5	3.57
5	Overall effectiveness of the course	21	2	1	6	3	9	3.76
6	Preparedness of the faculty	21	1	2	6	5	7	3.71
7	Quality of Interaction	21	2	1	7	5	6	3.57
8	Quality of Rigor	21	1	3	5	7	5	3.57
9	Sequencing of the topics	21	2	1	6	4	8	3.71
10	Style of topic delivery	21	1	3	5	7	5	3.57
11	Time allotted for each topic	21	2	1	7	5	6	3.57
12	Value addition provided by the Course	21	1	3	5	9	3	3.48
13	Standards of Assessment system	21	2	1	6	6	6	3.62
14	Quality of teaching	21	1	2	6	5	7	3.71
15	Training was relevant to my needs and fulfilled expectations	21	3	0	6	7	5	3.52
16	Content was well explained & solved	21	0	5	4	5	7	3.67
17	Training met my Expectations in practice sessions	21	1	3	6	5	6	3.57
18	Doubts raised were appropriately clarified	21	1	3	5	6	6	3.62
19	Training was effective for attending the interview	21	2	1	6	6	6	3.62

AVG 3.63

[Signature]

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Sem: III- II

Date: 23-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A04601T	Antennas & Microwave Engineering	Mrs. P. Brundavani	33	4.04	
2	20A04602T	VLSI Design	Mr. V. Sreedhar	33	4.25	
3	20A04603T	Communication Networks	Dr. N. Krishna Chaitanya	33	4.63	
4	20A04604b	Embedded System Design	Mrs. N. Bhargavi	33	4.41	
5	20A12603	Data Analytics Using R	Mrs. A. Nandini	33	4.11	
6	20A04601P	Antennas & Microwave Engineering Laboratory	Mrs. K. Sreelakshmi & Mrs. Ch. Yamini	33	4.41	
7	20A04602P	VLSI Design Laboratory	Mr. V. Sreedhar & Mrs. P. Brundavani	33	4.10	
8	20A04603P	Communication Networks Laboratory	Mr.SK. Badulla	33	4.31	
9	20A04605	RF System Design	Dr. Ch. Amamatha Sarma	33	4.21	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	33	3.78	
11	-	Aptitude & Reasoning (PTO)	Mrs. K. Sujitha	33	4.02	
12	-	Soft Skill Training (PTO)	Mr. Syed Mujahid	33	4.03	

[Signature]

IQAC CO-ORDINATOR
IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Antennas & Microwave Engineering -
20A04601T

Sem: III- II

Course Faculty: Mrs. P. Brundavani

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	1	1	9	9	13	3.97
2	Breadth of conceptual clarity	33	0	2	8	10	13	4.03
3	Evaluation Scheme	33	0	2	8	10	13	4.03
4	Involvement of Faculty	33	0	2	10	7	14	4.00
5	Overall effectiveness of the course	33	0	1	10	13	9	3.91
6	Preparedness of the faculty	33	0	3	7	8	15	4.06
7	Quality of Interaction	33	0	3	9	7	14	3.97
8	Quality of Rigor	33	0	3	7	10	13	4.00
9	Sequencing of the topics	33	0	0	11	10	12	4.03
10	Style of topic delivery	33	0	1	8	11	13	4.09
11	Time allotted for each topic	33	0	0	9	13	11	4.06
12	Value addition provided by the Course	33	1	0	7	11	14	4.12
13	Standards of Assessment system	33	0	1	9	10	13	4.06
14	Quality of teaching	33	0	1	8	8	16	4.18

AVG 4.04

[Signature]

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: VLSI Design - 20A04602T

Sem: III- II

Course Faculty: Mr. V. Sreedhar

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	2	5	8	18	4.27
2	Breadth of conceptual clarity	33	0	2	5	14	12	4.09
3	Evaluation Scheme	33	0	2	6	6	19	4.27
4	Involvement of Faculty	33	0	2	4	15	12	4.12
5	Overall effectiveness of the course	33	0	3	4	7	19	4.27
6	Preparedness of the faculty	33	0	3	3	12	15	4.18
7	Quality of Interaction	33	0	1	6	7	19	4.33
8	Quality of Rigor	33	0	1	5	11	16	4.27
9	Sequencing of the topics	33	0	1	4	9	19	4.39
10	Style of topic delivery	33	0	1	6	11	15	4.21
11	Time allotted for each topic	33	1	0	6	8	18	4.27
12	Value addition provided by the Course	33	1	0	6	11	15	4.18
13	Standards of Assessment system	33	0	1	7	6	19	4.30
14	Quality of teaching	33	0	1	4	11	17	4.33

AVG	4.25

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001:2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Communication Networks -
20A04603T

Sem: III- II

Course Faculty: Dr. N. Krishna Chaitanya

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	0	1	11	21	4.61
2	Breadth of conceptual clarity	33	0	0	0	11	22	4.67
3	Evaluation Scheme	33	0	0	1	13	19	4.55
4	Involvement of Faculty	33	0	0	2	9	22	4.61
5	Overall effectiveness of the course	33	0	0	1	10	22	4.64
6	Preparedness of the faculty	33	0	0	0	11	22	4.67
7	Quality of Interaction	33	0	0	1	10	22	4.64
8	Quality of Rigor	33	0	0	2	10	21	4.58
9	Sequencing of the topics	33	0	0	1	8	24	4.70
10	Style of topic delivery	33	0	0	0	8	25	4.76
11	Time allotted for each topic	33	0	0	3	9	21	4.55
12	Value addition provided by the Course	33	0	0	1	10	22	4.64
13	Standards of Assessment system	33	0	0	2	9	22	4.61
14	Quality of teaching	33	0	0	1	8	24	4.70

AVG	4.63

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Embedded System Design -
20A04604b

Sem: III- II

Course Faculty: Mrs. N. Bhargavi

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	0	6	11	16	4.30
2	Breadth of conceptual clarity	33	0	0	2	13	18	4.48
3	Evaluation Scheme	33	0	0	2	13	18	4.48
4	Involvement of Faculty	33	0	0	4	13	16	4.36
5	Overall effectiveness of the course	33	0	0	5	13	15	4.30
6	Preparedness of the faculty	33	0	0	3	9	21	4.55
7	Quality of Interaction	33	0	0	2	15	16	4.42
8	Quality of Rigor	33	0	0	3	15	15	4.36
9	Sequencing of the topics	33	0	0	3	14	16	4.39
10	Style of topic delivery	33	0	0	3	10	20	4.52
11	Time allotted for each topic	33	0	0	3	15	15	4.36
12	Value addition provided by the Course	33	0	0	5	11	17	4.36
13	Standards of Assessment system	33	0	0	5	11	17	4.36
14	Quality of teaching	33	0	0	4	11	18	4.42

AVG	4.41

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Data Analytics Using R - 20A12603

Sem: III- II

Course Faculty: Mrs. A. Nandini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	1	11	7	14	4.03
2	Breadth of conceptual clarity	33	0	2	9	9	13	4.00
3	Evaluation Scheme	33	0	3	9	8	13	3.94
4	Involvement of Faculty	33	0	2	7	10	14	4.09
5	Overall effectiveness of the course	33	0	3	6	8	16	4.12
6	Preparedness of the faculty	33	0	2	8	8	15	4.09
7	Quality of Interaction	33	0	3	6	10	14	4.06
8	Quality of Rigor	33	0	2	9	6	16	4.09
9	Sequencing of the topics	33	0	1	9	9	14	4.09
10	Style of topic delivery	33	0	1	10	6	16	4.12
11	Time allotted for each topic	33	0	1	6	13	13	4.15
12	Value addition provided by the Course	33	0	1	6	10	16	4.24
13	Standards of Assessment system	33	0	1	7	10	15	4.18
14	Quality of teaching	33	0	0	8	8	17	4.27

AVG	4.11

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Antennas & Microwave Engineering Laboratory - 20A04601P

Sem: III- II

Course Faculty: Mrs. K. Sreelakshmi & Mrs. Ch. Yamini

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	0	5	10	18	4.39
2	Breadth of conceptual clarity	33	0	1	2	11	19	4.45
3	Evaluation Scheme	33	1	0	4	8	20	4.39
4	Involvement of Faculty	33	0	1	1	16	15	4.36
5	Overall effectiveness of the course	33	1	0	3	11	18	4.36
6	Preparedness of the faculty	33	0	1	2	14	16	4.36
7	Quality of Interaction	33	1	0	2	11	19	4.42
8	Quality of Rigor	33	0	1	1	11	20	4.52
9	Sequencing of the topics	33	0	0	3	11	19	4.48
10	Style of topic delivery	33	1	0	2	13	17	4.36
11	Time allotted for each topic	33	1	0	3	11	18	4.36
12	Value addition provided by the Course	33	1	0	2	10	20	4.45
13	Standards of Assessment system	33	0	0	3	15	15	4.36
14	Quality of teaching	33	1	0	2	12	18	4.39

AVG 4.41

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: VLSI Design Laboratory - 20A04602P

Sem: III- II

Course Faculty: Mr. V. Sreedhar & Mrs. P. Brundavani

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	2	0	9	5	17	4.06
2	Breadth of conceptual clarity	33	1	1	8	9	14	4.03
3	Evaluation Scheme	33	1	1	7	9	15	4.09
4	Involvement of Faculty	33	1	4	5	8	15	3.97
5	Overall effectiveness of the course	33	1	2	6	7	17	4.12
6	Preparedness of the faculty	33	1	2	6	9	15	4.06
7	Quality of Interaction	33	1	2	6	7	17	4.12
8	Quality of Rigor	33	1	3	6	10	13	3.94
9	Sequencing of the topics	33	0	1	7	8	17	4.24
10	Style of topic delivery	33	0	1	7	7	18	4.27
11	Time allotted for each topic	33	0	2	7	9	15	4.12
12	Value addition provided by the Course	33	0	4	5	7	17	4.12
13	Standards of Assessment system	33	1	1	6	8	17	4.18
14	Quality of teaching	33	1	2	6	10	14	4.03

AVG 4.10

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Communication Networks Laboratory - 20A04603P

Sem: III- II

Course Faculty: Mr.SK. Badulla

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	1	7	8	17	4.24
2	Breadth of conceptual clarity	33	0	1	6	8	18	4.30
3	Evaluation Scheme	33	0	1	5	10	17	4.30
4	Involvement of Faculty	33	0	0	7	9	17	4.30
5	Overall effectiveness of the course	33	0	0	6	8	19	4.39
6	Preparedness of the faculty	33	0	1	3	12	17	4.36
7	Quality of Interaction	33	0	1	5	10	17	4.30
8	Quality of Rigor	33	0	1	5	9	18	4.33
9	Sequencing of the topics	33	0	1	5	8	19	4.36
10	Style of topic delivery	33	0	0	8	11	14	4.18
11	Time allotted for each topic	33	0	0	7	6	20	4.39
12	Value addition provided by the Course	33	0	1	5	14	13	4.18
13	Standards of Assessment system	33	0	1	5	8	19	4.36
14	Quality of teaching	33	0	1	6	10	16	4.24

AVG	4.31

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: RF System Design - 20A04605

Sem: III- II

Course Faculty: Dr. Ch. Amarnatha Sarma

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	1	8	9	15	4.15
2	Breadth of conceptual clarity	33	0	2	4	10	17	4.27
3	Evaluation Scheme	33	0	3	5	9	16	4.15
4	Involvement of Faculty	33	0	3	3	12	15	4.18
5	Overall effectiveness of the course	33	0	1	7	10	15	4.18
6	Preparedness of the faculty	33	0	1	6	10	16	4.24
7	Quality of Interaction	33	0	1	8	8	16	4.18
8	Quality of Rigor	33	0	2	4	9	18	4.30
9	Sequencing of the topics	33	0	2	7	7	17	4.18
10	Style of topic delivery	33	0	2	6	9	16	4.18
11	Time allotted for each topic	33	0	2	6	12	13	4.09
12	Value addition provided by the Course	33	0	2	4	9	18	4.30
13	Standards of Assessment system	33	0	2	5	8	18	4.27
14	Quality of teaching	33	0	1	7	8	17	4.24

AVG	4.21

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	1	5	8	8	11	3.70
2	Breadth of conceptual clarity	33	1	5	7	11	9	3.67
3	Evaluation Scheme	33	1	3	10	5	14	3.85
4	Involvement of Faculty	33	1	5	8	8	11	3.70
5	Overall effectiveness of the course	33	1	4	7	8	13	3.85
6	Preparedness of the faculty	33	1	5	8	8	11	3.70
7	Quality of Interaction	33	1	4	8	9	11	3.76
8	Quality of Rigor	33	1	5	7	8	12	3.76
9	Sequencing of the topics	33	1	4	7	7	14	3.88
10	Style of topic delivery	33	1	4	7	6	15	3.91
11	Time allotted for each topic	33	1	3	9	9	11	3.79
12	Value addition provided by the Course	33	1	5	6	12	9	3.70
13	Standards of Assessment system	33	1	4	7	9	12	3.82
14	Quality of teaching	33	1	5	6	8	13	3.82

AVG 3.78

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Aptitude & Reasoning (PTO) - -

Sem: III-II

Course Faculty: Mrs. K. Sujitha

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	3	8	7	15	4.03
2	Breadth of conceptual clarity	33	0	2	8	10	13	4.03
3	Evaluation Scheme	33	0	3	6	11	13	4.03
4	Involvement of Faculty	33	0	3	9	11	10	3.85
5	Overall effectiveness of the course	33	0	3	8	6	16	4.06
6	Preparedness of the faculty	33	0	2	8	12	11	3.97
7	Quality of Interaction	33	0	3	7	8	15	4.06
8	Quality of Rigor	33	0	3	8	11	11	3.91
9	Sequencing of the topics	33	0	3	7	8	15	4.06
10	Style of topic delivery	33	0	2	6	11	14	4.12
11	Time allotted for each topic	33	0	1	7	11	14	4.15
12	Value addition provided by the Course	33	0	1	10	13	9	3.91
13	Standards of Assessment system	33	0	0	8	8	17	4.27
14	Quality of teaching	33	0	1	8	11	13	4.09
15	Training was relevant to my needs and fulfilled expectations	33	0	3	10	6	14	3.94
16	Content was well explained & solved	33	0	3	7	12	11	3.94
17	Training met my Expectations in practice sessions	33	0	3	10	8	12	3.88
18	Doubts raised were appropriately clarified	33	0	2	8	12	11	3.97
19	Training was effective for attending the interview	33	0	4	5	10	14	4.03

AVG 4.02

[Signature]

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

[Signature]

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: ECE-B

Course Name & Code: Soft Skill Training (PTO) --

Sem: III- II

Course Faculty: Mr. Syed Mujahid

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	33	0	2	7	8	16	4.15
2	Breadth of conceptual clarity	33	0	2	7	10	14	4.09
3	Evaluation Scheme	33	0	3	4	11	15	4.15
4	Involvement of Faculty	33	0	2	8	12	11	3.97
5	Overall effectiveness of the course	33	0	2	6	10	15	4.15
6	Preparedness of the faculty	33	1	1	7	8	16	4.12
7	Quality of Interaction	33	1	0	7	10	15	4.15
8	Quality of Rigor	33	1	0	9	12	11	3.97
9	Sequencing of the topics	33	1	1	8	10	13	4.00
10	Style of topic delivery	33	1	1	7	12	12	4.00
11	Time allotted for each topic	33	1	1	3	14	14	4.18
12	Value addition provided by the Course	33	1	1	8	10	13	4.00
13	Standards of Assessment system	33	1	1	5	9	17	4.21
14	Quality of teaching	33	1	1	5	10	16	4.18
15	Training was relevant to my needs and fulfilled expectations	33	1	4	6	8	14	3.91
16	Content was well explained & solved	33	1	5	6	9	12	3.79
17	Training met my Expectations in practice sessions	33	2	3	8	6	14	3.82
18	Doubts raised were appropriately clarified	33	1	4	8	4	16	3.91
19	Training was effective for attending the interview	33	1	5	7	4	16	3.88

AVG 4.03


IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC
Approved by AICTE, New Delhi & Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Sem: III- II

Date: 23-04-2024

S. No.	Course Code	Course Name	Name of the Faculty	No of Students responses	Feedback Score (5)	Remarks
1	20A01601	Design of Steel Structures	Mr. K. Vinod Kumar	12	4.30	
2	20A01602	Highway Engineering	Mr. G. Bharadwaja Rao	12	3.88	
3	20A01603	Hydrology and Irrigation Engineering	Dr. B. Satya Narayana Reddy	12	4.36	
4	20A01604c	Environmental Impact Assessment	Mr. V. Amarnadh Reddy	12	3.71	
5	20A51701	Chemistry of Polymers and its Applications	Mr. M. Venkata Subbaiah	12	3.98	
6	20A01606	Design Studio Laboratory with STAAD Pro.	Mr. K. Vinod Kumar	12	4.23	
7	20A01607	Highway Materials Laboratory	Mr. G. Bharadwaja Rao	12	4.01	
8	20A01608	Concrete Technology Laboratory	Mr. K. Vinod Kumar	12	4.19	
9	20A01609	BIM Fundamentals for Civil Engineers	Mr. K. Jagadeesh	12	4.15	
10	20A99601	Intellectual Property Rights & Patents	Dr. I. Malyadri Reddy	12	3.70	

IQAC CO-ORDINATOR
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Design of Steel Structures -
20A01601

Sem: III- II

Course Faculty: Mr. K. Vinod Kumar

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	0	3	2	7	4.33
2	Breadth of conceptual clarity	12	0	0	2	3	7	4.42
3	Evaluation Scheme	12	0	0	3	2	7	4.33
4	Involvement of Faculty	12	0	0	2	4	6	4.33
5	Overall effectiveness of the course	12	0	1	2	4	5	4.08
6	Preparedness of the faculty	12	0	0	3	2	7	4.33
7	Quality of Interaction	12	0	1	2	4	5	4.08
8	Quality of Rigor	12	0	0	2	2	8	4.50
9	Sequencing of the topics	12	0	0	3	4	5	4.17
10	Style of topic delivery	12	0	0	3	2	7	4.33
11	Time allotted for each topic	12	0	0	3	1	8	4.42
12	Value addition provided by the Course	12	0	1	1	4	6	4.25
13	Standards of Assessment system	12	0	0	3	2	7	4.33
14	Quality of teaching	12	0	0	2	4	6	4.33

AVG	4.30

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (M), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh- 524 142

PRINCIPAL
PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Highway Engineering - 20A01602

Sem: III- II

Course Faculty: Mr. G. Bharadwaja Rao

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	2	2	4	4	3.83
2	Breadth of conceptual clarity	12	0	2	2	3	5	3.92
3	Evaluation Scheme	12	0	0	4	4	4	4.00
4	Involvement of Faculty	12	0	0	5	3	4	3.92
5	Overall effectiveness of the course	12	0	0	5	4	3	3.83
6	Preparedness of the faculty	12	0	2	3	3	4	3.75
7	Quality of Interaction	12	0	2	3	3	4	3.75
8	Quality of Rigor	12	0	1	3	3	5	4.00
9	Sequencing of the topics	12	0	2	2	5	3	3.75
10	Style of topic delivery	12	0	1	3	3	5	4.00
11	Time allotted for each topic	12	0	1	4	4	3	3.75
12	Value addition provided by the Course	12	0	2	2	3	5	3.92
13	Standards of Assessment system	12	1	0	3	3	5	3.92
14	Quality of teaching	12	0	1	3	3	5	4.00

AVG	3.88

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Hydrology and Irrigation Engineering -
20A01603

Sem: III- II

Course Faculty: Dr. B. Satya Narayana Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	0	2	2	8	4.50
2	Breadth of conceptual clarity	12	0	0	1	3	8	4.58
3	Evaluation Scheme	12	0	0	1	3	8	4.58
4	Involvement of Faculty	12	0	0	1	4	7	4.50
5	Overall effectiveness of the course	12	0	1	1	3	7	4.33
6	Preparedness of the faculty	12	0	1	1	4	6	4.25
7	Quality of Interaction	12	0	0	2	6	4	4.17
8	Quality of Rigor	12	0	1	1	5	5	4.17
9	Sequencing of the topics	12	0	0	2	5	5	4.25
10	Style of topic delivery	12	0	0	2	4	6	4.33
11	Time allotted for each topic	12	0	0	2	4	6	4.33
12	Value addition provided by the Course	12	0	2	0	3	7	4.25
13	Standards of Assessment system	12	0	0	2	4	6	4.33
14	Quality of teaching	12	0	0	1	5	6	4.42

AVG 4.36

IQAC Co-Ordinator

IQAC Co-ordinator

Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE

NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL

RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Environmental Impact Assessment -
20A01604c

Sem: III- II

Course Faculty: Mr. V. Amarnadh Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	4	3	4	3.83
2	Breadth of conceptual clarity	12	0	2	3	2	5	3.83
3	Evaluation Scheme	12	0	2	3	3	4	3.75
4	Involvement of Faculty	12	0	2	4	2	4	3.67
5	Overall effectiveness of the course	12	0	1	5	2	4	3.75
6	Preparedness of the faculty	12	0	3	3	2	4	3.58
7	Quality of Interaction	12	0	3	3	3	3	3.50
8	Quality of Rigor	12	0	2	3	2	5	3.83
9	Sequencing of the topics	12	0	1	4	4	3	3.75
10	Style of topic delivery	12	0	3	4	0	5	3.58
11	Time allotted for each topic	12	0	3	3	2	4	3.58
12	Value addition provided by the Course	12	0	2	4	0	6	3.83
13	Standards of Assessment system	12	0	3	2	2	5	3.75
14	Quality of teaching	12	0	1	5	3	3	3.67

AVG	3.71

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Chemistry of Polymers and its Applications - 20A51701

Sem: III- II

Course Faculty: Mr. M. Venkata Subbaiah

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	3	0	3	6	4.00
2	Breadth of conceptual clarity	12	0	0	3	5	4	4.08
3	Evaluation Scheme	12	0	1	2	4	5	4.08
4	Involvement of Faculty	12	0	1	2	4	5	4.08
5	Overall effectiveness of the course	12	0	1	2	6	3	3.92
6	Preparedness of the faculty	12	0	2	1	4	5	4.00
7	Quality of Interaction	12	0	2	1	5	4	3.92
8	Quality of Rigor	12	0	0	3	7	2	3.92
9	Sequencing of the topics	12	0	2	1	5	4	3.92
10	Style of topic delivery	12	0	2	1	5	4	3.92
11	Time allotted for each topic	12	0	1	1	4	6	4.25
12	Value addition provided by the Course	12	0	2	1	7	2	3.75
13	Standards of Assessment system	12	0	1	3	3	5	4.00
14	Quality of teaching	12	0	1	3	5	3	3.83

AVG	3.98

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, S.P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Design Studio Laboratory with STAAD Pro. - 20A01606

Sem: III- II

Course Faculty: Mr. K. Vinod Kumar

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	1	0	1	3	7	4.25
2	Breadth of conceptual clarity	12	0	1	2	3	6	4.17
3	Evaluation Scheme	12	0	0	3	4	5	4.17
4	Involvement of Faculty	12	0	0	3	4	5	4.17
5	Overall effectiveness of the course	12	0	1	1	3	7	4.33
6	Preparedness of the faculty	12	0	0	3	3	6	4.25
7	Quality of Interaction	12	0	0	3	6	3	4.00
8	Quality of Rigor	12	0	1	1	5	5	4.17
9	Sequencing of the topics	12	1	0	1	6	4	4.00
10	Style of topic delivery	12	0	2	0	4	6	4.17
11	Time allotted for each topic	12	0	1	2	2	7	4.25
12	Value addition provided by the Course	12	0	0	2	3	7	4.42
13	Standards of Assessment system	12	0	1	0	4	7	4.42
14	Quality of teaching	12	0	0	1	5	6	4.42

AVG 4.23

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Highway Materials Laboratory - 20A01607

Sem: III- II

Course Faculty: Mr. G. Bharadwaja Rao

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	3	2	6	4.08
2	Breadth of conceptual clarity	12	0	1	3	3	5	4.00
3	Evaluation Scheme	12	0	1	2	3	6	4.17
4	Involvement of Faculty	12	0	0	4	2	6	4.17
5	Overall effectiveness of the course	12	0	2	2	4	4	3.83
6	Preparedness of the faculty	12	0	0	6	2	4	3.83
7	Quality of Interaction	12	1	2	2	2	5	3.67
8	Quality of Rigor	12	1	0	3	3	5	3.92
9	Sequencing of the topics	12	0	1	2	5	4	4.00
10	Style of topic delivery	12	0	0	4	2	6	4.17
11	Time allotted for each topic	12	0	1	3	3	5	4.00
12	Value addition provided by the Course	12	0	0	5	1	6	4.08
13	Standards of Assessment system	12	0	3	1	3	5	3.83
14	Quality of teaching	12	0	0	3	2	7	4.33

AVG	4.01

IQAC Co-Ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-6, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Concrete Technology Laboratory - 20A01608

Sem: III-II

Course Faculty: Mr. K. Vinod Kumar

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	1	4	6	4.25
2	Breadth of conceptual clarity	12	0	1	2	2	7	4.25
3	Evaluation Scheme	12	0	1	2	5	4	4.00
4	Involvement of Faculty	12	0	0	3	2	7	4.33
5	Overall effectiveness of the course	12	0	1	1	5	5	4.17
6	Preparedness of the faculty	12	0	0	3	2	7	4.33
7	Quality of Interaction	12	0	1	2	4	5	4.08
8	Quality of Rigor	12	0	0	3	5	4	4.08
9	Sequencing of the topics	12	0	1	1	5	5	4.17
10	Style of topic delivery	12	0	0	2	2	8	4.50
11	Time allotted for each topic	12	0	1	0	6	5	4.25
12	Value addition provided by the Course	12	0	0	3	4	5	4.17
13	Standards of Assessment system	12	0	2	2	5	3	3.75
14	Quality of teaching	12	0	0	3	2	7	4.33

AVG 4.19

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh - 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.

Recognized by UGC under Section 2(f) of UGC Act, 1956.

An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: BIM Fundamentals for Civil Engineers - 20A01609

Sem: III- II

Course Faculty: Mr. K. Jagadeesh

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	1	2	3	6	4.17
2	Breadth of conceptual clarity	12	0	1	2	3	6	4.17
3	Evaluation Scheme	12	0	0	2	5	5	4.25
4	Involvement of Faculty	12	0	1	2	3	6	4.17
5	Overall effectiveness of the course	12	0	0	3	5	4	4.08
6	Preparedness of the faculty	12	0	0	3	4	5	4.17
7	Quality of Interaction	12	0	2	1	3	6	4.08
8	Quality of Rigor	12	0	0	3	3	6	4.25
9	Sequencing of the topics	12	0	0	3	2	7	4.33
10	Style of topic delivery	12	0	1	1	4	6	4.25
11	Time allotted for each topic	12	0	0	2	6	4	4.17
12	Value addition provided by the Course	12	0	0	4	3	5	4.08
13	Standards of Assessment system	12	0	2	2	5	3	3.75
14	Quality of teaching	12	0	0	3	3	6	4.25

AVG 4.15

IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH 16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142

PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142

RAMIREDDY SUBBARAMI REDDY ENGINEERING COLLEGE



ACCREDITED WITH 'A' GRADE BY NAAC | Approved by AICTE, New Delhi | Affiliated to JNTUA.
Recognized by UGC under Section 2(f) of UGC Act, 1956.
An ISO 9001: 2015, ISO 14001-2015, ISO 50001-2018 Certified Institution.
NH-16, Kadanuthala, Bogole Mandal, Kavali- 524 142, S.P.S.R. Nellore, A.P.



STUDENT FEEDBACK REPORT

Academic Year: 2023 - 2024

Branch: CIVIL

Course Name & Code: Intellectual Property Rights & Patents - 20A99601

Sem: III- II

Course Faculty: Dr. I. Malyadri Reddy

Date: 23-04-2024

S. No.	Course Name & Code	No of Students responses	POOR (1)	Average (2)	Good (3)	Very Good (4)	Excellent (5)	AVG (5)
1	Course Content	12	0	3	2	3	4	3.67
2	Breadth of conceptual clarity	12	0	2	3	2	5	3.83
3	Evaluation Scheme	12	0	1	4	4	3	3.75
4	Involvement of Faculty	12	0	0	6	2	4	3.83
5	Overall effectiveness of the course	12	0	1	4	4	3	3.75
6	Preparedness of the faculty	12	0	1	5	1	5	3.83
7	Quality of Interaction	12	0	3	4	1	4	3.50
8	Quality of Rigor	12	0	1	5	2	4	3.75
9	Sequencing of the topics	12	0	1	4	6	1	3.58
10	Style of topic delivery	12	0	1	4	4	3	3.75
11	Time allotted for each topic	12	0	1	4	5	2	3.67
12	Value addition provided by the Course	12	0	2	5	1	4	3.58
13	Standards of Assessment system	12	0	2	4	3	3	3.58
14	Quality of teaching	12	0	2	3	3	4	3.75

AVG	3.70


IQAC Co-ordinator
Internal Quality Assurance Cell
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-16, Kadanuthala (V), Bogole (M)
Kavali, Sri P.S.R. Nellore Dist.
Andhra Pradesh 524 142


PRINCIPAL
RAMIREDDY SUBBARAMI REDDY
ENGINEERING COLLEGE
NH-5, KADANUTHALA - 524 142